

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020321\
 Data File : VY003981.D
 Acq On : 03 Feb 2021 23:41
 Operator : SY/MD
 Sample : M1291-17
 Misc : 8.92g/5mL/MSVOA_Y/SOIL
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OU421-004-0205

Quant Time: Feb 04 01:26:12 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y012821S.M
 Quant Title : SW846 8260
 QLast Update : Mon Feb 01 00:38:02 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	7.801	168	82676	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	138243	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.496	117	134562	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	68246	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.155	65	54708	60.18	ug/l	0.00
Spiked Amount 50.000	Range 50 - 163		Recovery = 120.36%			
35) Dibromofluoromethane	7.728	113	45841	56.71	ug/l	0.00
Spiked Amount 50.000	Range 54 - 147		Recovery = 113.42%			
50) Toluene-d8	10.185	98	171628	54.11	ug/l	0.00
Spiked Amount 50.000	Range 49 - 140		Recovery = 108.22%			
62) 4-Bromofluorobenzene	12.483	95	64017	55.37	ug/l	0.00
Spiked Amount 50.000	Range 25 - 144		Recovery = 110.74%			
Target Compounds					Qvalue	
16) Acetone	3.966	43	277	1.24	ug/l #	69
20) Methylene Chloride	4.735	84	3044	3.21	ug/l	91
36) 1,1-Dichloropropene	7.801	75	6025	4.31	ug/l #	50
38) Carbon Tetrachloride	7.801	117	7963	5.27	ug/l #	17
76) 1,2,3-Trichloropropane	12.483	75	34195	49.73	ug/l #	100
81) trans-1,4-Dichloro-2-b...	12.483	75	34195	95.06	ug/l #	11


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020321\
Data File : VY003981.D
Acq On : 03 Feb 2021 23:41
Operator : SY/MD
Sample : M1291-17
Misc : 8.92g/5mL/MSVOA_Y/SOIL
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OU421-004-0205


Quant Time: Feb 04 01:26:12 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y012821S.M
Quant Title : SW846 8260
QLast Update : Mon Feb 01 00:38:02 2021
Response via : Initial Calibration








#1
Pentafluorobenzene
Concen: 50.00 ug/l
RT: 7.801 min Scan# 981
Delta R.T. 0.000 min
Lab File: VY003981.D
Acq: 03 Feb 2021 23:41

Instrument :
MSVOA_Y
ClientSampleId :
OU421-004-0205







Tgt Ion:168 Resp: 82676
Ion Ratio Lower Upper
168 100
99 56.9 46.1 69.1



#16
Acetone
Concen: 1.24 ug/l
RT: 3.966 min Scan# 352
Delta R.T. 0.000 min
Lab File: VY003981.D
Acq: 03 Feb 2021 23:41


Tgt Ion: 43 Resp: 277
Ion Ratio Lower Upper
43 100
58 45.9 23.4 35.0#








#20
Methylene Chloride
Concen: 3.21 ug/l
RT: 4.735 min Scan# 478
Delta R.T. 0.000 min
Lab File: VY003981.D
Acq: 03 Feb 2021 23:41

Instrument :
MSVOA_Y
ClientSampleId :
OU421-004-0205







Tgt Ion:	84	Resp:	3044
Ion	Ratio	Lower	Upper
84	100		
49	126.8	107.0	160.4
51	32.4	31.9	47.9
86	68.4	47.4	71.0



#33
1,2-Dichloroethane-d4
Concen: 60.18 ug/l
RT: 8.155 min Scan# 1039
Delta R.T. 0.006 min
Lab File: VY003981.D
Acq: 03 Feb 2021 23:41

Tgt Ion:	65	Resp:	54708
Ion	Ratio	Lower	Upper
65	100		
67	50.8	0.0	101.8









#34
1,4-Difluorobenzene
Concen: 50.00 ug/l
RT: 8.697 min Scan# 1128
Delta R.T. 0.000 min
Lab File: VY003981.D
Acq: 03 Feb 2021 23:41




Instrument :
MSVOA_Y
ClientSampleId :
OU421-004-0205


Tgt Ion:114 Resp: 138243
Ion Ratio Lower Upper
114 100
63 19.7 0.0 47.2
88 16.4 0.0 30.2



#35
Dibromofluoromethane
Concen: 56.71 ug/l
RT: 7.728 min Scan# 969
Delta R.T. 0.000 min
Lab File: VY003981.D
Acq: 03 Feb 2021 23:41


Tgt Ion:113 Resp: 45841
Ion Ratio Lower Upper
113 100
111 101.9 82.2 123.4
192 23.7 18.3 27.5








#36
1,1-Dichloropropene
Concen: 4.31 ug/l
RT: 7.801 min Scan# 981
Delta R.T. -0.128 min
Lab File: VY003981.D
Acq: 03 Feb 2021 23:41

Instrument :
MSVOA_Y
ClientSampleId :
OU421-004-0205







Tgt Ion: 75 Resp: 6025
Ion Ratio Lower Upper
75 100
110 10.0 17.9 53.8#
77 0.0 24.8 37.2#



#38
Carbon Tetrachloride
Concen: 5.27 ug/l
RT: 7.801 min Scan# 981
Delta R.T. -0.110 min
Lab File: VY003981.D
Acq: 03 Feb 2021 23:41

Tgt Ion: 117 Resp: 7963
Ion Ratio Lower Upper
117 100
119 6.4 77.4 116.0#
121 0.0 26.1 39.1#









#50
Toluene-d8
Concen: 54.11 ug/l
RT: 10.185 min Scan# 1372
Delta R.T. 0.000 min
Lab File: VY003981.D
Acq: 03 Feb 2021 23:41




Instrument :
MSVOA_Y
ClientSampleId :
OU421-004-0205


Tgt Ion: 98 Resp: 171628
Ion Ratio Lower Upper
98 100
100 64.0 50.5 75.7



#62
4-Bromofluorobenzene
Concen: 55.37 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. 0.000 min
Lab File: VY003981.D
Acq: 03 Feb 2021 23:41

Tgt Ion: 95 Resp: 64017
Ion Ratio Lower Upper
95 100
174 90.4 0.0 184.4
176 86.5 0.0 177.2









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 11.496 min Scan# 1587
Delta R.T. -0.000 min
Lab File: VY003981.D
Acq: 03 Feb 2021 23:41




Instrument :
MSVOA_Y
ClientSampleId :
OU421-004-0205


Tgt Ion:117 Resp: 134562
Ion Ratio Lower Upper
117 100
82 55.4 44.3 66.5
119 32.7 25.0 37.6



#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 13.428 min Scan# 1904
Delta R.T. 0.000 min
Lab File: VY003981.D
Acq: 03 Feb 2021 23:41

Tgt Ion:152 Resp: 68246
Ion Ratio Lower Upper
152 100
115 58.0 28.2 84.6
150 155.9 0.0 356.2









#76
1,2,3-Trichloropropane
Concen: 49.73 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. -0.152 min
Lab File: VY003981.D
Acq: 03 Feb 2021 23:41

Instrument :
MSVOA_Y
ClientSampleId :
OU421-004-0205

Tgt Ion: 75 Resp: 34195
Ion Ratio Lower Upper
75 100
77 1.2 0.0 0.0#



#81
trans-1,4-Dichloro-2-butene
Concen: 95.06 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. 0.104 min
Lab File: VY003981.D
Acq: 03 Feb 2021 23:41

Tgt Ion: 75 Resp: 34195
Ion Ratio Lower Upper
75 100
53 0.0 78.2 117.2#
89 0.1 34.8 52.2#

