

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020425\
 Data File : VY021061.D
 Acq On : 04 Feb 2025 16:13
 Operator : SY/MD
 Sample : Q1235-01
 Misc : 9.09g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 JPP-51.2-012925

Quant Time: Feb 05 00:48:19 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020325S.M
 Quant Title : SW846 8260
 QLast Update : Mon Feb 03 13:08:38 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	148620	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	281249	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	265453	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	111552	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	97710	64.168	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	128.340%
35) Dibromofluoromethane	7.634	113	71221	39.514	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	79.020%
50) Toluene-d8	10.103	98	345798	50.393	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	100.780%
62) 4-Bromofluorobenzene	12.408	95	114797	51.208	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	102.420%
Target Compounds						
16) Acetone	3.866	43	6129	25.810	ug/l	95
84) 1,2,4-Trimethylbenzene	13.042	105	10825	1.567	ug/l	98
95) Naphthalene	15.145	128	32250	10.746	ug/l	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020425\
Data File : VY021061.D
Acq On : 04 Feb 2025 16:13
Operator : SY/MD
Sample : Q1235-01
Misc : 9.09g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
JPP-51.2-012925

Quant Time: Feb 05 00:48:19 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020325S.M
Quant Title : SW846 8260
QLast Update : Mon Feb 03 13:08:38 2025
Response via : Initial Calibration

