

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020425\
 Data File : VY021064.D
 Acq On : 04 Feb 2025 17:23
 Operator : SY/MD
 Sample : Q1241-05
 Misc : 9.78g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 JPP-5.3-013025

Quant Time: Feb 05 00:49:17 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020325S.M
 Quant Title : SW846 8260
 QLast Update : Mon Feb 03 13:08:38 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	17576	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	24690	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	15529	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	3061	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	6248	34.696	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	69.400%
35) Dibromofluoromethane	7.634	113	7688	48.587	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	97.180%
50) Toluene-d8	10.109	98	27649	45.899	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	91.800%
62) 4-Bromofluorobenzene	12.408	95	4357	22.139	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	44.280%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020425\
Data File : VY021064.D
Acq On : 04 Feb 2025 17:23
Operator : SY/MD
Sample : Q1241-05
Misc : 9.78g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
JPP-5.3-013025

Quant Time: Feb 05 00:49:17 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020325S.M
Quant Title : SW846 8260
QLast Update : Mon Feb 03 13:08:38 2025
Response via : Initial Calibration

