

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020525\
 Data File : VY021078.D
 Acq On : 05 Feb 2025 11:07
 Operator : SY/MD
 Sample : Q1284-02
 Misc : 5.02g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SU-03-2-4-2025

Quant Time: Feb 06 00:34:46 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020325S.M
 Quant Title : SW846 8260
 QLast Update : Mon Feb 03 13:08:38 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	194871	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.622	114	351011	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	306979	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.353	152	112224	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	102656	51.415	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	102.840%
35) Dibromofluoromethane	7.640	113	109380	48.624	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	97.240%
50) Toluene-d8	10.115	98	422842	49.374	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.740%
62) 4-Bromofluorobenzene	12.414	95	123298	44.069	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	88.140%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020525\
Data File : VY021078.D
Acq On : 05 Feb 2025 11:07
Operator : SY/MD
Sample : Q1284-02
Misc : 5.02g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SU-03-2-4-2025

Quant Time: Feb 06 00:34:46 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020325S.M
Quant Title : SW846 8260
QLast Update : Mon Feb 03 13:08:38 2025
Response via : Initial Calibration

