

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY020720\
 Data File : VY001569.D
 Acq On : 07 Feb 2020 20:51
 Operator : SY/MD
 Sample : L1449-01
 Misc : 5.01G/5ML/MSVOA Y/SOIL
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 S-1-BY-TANK-WEST

Quant Time: Feb 08 04:08:32 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y020420S.M
 Quant Title : SW846 8260
 QLast Update : Tue Feb 04 15:10:08 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.82	168	169316	50.00	ug/l	0.01
34) 1,4-Difluorobenzene	8.72	114	300427	50.00	ug/l	0.01
63) Chlorobenzene-d5	11.51	117	273837	50.00	ug/l	0.01
72) 1,4-Dichlorobenzene-d4	13.44	152	122712	50.00	ug/l	0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.17	65	98227	57.62	ug/l	0.00
Spiked Amount			Recovery	=	115.24%	
35) Dibromofluoromethane	7.75	113	88819	51.27	ug/l	0.00
Spiked Amount			Recovery	=	102.54%	
50) Toluene-d8	10.20	98	359493	54.85	ug/l	0.01
Spiked Amount			Recovery	=	109.70%	
62) 4-Bromofluorobenzene	12.50	95	123857	47.97	ug/l	0.01
Spiked Amount			Recovery	=	95.94%	


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY020720\
Data File : VY001569.D
Acq On : 07 Feb 2020 20:51
Operator : SY/MD
Sample : L1449-01
Misc : 5.01G/5ML/MSVOA Y/SOIL
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
S-1-BY-TANK-WEST

Quant Time: Feb 08 04:08:32 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y020420S.M
Quant Title : SW846 8260
QLast Update : Tue Feb 04 15:10:08 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.82 min Scan# 998

Delta R.T. 0.01 min

Lab File: VY001569.D

Acq: 07 Feb 2020 20:51

Instrument :

MSVOA_Y

ClientSampleId :


S-1-BY-TANK-WEST

Tot Ion:168 Resp: 169316




Ion Ratio Lower Upper

168 100

99 56.8 48.2 72.4



Abundance Ion 167.90 (167.60 to 168.60): VY001569.D (-947) (-)



#33

1,2-Dichloroethane-d4

Concen: 57.619 ug/l

RT: 8.17 min Scan# 1055

Delta R.T. 0.01 min

Lab File: VY001569.D


Acq: 07 Feb 2020 20:51

Tgt Ion: 65 Resp: 98227



Ion Ratio Lower Upper


65 100

67 54.3 0.0 108.6



Abundance Ion 64.90 (64.60 to 65.60): VY001569.D (-1005) (-)





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.72 min Scan# 1145

Delta R.T. 0.01 min

Lab File: VY001569.D

Acq: 07 Feb 2020 20:51

Instrument :

MSVOA_Y

ClientSampleId :

S-1-BY-TANK-WEST


Tot Ion:114 Resp: 300427

Ion Ratio Lower Upper

114 100

63 19.7 0.0 39.8




88 14.9 0.0 32.6



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 51.269 ug/l

RT: 7.75 min Scan# 986

Delta R.T. 0.01 min

Lab File: VY001569.D

Acq: 07 Feb 2020 20:51


Tgt Ion:113 Resp: 88819

Ion Ratio Lower Upper

113 100

111 102.1 82.9 124.3



192 18.2 14.6 22.0




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 54.847 ug/l

RT: 10.20 min Scan# 1388

Delta R.T. 0.01 min

Lab File: VY001569.D

Acq: 07 Feb 2020 20:51

Instrument :

MSVOA_Y

ClientSampleId :


S-1-BY-TANK-WEST

Tot Ion: 98 Resp: 359493

Ion Ratio Lower Upper

98 100

100 66.4 53.0 79.6



Abundance Ion 98.00 (97.70 to 98.70): VY001484.D (-1377) (-)

Ion 100.00 (99.70 to 100.70): VY001484.D (-1377) (-)

10.20

250000

200000



150000

100000

50000

0

Time-->



#62

4-Bromofluorobenzene

Concen: 47.968 ug/l

RT: 12.50 min Scan# 1765

Delta R.T. 0.01 min

Lab File: VY001569.D

Acq: 07 Feb 2020 20:51


Tgt Ion: 95 Resp: 123857

Ion Ratio Lower Upper

95 100

174 75.9 0.0 141.4

176 73.0 0.0 135.4



Abundance Ion 94.90 (94.60 to 95.60): VY001484.D (-1755) (-)

Ion 173.80 (173.50 to 174.50): VY001484.D (-1755) (-)

Ion 175.80 (175.50 to 176.50): VY001484.D (-1755) (-)

12.50

100000

80000


60000


40000

20000

0

Time-->









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.51 min Scan# 1603
Delta R.T. 0.01 min
Lab File: VY001569.D
Acq: 07 Feb 2020 20:51

Instrument :
MSVOA_Y
ClientSampleId :
S-1-BY-TANK-WEST

Tot Ion:117 Resp: 273837
Ion Ratio Lower Upper
117 100
82 53.2 46.1 69.1
119 31.7 26.1 39.1



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.44 min Scan# 1920
Delta R.T. 0.01 min
Lab File: VY001569.D
Acq: 07 Feb 2020 20:51

Tgt Ion:152 Resp: 122712
Ion Ratio Lower Upper
152 100
115 58.7 31.4 94.3
150 157.6 0.0 346.8

