

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020725\
 Data File : VY021145.D
 Acq On : 07 Feb 2025 17:23
 Operator : SY/MD
 Sample : Q1287-03
 Misc : 5.07g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 BAY-DRUMS-B

Quant Time: Feb 08 02:44:02 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020325S.M
 Quant Title : SW846 8260
 QLast Update : Mon Feb 03 13:08:38 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	0.000	168	0	0.000	ug/l	-7.71
34) 1,4-Difluorobenzene	0.000	114	0	0.000	ug/l	-8.62
63) Chlorobenzene-d5	0.000	117	0	0.000	ug/l	-11.42
72) 1,4-Dichlorobenzene-d4	0.000	152	0	0.000	ug/l	-13.35

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	0.000	65	0	0.000	ug/l	
Spiked Amount	50.000	Range	50 - 163	Recovery	=	0.000%#
35) Dibromofluoromethane	0.000	113	0	0.000	ug/l	
Spiked Amount	50.000	Range	54 - 147	Recovery	=	0.000%#
50) Toluene-d8	0.000	98	0	0.000	ug/l	
Spiked Amount	50.000	Range	58 - 134	Recovery	=	0.000%#
62) 4-Bromofluorobenzene	0.000	95	0	0.000	ug/l	
Spiked Amount	50.000	Range	30 - 143	Recovery	=	0.000%#


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020725\
Data File : VY021145.D
Acq On : 07 Feb 2025 17:23
Operator : SY/MD
Sample : Q1287-03
Misc : 5.07g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
BAY-DRUMS-B

Quant Time: Feb 08 02:44:02 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020325S.M
Quant Title : SW846 8260
QLast Update : Mon Feb 03 13:08:38 2025
Response via : Initial Calibration







#1
Pentafluorobenzene
Concen: 0.000 ug/l
Expected RT: 7.71 min

Lab File: VY021145.D
Acq: 07 Feb 2025 17:23

Instrument :
MSVOA_Y
ClientSampleId :
BAY-DRUMS-B


Tgt Ion: 168
Sig Exp Ratio
168 100
99 55.3




#33
1,2-Dichloroethane-d4
Concen: 0.000 ug/l
Expected RT: 8.07 min

Lab File: VY021145.D
Acq: 07 Feb 2025 17:23

Tgt Ion: 65
Sig Exp Ratio
65 100
67 54.5







#34
1,4-Difluorobenzene
Concen: 0.000 ug/l
Expected RT: 8.62 min

Lab File: VY021145.D
Acq: 07 Feb 2025 17:23

Instrument :
MSVOA_Y
ClientSampleId :
BAY-DRUMS-B


Tgt Ion:	114
Sig	Exp Ratio
114	100
63	18.7
88	14.5




#35
Dibromofluoromethane
Concen: 0.000 ug/l
Expected RT: 7.64 min

Lab File: VY021145.D
Acq: 07 Feb 2025 17:23

Tgt Ion:	113
Sig	Exp Ratio
113	100
111	104.7
192	18.1







#50
Toluene-d8
Concen: 0.000 ug/l
Expected RT: 10.11 min

Lab File: VY021145.D
Acq: 07 Feb 2025 17:23

Instrument :
MSVOA_Y
ClientSampleId :
BAY-DRUMS-B


Tgt Ion: 98
Sig Exp Ratio
98 100
100 65.4




#62
4-Bromofluorobenzene
Concen: 0.000 ug/l
Expected RT: 12.41 min

Lab File: VY021145.D
Acq: 07 Feb 2025 17:23

Tgt Ion: 95
Sig Exp Ratio
95 100
174 80.0
176 75.9







#63
 Chlorobenzene-d5
 Concen: 0.000 ug/l
 Expected RT: 11.42 min
 Lab File: VY021145.D
 Acq: 07 Feb 2025 17:23

Instrument :
 MSVOA_Y
 ClientSampleId :
 BAY-DRUMS-B

Tgt Ion: 117

Sig	Exp Ratio
117	100
82	54.8
119	33.1



#72
 1,4-Dichlorobenzene-d4
 Concen: 0.000 ug/l
 Expected RT: 13.35 min
 Lab File: VY021145.D
 Acq: 07 Feb 2025 17:23

Tgt Ion: 152

Sig	Exp Ratio
152	100
115	60.0
150	172.3

