

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY021224\
 Data File : VY017362.D
 Acq On : 12 Feb 2024 18:41
 Operator : SY/MD
 Sample : P1446-01
 Misc : 5.01g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 RT3475

Quant Time: Feb 13 01:30:30 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020124S.M
 Quant Title : SW846 8260
 QLast Update : Fri Feb 02 00:56:04 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.795	168	81172	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	156917	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.502	117	140914	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.434	152	51444	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	36835	50.797	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	101.600%
35) Dibromofluoromethane	7.728	113	36139	42.654	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	85.300%
50) Toluene-d8	10.185	98	138172	44.792	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	89.580%
62) 4-Bromofluorobenzene	12.489	95	37805	37.412	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	74.820%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY021224\
Data File : VY017362.D
Acq On : 12 Feb 2024 18:41
Operator : SY/MD
Sample : P1446-01
Misc : 5.01g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
RT3475

Quant Time: Feb 13 01:30:30 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020124S.M
Quant Title : SW846 8260
QLast Update : Fri Feb 02 00:56:04 2024
Response via : Initial Calibration

