

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY021224\
 Data File : VY017351.D
 Acq On : 12 Feb 2024 13:59
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 12 15:04:13 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020124S.M
 Quant Title : SW846 8260
 QLast Update : Fri Feb 02 00:56:04 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	88	0.00
2 T	Dichlorodifluoromethane	0.379	0.305	19.5	83	0.00
3 P	Chloromethane	0.681	0.656	3.7	95	0.00
4 C	Vinyl Chloride	0.830	0.838	-1.0#	99	0.00
5 T	Bromomethane	0.575	0.568	1.2	99	0.00
6 T	Chloroethane	0.536	0.553	-3.2	100	0.00
7 T	Trichlorofluoromethane	0.853	0.845	0.9	97	0.00
8 T	Diethyl Ether	0.268	0.284	-6.0	96	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.517	0.509	1.5	94	0.00
10 T	Methyl Iodide	0.544	0.550	-1.1	91	0.00
11 T	Tert butyl alcohol	0.044	0.043	2.3	113	0.01
12 CM	1,1-Dichloroethene	0.485	0.477	1.6#	93	0.00
13 T	Acrolein	0.041	0.034	17.1	86	0.00
14 T	Allyl chloride	0.733	0.752	-2.6	95	0.00
15 T	Acrylonitrile	0.121	0.135	-11.6	104	0.00
16 T	Acetone	0.131	0.133	-1.5	103	0.01
17 T	Carbon Disulfide	1.547	1.340	13.4	82	0.00
18 T	Methyl Acetate	0.293	0.374	-27.6#	107	0.00
19 T	Methyl tert-butyl Ether	1.167	1.318	-12.9	104	0.00
20 T	Methylene Chloride	0.617	0.577	6.5	98	0.00
21 T	trans-1,2-Dichloroethene	0.551	0.550	0.2	93	0.00
22 T	Diisopropyl ether	1.609	1.746	-8.5	98	0.00
23 T	Vinyl Acetate	0.975	1.064	-9.1	100	0.00
24 P	1,1-Dichloroethane	0.986	1.023	-3.8	98	0.00
25 T	2-Butanone	0.175	0.189	-8.0	107	0.00
26 T	2,2-Dichloropropane	0.820	0.868	-5.9	100	0.00
27 T	cis-1,2-Dichloroethene	0.617	0.650	-5.3	98	0.00
28 T	Bromochloromethane	0.377	0.394	-4.5	86	0.00
29 T	Tetrahydrofuran	0.099	0.114	-15.2	107	0.00
30 C	Chloroform	0.992	1.047	-5.5#	99	0.00
31 T	Cyclohexane	0.900	0.831	7.7	90	0.00
32 T	1,1,1-Trichloroethane	0.853	0.894	-4.8	98	0.00
33 S	1,2-Dichloroethane-d4	0.447	0.379	15.2	72	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	87	0.00
35 S	Dibromofluoromethane	0.270	0.225	16.7	70	0.00
36 T	1,1-Dichloropropene	0.466	0.469	-0.6	92	0.00
37 T	Ethyl Acetate	0.216	0.229	-6.0	101	0.00
38 T	Carbon Tetrachloride	0.446	0.464	-4.0	97	0.00
39 T	Methylcyclohexane	0.544	0.534	1.8	89	0.00
40 TM	Benzene	1.330	1.384	-4.1	97	0.00
41 T	Methacrylonitrile	0.102	0.124	-21.6	116	0.00
42 TM	1,2-Dichloroethane	0.352	0.376	-6.8	99	0.00
43 T	Isopropyl Acetate	0.382	0.437	-14.4	106	0.00
44 TM	Trichloroethene	0.338	0.353	-4.4	96	0.00
45 C	1,2-Dichloropropane	0.327	0.348	-6.4#	98	0.00
46 T	Dibromomethane	0.176	0.191	-8.5	100	0.00
47 T	Bromodichloromethane	0.442	0.481	-8.8	101	0.00
48 T	Methyl methacrylate	0.179	0.199	-11.2	101	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY021224\
 Data File : VY017351.D
 Acq On : 12 Feb 2024 13:59
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 12 15:04:13 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020124S.M
 Quant Title : SW846 8260
 QLast Update : Fri Feb 02 00:56:04 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	110	0.00
50 S	Toluene-d8	0.983	0.814	17.2	68	0.00
51 T	4-Methyl-2-Pentanone	0.205	0.244	-19.0	109	0.00
52 CM	Toluene	0.803	0.856	-6.6#	97	0.00
53 T	t-1,3-Dichloropropene	0.415	0.464	-11.8	102	0.00
54 T	cis-1,3-Dichloropropene	0.497	0.542	-9.1	99	0.00
55 T	1,1,2-Trichloroethane	0.240	0.268	-11.7	102	0.00
56 T	Ethyl methacrylate	0.292	0.352	-20.5	105	0.00
57 T	1,3-Dichloropropane	0.413	0.461	-11.6	102	0.00
58 T	2-Chloroethyl Vinyl ether	0.150	0.158	-5.3	90	0.00
59 T	2-Hexanone	0.148	0.175	-18.2	109	0.00
60 T	Dibromochloromethane	0.282	0.313	-11.0	103	0.00
61 T	1,2-Dibromoethane	0.223	0.246	-10.3	103	0.00
62 S	4-Bromofluorobenzene	0.322	0.281	12.7	73	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	88	0.00
64 T	Tetrachloroethene	0.325	0.329	-1.2	97	0.00
65 PM	Chlorobenzene	0.965	1.007	-4.4	98	0.00
66 T	1,1,1,2-Tetrachloroethane	0.351	0.378	-7.7	102	0.00
67 C	Ethyl Benzene	1.743	1.885	-8.1#	99	0.00
68 T	m/p-Xylenes	0.662	0.704	-6.3	98	0.00
69 T	o-Xylene	0.609	0.669	-9.9	100	0.00
70 T	Styrene	1.004	1.125	-12.1	100	0.00
71 P	Bromoform	0.184	0.203	-10.3	105	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	93	0.00
73 T	Isopropylbenzene	3.673	3.808	-3.7	100	0.00
74 T	N-amyl acetate	0.825	0.932	-13.0	108	0.00
75 P	1,1,2,2-Tetrachloroethane	0.722	0.764	-5.8	105	0.00
76 T	1,2,3-Trichloropropane	0.461	0.512	-11.1	114	0.00
77 T	Bromobenzene	0.815	0.834	-2.3	102	0.00
78 T	n-propylbenzene	4.511	4.728	-4.8	101	0.00
79 T	2-Chlorotoluene	2.480	2.602	-4.9	102	0.00
80 T	1,3,5-Trimethylbenzene	2.921	3.091	-5.8	102	0.00
81 T	trans-1,4-Dichloro-2-butene	0.222	0.249	-12.2	110	0.00
82 T	4-Chlorotoluene	2.553	2.663	-4.3	102	0.00
83 T	tert-Butylbenzene	2.504	2.734	-9.2	104	0.00
84 T	1,2,4-Trimethylbenzene	2.884	3.045	-5.6	101	0.00
85 T	sec-Butylbenzene	3.914	4.143	-5.9	102	0.00
86 T	p-Isopropyltoluene	3.128	3.322	-6.2	102	0.00
87 T	1,3-Dichlorobenzene	1.625	1.679	-3.3	103	0.00
88 T	1,4-Dichlorobenzene	1.579	1.637	-3.7	105	0.00
89 T	n-Butylbenzene	2.974	3.243	-9.0	104	0.00
90 T	Hexachloroethane	0.642	0.661	-3.0	103	0.00
91 T	1,2-Dichlorobenzene	1.384	1.456	-5.2	104	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.094	0.104	-10.6	113	0.00
93 T	1,2,4-Trichlorobenzene	0.687	0.755	-9.9	109	0.00
94 T	Hexachlorobutadiene	0.405	0.416	-2.7	106	0.00
95 T	Naphthalene	1.270	1.489	-17.2	116	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY021224\
Data File : VY017351.D
Acq On : 12 Feb 2024 13:59
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Feb 12 15:04:13 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020124S.M
Quant Title : SW846 8260
QLast Update : Fri Feb 02 00:56:04 2024
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.585	0.638	-9.1	112	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6