

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY021720\
 Data File : VY001645.D
 Acq On : 17 Feb 2020 14:55
 Operator : SY/MD
 Sample : L1544-01
 Misc : 6.92G/5ML/MSVOA Y/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 2-5-1

Quant Time: Feb 17 16:01:46 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y021720S.M
 Quant Title : SW846 8260
 QLast Update : Mon Feb 17 12:19:53 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.82	168	173240	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.71	114	314297	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.50	117	281687	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.43	152	125763	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.16	65	102738	55.13	ug/l	0.00
Spiked Amount 50.000			Recovery	=	110.26%	
35) Dibromofluoromethane	7.74	113	92313	51.28	ug/l	0.00
Spiked Amount 50.000			Recovery	=	102.56%	
50) Toluene-d8	10.19	98	377311	53.50	ug/l	0.00
Spiked Amount 50.000			Recovery	=	107.00%	
62) 4-Bromofluorobenzene	12.49	95	130415	47.60	ug/l	0.00
Spiked Amount 50.000			Recovery	=	95.20%	
Target Compounds						
20) Methylene Chloride	4.74	84	10855	4.740	ug/l	Qvalue 92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY021720\
Data File : VY001645.D
Acq On : 17 Feb 2020 14:55
Operator : SY/MD
Sample : L1544-01
Misc : 6.92G/5ML/MSVOA Y/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
2-5-1

Quant Time: Feb 17 16:01:46 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y021720S.M
Quant Title : SW846 8260
QLast Update : Mon Feb 17 12:19:53 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.82 min Scan# 997

Delta R.T. -0.00 min

Lab File: VY001645.D

Acq: 17 Feb 2020 14:55


Instrument :
MSVOA_Y
ClientSampled :
2-5-1

Tot Ion:168 Resp: 173240

Ion Ratio Lower Upper




168 100

99 54.9 47.5 71.3



Abundance Ion 167.90 (167.60 to 168.60): VY0

Ion 98.90 (98.60 to 99.60): VY0



#20

Methylene Chloride

Concen: 4.740 ug/l

RT: 4.74 min Scan# 493

Delta R.T. -0.01 min

Lab File: VY001645.D

Acq: 17 Feb 2020 14:55

Tgt Ion: 84 Resp: 10855


Ion Ratio Lower Upper

84 100

49 136.9 99.2 148.8

51 43.6 31.5 47.3

86 66.6 51.0 76.6






Abundance Ion 83.90 (83.60 to 84.60): VY0

Ion 48.90 (48.60 to 49.60): VY0

Ion 50.90 (50.60 to 51.60): VY0

Ion 85.90 (85.60 to 86.60): VY0









#33
 1,2-Dichloroethane-d4
 Concen: 55.133 ug/l
 RT: 8.16 min Scan# 1054
 Delta R.T. -0.01 min
 Lab File: VY001645.D
 Acq: 17 Feb 2020 14:55




Instrument :
 MSVOA_Y
 ClientSampled :
 2-5-1


Tot Ion: 65 Resp: 102738
 Ion Ratio Lower Upper
 65 100
 67 54.7 0.0 111.0



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.71 min Scan# 1143
 Delta R.T. -0.01 min
 Lab File: VY001645.D
 Acq: 17 Feb 2020 14:55

Tgt Ion: 114 Resp: 314297
 Ion Ratio Lower Upper
 114 100
 63 20.5 0.0 41.4
 88 16.4 0.0 32.8





#35

Dibromofluoromethane

Concen: 51.281 ug/l

RT: 7.74 min Scan# 985

Delta R.T. -0.01 min

Lab File: VY001645.D

Acq: 17 Feb 2020 14:55

Instrument :

MSVOA_Y

ClientSampled :

2-5-1


Tot Ion:113 Resp: 92313

Ion Ratio Lower Upper

113 100

111 102.0 81.9 122.9




192 19.2 14.3 21.5



Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V



#50

Toluene-d8

Concen: 53.501 ug/l

RT: 10.19 min Scan# 1387

Delta R.T. -0.00 min

Lab File: VY001645.D


Acq: 17 Feb 2020 14:55

Tgt Ion: 98 Resp: 377311

Ion Ratio Lower Upper



98 100


100 66.5 53.0 79.4



Abundance Ion 98.00 (97.70 to 98.70): VY0

Ion 100.00 (99.70 to 100.70): VY









#62
4-Bromofluorobenzene
Concen: 47.600 ug/l
RT: 12.49 min Scan# 1764
Delta R.T. -0.00 min
Lab File: VY001645.D
Acq: 17 Feb 2020 14:55




Instrument :
MSVOA_Y
ClientSampled :
2-5-1


Tot Ion: 95 Resp: 130415
Ion Ratio Lower Upper
95 100
174 74.7 0.0 138.4
176 70.4 0.0 131.8



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.50 min Scan# 1601
Delta R.T. -0.01 min
Lab File: VY001645.D
Acq: 17 Feb 2020 14:55

Tgt Ion: 117 Resp: 281687
Ion Ratio Lower Upper
117 100
82 57.5 45.5 68.3
119 31.3 25.8 38.6





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.43 min Scan# 1918

Delta R.T. -0.01 min

Lab File: VY001645.D

Acq: 17 Feb 2020 14:55

Instrument :

MSVOA_Y

ClientSampleId :

2-5-1


Tot Ion:152 Resp: 125763

Ion Ratio Lower Upper

152 100

115 61.3 31.4 94.2

150 158.9 0.0 407.2



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

