

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022124\
 Data File : VY017447.D
 Acq On : 21 Feb 2024 18:50
 Operator : SY/MD
 Sample : P1537-14
 Misc : 4.82g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 14

Quant Time: Feb 22 03:42:10 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y021924S.M
 Quant Title : SW846 8260
 QLast Update : Tue Feb 20 06:16:24 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.801	168	124449	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	233849	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.502	117	208204	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.434	152	71055	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	47830	44.989	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	89.980%
35) Dibromofluoromethane	7.722	113	57412	41.941	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	83.880%
50) Toluene-d8	10.191	98	197053	37.117	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	74.240%
62) 4-Bromofluorobenzene	12.489	95	50397	29.207	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	58.420%
Target Compounds						
20) Methylene Chloride	4.716	84	23362	11.894	ug/l	Qvalue 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022124\
Data File : VY017447.D
Acq On : 21 Feb 2024 18:50
Operator : SY/MD
Sample : P1537-14
Misc : 4.82g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
14

Quant Time: Feb 22 03:42:10 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y021924S.M
Quant Title : SW846 8260
QLast Update : Tue Feb 20 06:16:24 2024
Response via : Initial Calibration

