

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022625\
 Data File : VY021324.D
 Acq On : 26 Feb 2025 12:20
 Operator : SY/MD
 Sample : Q1416-01
 Misc : 5.01g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OK-01-022425

Quant Time: Feb 26 13:57:58 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y022525S.M
 Quant Title : SW846 8260
 QLast Update : Wed Feb 26 02:09:13 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	3228	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	5682	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	4165	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	578	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	2557	69.828	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	139.660%
35) Dibromofluoromethane	7.640	113	2310	62.011	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	124.020%
50) Toluene-d8	10.109	98	6565	45.601	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	91.200%
62) 4-Bromofluorobenzene	12.414	95	800	16.511	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	33.020%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022625\
Data File : VY021324.D
Acq On : 26 Feb 2025 12:20
Operator : SY/MD
Sample : Q1416-01
Misc : 5.01g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OK-01-022425

Quant Time: Feb 26 13:57:58 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y022525S.M
Quant Title : SW846 8260
QLast Update : Wed Feb 26 02:09:13 2025
Response via : Initial Calibration

