

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022625\
 Data File : VY021325.D
 Acq On : 26 Feb 2025 12:43
 Operator : SY/MD
 Sample : Q1413-02
 Misc : 5.05g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 BU-2-022125

Quant Time: Feb 26 14:04:12 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y022525S.M
 Quant Title : SW846 8260
 QLast Update : Wed Feb 26 02:09:13 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	5605	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	8890	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	6030	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	821	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	3109	48.896	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	97.800%
35) Dibromofluoromethane	7.634	113	3099	53.171	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	106.340%
50) Toluene-d8	10.109	98	9650	42.841	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	85.680%
62) 4-Bromofluorobenzene	12.408	95	1244	16.410	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	32.820%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022625\
Data File : VY021325.D
Acq On : 26 Feb 2025 12:43
Operator : SY/MD
Sample : Q1413-02
Misc : 5.05g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
BU-2-022125

Quant Time: Feb 26 14:04:12 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y022525S.M
Quant Title : SW846 8260
QLast Update : Wed Feb 26 02:09:13 2025
Response via : Initial Calibration

