

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022625\
 Data File : VY021330.D
 Acq On : 26 Feb 2025 14:40
 Operator : SY/MD
 Sample : Q1401-09
 Misc : 5.05g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 BP-VPB-192-GW-880-882

Quant Time: Feb 27 00:37:54 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y022525S.M
 Quant Title : SW846 8260
 QLast Update : Wed Feb 26 02:09:13 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	240939	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.609	114	470542	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	479899	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	211748	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.055	65	161582	59.117	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	118.240%
35) Dibromofluoromethane	7.634	113	156697	50.795	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	101.580%
50) Toluene-d8	10.103	98	588717	49.379	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.760%
62) 4-Bromofluorobenzene	12.401	95	223879	55.797	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	111.600%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022625\
Data File : VY021330.D
Acq On : 26 Feb 2025 14:40
Operator : SY/MD
Sample : Q1401-09
Misc : 5.05g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
BP-VPB-192-GW-880-882

Quant Time: Feb 27 00:37:54 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y022525S.M
Quant Title : SW846 8260
QLast Update : Wed Feb 26 02:09:13 2025
Response via : Initial Calibration

