

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022625\
 Data File : VY021336.D
 Acq On : 26 Feb 2025 17:01
 Operator : SY/MD
 Sample : Q1415-01
 Misc : 5.16g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 B-163-SB01

Quant Time: Feb 27 00:40:11 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y022525S.M
 Quant Title : SW846 8260
 QLast Update : Wed Feb 26 02:09:13 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	7.707	168	198272	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	390694	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	393465	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	168735	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	123934	55.101	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	110.200%
35) Dibromofluoromethane	7.634	113	128943	50.340	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.680%
50) Toluene-d8	10.103	98	489572	49.456	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.920%
62) 4-Bromofluorobenzene	12.408	95	173918	52.204	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	104.400%
Target Compounds						
					Qvalue	
16) Acetone	3.866	43	5326	12.344	ug/l	98
18) Methyl Acetate	4.391	43	1408	1.335	ug/l #	86
25) 2-Butanone	6.902	43	1395	2.142	ug/l	91
37) Ethyl Acetate	6.988	43	2363	1.235	ug/l #	86


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022625\
Data File : VY021336.D
Acq On : 26 Feb 2025 17:01
Operator : SY/MD
Sample : Q1415-01
Misc : 5.16g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
B-163-SB01

Quant Time: Feb 27 00:40:11 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y022525S.M
Quant Title : SW846 8260
QLast Update : Wed Feb 26 02:09:13 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.707 min Scan# 982
Delta R.T. 0.000 min
Lab File: VY021336.D
Acq: 26 Feb 2025 17:01




Instrument :
MSVOA_Y
ClientSampleId :
B-163-SB01


Tgt Ion:168 Resp: 198272
Ion Ratio Lower Upper
168 100
99 57.4 47.1 70.7



#16
Acetone
Concen: 12.344 ug/l
RT: 3.866 min Scan# 352
Delta R.T. 0.000 min
Lab File: VY021336.D
Acq: 26 Feb 2025 17:01

Tgt Ion: 43 Resp: 5326
Ion Ratio Lower Upper
43 100
58 30.3 23.5 35.3









#18
Methyl Acetate
Concen: 1.335 ug/l
RT: 4.391 min Scan# 41
Delta R.T. 0.006 min
Lab File: VY021336.D
Acq: 26 Feb 2025 17:01




Instrument :
MSVOA_Y
ClientSampleId :
B-163-SB01


Tgt Ion: 43 Resp: 1408
Ion Ratio Lower Upper
43 100
74 15.3 17.7 26.5#



#25
2-Butanone
Concen: 2.142 ug/l
RT: 6.902 min Scan# 850
Delta R.T. 0.012 min
Lab File: VY021336.D
Acq: 26 Feb 2025 17:01

Tgt Ion: 43 Resp: 1395
Ion Ratio Lower Upper
43 100
72 28.2 19.0 28.6









#33
 1,2-Dichloroethane-d4
 Concen: 55.101 ug/l
 RT: 8.061 min Scan# 1040
 Delta R.T. 0.000 min
 Lab File: VY021336.D
 Acq: 26 Feb 2025 17:01




Instrument :
 MSVOA_Y
 ClientSampleId :
 B-163-SB01


Tgt Ion: 65 Resp: 123934
 Ion Ratio Lower Upper
 65 100
 67 51.9 0.0 103.6



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.616 min Scan# 1131
 Delta R.T. 0.000 min
 Lab File: VY021336.D
 Acq: 26 Feb 2025 17:01

Tgt Ion: 114 Resp: 390694
 Ion Ratio Lower Upper
 114 100
 63 20.4 0.0 42.2
 88 14.7 0.0 29.8









#35
Dibromofluoromethane
Concen: 50.340 ug/l
RT: 7.634 min Scan# 91
Delta R.T. 0.000 min
Lab File: VY021336.D
Acq: 26 Feb 2025 17:01




Instrument :
MSVOA_Y
ClientSampleId :
B-163-SB01


Tgt Ion:113 Resp: 128943
Ion Ratio Lower Upper
113 100
111 102.5 81.0 121.6
192 19.8 15.8 23.8



#37
Ethyl Acetate
Concen: 1.235 ug/l
RT: 6.988 min Scan# 864
Delta R.T. 0.006 min
Lab File: VY021336.D
Acq: 26 Feb 2025 17:01

Tgt Ion: 43 Resp: 2363
Ion Ratio Lower Upper
43 100
61 7.4 10.4 15.6#
70 4.7 7.5 11.3#









#50
Toluene-d8
Concen: 49.456 ug/l
RT: 10.103 min Scan# 11
Delta R.T. 0.000 min
Lab File: VY021336.D
Acq: 26 Feb 2025 17:01




Instrument :
MSVOA_Y
ClientSampleId :
B-163-SB01


Tgt Ion: 98 Resp: 489572
Ion Ratio Lower Upper
98 100
100 64.2 52.4 78.6



#62
4-Bromofluorobenzene
Concen: 52.204 ug/l
RT: 12.408 min Scan# 1753
Delta R.T. 0.000 min
Lab File: VY021336.D
Acq: 26 Feb 2025 17:01

Tgt Ion: 95 Resp: 173918
Ion Ratio Lower Upper
95 100
174 84.4 0.0 168.0
176 82.3 0.0 162.6





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.414 min Scan# 11

Delta R.T. 0.000 min

Lab File: VY021336.D

Acq: 26 Feb 2025 17:01

Instrument :

MSVOA_Y

ClientSampleId :

B-163-SB01





Tgt Ion:117 Resp: 393465

Ion Ratio Lower Upper

117 100

82 57.4 46.2 69.4

119 32.5 24.9 37.3



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.346 min Scan# 1907

Delta R.T. 0.000 min

Lab File: VY021336.D

Acq: 26 Feb 2025 17:01

Tgt Ion:152 Resp: 168735

Ion Ratio Lower Upper

152 100

115 58.8 29.3 88.0

150 156.7 0.0 347.4

