

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022724\
 Data File : VY017501.D
 Acq On : 27 Feb 2024 17:03
 Operator : SY/MD
 Sample : P1564-13RE
 Misc : 3.51g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 LKWD-BACKFILL-15RE

Quant Time: Feb 28 00:19:16 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y022324S.M
 Quant Title : SW846 8260
 QLast Update : Sat Feb 24 04:41:20 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	121599	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	220315	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	196174	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	82174	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.143	65	66709	57.885	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	115.780%
35) Dibromofluoromethane	7.716	113	71587	46.630	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	93.260%
50) Toluene-d8	10.179	98	234209	43.633	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	87.260%
62) 4-Bromofluorobenzene	12.483	95	65446	38.796	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	77.600%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022724\
Data File : VY017501.D
Acq On : 27 Feb 2024 17:03
Operator : SY/MD
Sample : P1564-13RE
Misc : 3.51g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
LKWD-BACKFILL-15RE

Quant Time: Feb 28 00:19:16 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y022324S.M
Quant Title : SW846 8260
QLast Update : Sat Feb 24 04:41:20 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.789 min Scan# 91
Delta R.T. -0.006 min
Lab File: VY017501.D
Acq: 27 Feb 2024 17:03




Instrument :
MSVOA_Y
ClientSampleId :
LKWD-BACKFILL-15RE


Tgt Ion:168 Resp: 121599
Ion Ratio Lower Upper
168 100
99 48.6 39.1 58.7



#33
1,2-Dichloroethane-d4
Concen: 57.885 ug/l
RT: 8.143 min Scan# 1037
Delta R.T. 0.000 min
Lab File: VY017501.D
Acq: 27 Feb 2024 17:03

Tgt Ion: 65 Resp: 66709
Ion Ratio Lower Upper
65 100
67 54.4 0.0 109.6





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.691 min Scan# 1127

Delta R.T. 0.000 min

Lab File: VY017501.D

Acq: 27 Feb 2024 17:03

Instrument :

MSVOA_Y

ClientSampleId :

LKWD-BACKFILL-15RE





Tgt Ion:114 Resp: 220315

Ion Ratio Lower Upper

114 100

63 16.4 0.0 35.0

88 13.0 0.0 27.2



#35

Dibromofluoromethane

Concen: 46.630 ug/l

RT: 7.716 min Scan# 967

Delta R.T. 0.000 min

Lab File: VY017501.D

Acq: 27 Feb 2024 17:03




Tgt Ion:113 Resp: 71587

Ion Ratio Lower Upper

113 100

111 100.6 82.2 123.4

192 20.4 15.9 23.9









#50
Toluene-d8
Concen: 43.633 ug/l
RT: 10.179 min Scan# 1372
Delta R.T. -0.006 min
Lab File: VY017501.D
Acq: 27 Feb 2024 17:03




Instrument :
MSVOA_Y
ClientSampleId :
LKWD-BACKFILL-15RE


Tgt Ion: 98 Resp: 234209
Ion Ratio Lower Upper
98 100
100 64.9 52.0 78.0



#62
4-Bromofluorobenzene
Concen: 38.796 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. 0.000 min
Lab File: VY017501.D
Acq: 27 Feb 2024 17:03

Tgt Ion: 95 Resp: 65446
Ion Ratio Lower Upper
95 100
174 96.0 0.0 175.6
176 92.9 0.0 171.4








#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.490 min Scan# 11
Delta R.T. -0.006 min
Lab File: VY017501.D
Acq: 27 Feb 2024 17:03

Instrument :
MSVOA_Y
ClientSampleId :
LKWD-BACKFILL-15RE

Tgt Ion:117 Resp: 196174
Ion Ratio Lower Upper
117 100
82 50.6 42.4 63.6
119 31.7 25.9 38.9



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.428 min Scan# 1904
Delta R.T. 0.000 min
Lab File: VY017501.D
Acq: 27 Feb 2024 17:03

Tgt Ion:152 Resp: 82174
Ion Ratio Lower Upper
152 100
115 53.5 28.2 84.7
150 155.7 0.0 345.6

