

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022725\
 Data File : VY021362.D
 Acq On : 27 Feb 2025 16:45
 Operator : SY/MD
 Sample : Q1420-07
 Misc : 5.79g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-2-WC-VOC

Quant Time: Feb 28 00:43:12 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y022525S.M
 Quant Title : SW846 8260
 QLast Update : Wed Feb 26 02:09:13 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	122419	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	215902	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	201412	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	86351	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	83842	60.373	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 120.740%	
35) Dibromofluoromethane	7.634	113	74713	52.783	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 105.560%	
50) Toluene-d8	10.103	98	266250	48.671	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	= 97.340%	
62) 4-Bromofluorobenzene	12.401	95	90669	49.249	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	= 98.500%	
Target Compounds						
16) Acetone	3.872	43	5332	20.016	ug/l	Qvalue 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022725\
Data File : VY021362.D
Acq On : 27 Feb 2025 16:45
Operator : SY/MD
Sample : Q1420-07
Misc : 5.79g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-2-WC-VOC

Quant Time: Feb 28 00:43:12 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y022525S.M
Quant Title : SW846 8260
QLast Update : Wed Feb 26 02:09:13 2025
Response via : Initial Calibration

