

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022824\
 Data File : VY017515.D
 Acq On : 28 Feb 2024 12:50
 Operator : SY/MD
 Sample : P1612-01RE
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OK-02-022724

Quant Time: Feb 28 23:12:16 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y022324S.M
 Quant Title : SW846 8260
 QLast Update : Sat Feb 24 04:41:20 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	7.783	168	126926	50.000	ug/l	-0.01
34) 1,4-Difluorobenzene	8.691	114	225620	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	194555	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	69275	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.137	65	57765	48.021	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	96.040%
35) Dibromofluoromethane	7.710	113	73219	46.571	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	93.140%
50) Toluene-d8	10.179	98	252684	45.968	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	91.940%
62) 4-Bromofluorobenzene	12.483	95	65698	38.030	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	76.060%
Target Compounds						
					Qvalue	
16) Acetone	3.942	43	941	4.033	ug/l	96
31) Cyclohexane	7.783	56	2192	1.120	ug/l #	1
36) 1,1-Dichloropropene	7.783	75	8991	4.239	ug/l #	47
38) Carbon Tetrachloride	7.789	117	11565	5.440	ug/l #	16
76) 1,2,3-Trichloropropane	12.483	75	32193	48.909	ug/l #	100
81) trans-1,4-Dichloro-2-b...	12.483	75	32193	112.383	ug/l #	16
95) Naphthalene	15.233	128	1002	4.341	ug/l #	83


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022824\
Data File : VY017515.D
Acq On : 28 Feb 2024 12:50
Operator : SY/MD
Sample : P1612-01RE
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OK-02-022724

Quant Time: Feb 28 23:12:16 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y022324S.M
Quant Title : SW846 8260
QLast Update : Sat Feb 24 04:41:20 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.783 min Scan# 91
Delta R.T. -0.012 min
Lab File: VY017515.D
Acq: 28 Feb 2024 12:50




Instrument :
MSVOA_Y
ClientSampleId :
OK-02-022724


Tgt Ion:168 Resp: 126926
Ion Ratio Lower Upper
168 100
99 49.1 39.1 58.7



#16
Acetone
Concen: 4.033 ug/l
RT: 3.942 min Scan# 348
Delta R.T. 0.000 min
Lab File: VY017515.D
Acq: 28 Feb 2024 12:50

Tgt Ion: 43 Resp: 941
Ion Ratio Lower Upper
43 100
58 42.2 31.7 47.5









#31
Cyclohexane
Concen: 1.120 ug/l
RT: 7.783 min Scan# 91
Delta R.T. -0.006 min
Lab File: VY017515.D
Acq: 28 Feb 2024 12:50




Instrument :
MSVOA_Y
ClientSampleId :
OK-02-022724


Tgt Ion: 56 Resp: 2192
Ion Ratio Lower Upper
56 100
69 160.3 28.7 43.1#
84 174.0 77.7 116.5#



#33
1,2-Dichloroethane-d4
Concen: 48.021 ug/l
RT: 8.137 min Scan# 1036
Delta R.T. -0.006 min
Lab File: VY017515.D
Acq: 28 Feb 2024 12:50

Tgt Ion: 65 Resp: 57765
Ion Ratio Lower Upper
65 100
67 56.1 0.0 109.6





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.691 min Scan# 1127

Delta R.T. 0.000 min

Lab File: VY017515.D

Acq: 28 Feb 2024 12:50

Instrument :

MSVOA_Y

ClientSampleId :

OK-02-022724





Tgt Ion:114 Resp: 225620

Ion Ratio Lower Upper

114 100

63 16.8 0.0 35.0

88 13.5 0.0 27.2



#35

Dibromofluoromethane

Concen: 46.571 ug/l

RT: 7.710 min Scan# 966

Delta R.T. -0.006 min

Lab File: VY017515.D

Acq: 28 Feb 2024 12:50




Tgt Ion:113 Resp: 73219


Ion Ratio Lower Upper

113 100

111 102.4 82.2 123.4

192 20.6 15.9 23.9









#36
1,1-Dichloropropene
Concen: 4.239 ug/l
RT: 7.783 min Scan# 91
Delta R.T. -0.134 min
Lab File: VY017515.D
Acq: 28 Feb 2024 12:50




Instrument :
MSVOA_Y
ClientSampleId :
OK-02-022724


Tgt Ion: 75 Resp: 8991
Ion Ratio Lower Upper
75 100
110 8.0 19.0 57.0#
77 0.0 25.3 37.9#



#38
Carbon Tetrachloride
Concen: 5.440 ug/l
RT: 7.789 min Scan# 979
Delta R.T. -0.116 min
Lab File: VY017515.D
Acq: 28 Feb 2024 12:50

Tgt Ion: 117 Resp: 11565
Ion Ratio Lower Upper
117 100
119 4.3 75.8 113.6#
121 0.0 24.0 36.0#









#50
Toluene-d8
Concen: 45.968 ug/l
RT: 10.179 min Scan# 1372
Delta R.T. -0.006 min
Lab File: VY017515.D
Acq: 28 Feb 2024 12:50




Instrument :
MSVOA_Y
ClientSampleId :
OK-02-022724


Tgt Ion: 98 Resp: 252684
Ion Ratio Lower Upper
98 100
100 65.2 52.0 78.0



#62
4-Bromofluorobenzene
Concen: 38.030 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. 0.000 min
Lab File: VY017515.D
Acq: 28 Feb 2024 12:50

Tgt Ion: 95 Resp: 65698
Ion Ratio Lower Upper
95 100
174 92.8 0.0 175.6
176 90.7 0.0 171.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.490 min Scan# 11
Delta R.T. -0.006 min
Lab File: VY017515.D
Acq: 28 Feb 2024 12:50




Instrument :
MSVOA_Y
ClientSampleId :
OK-02-022724


Tgt Ion:117 Resp: 194555
Ion Ratio Lower Upper
117 100
82 51.7 42.4 63.6
119 32.1 25.9 38.9



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.428 min Scan# 1904
Delta R.T. 0.000 min
Lab File: VY017515.D
Acq: 28 Feb 2024 12:50

Tgt Ion:152 Resp: 69275
Ion Ratio Lower Upper
152 100
115 53.3 28.2 84.7
150 158.2 0.0 345.6









#76
1,2,3-Trichloropropane
Concen: 48.909 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. -0.152 min
Lab File: VY017515.D
Acq: 28 Feb 2024 12:50




Instrument :
MSVOA_Y
ClientSampleId :
OK-02-022724


Tgt Ion: 75 Resp: 32193
Ion Ratio Lower Upper
75 100
77 1.2 0.0 0.0#



#81
trans-1,4-Dichloro-2-butene
Concen: 112.383 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. 0.098 min
Lab File: VY017515.D
Acq: 28 Feb 2024 12:50


Tgt Ion: 75 Resp: 32193
Ion Ratio Lower Upper
75 100
53 0.0 66.8 100.2#
89 0.0 35.8 53.6#





#95
Naphthalene
Concen: 4.341 ug/l
RT: 15.233 min Scan# 21
Delta R.T. -0.006 min
Lab File: VY017515.D
Acq: 28 Feb 2024 12:50

Instrument :
MSVOA_Y
ClientSampleId :
OK-02-022724



Tgt Ion:	128	Resp:	1002
Ion	Ratio	Lower	Upper
128	100		
127	7.0	10.6	16.0#
129	4.0	8.6	13.0#

