

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022824\
 Data File : VY017525.D
 Acq On : 28 Feb 2024 17:04
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 28 23:15:47 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y022324S.M
 Quant Title : SW846 8260
 QLast Update : Sat Feb 24 04:41:20 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	84	0.00
2 T	Dichlorodifluoromethane	0.369	0.298	19.2	70	0.00
3 P	Chloromethane	0.674	0.546	19.0	69	0.00
4 C	Vinyl Chloride	0.865	0.712	17.7#	69	0.00
5 T	Bromomethane	0.705	0.605	14.2	75	0.00
6 T	Chloroethane	0.545	0.456	16.3	69	0.00
7 T	Trichlorofluoromethane	0.881	0.904	-2.6	86	-0.01
8 T	Diethyl Ether	0.258	0.249	3.5	76	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.507	0.463	8.7	75	0.00
10 T	Methyl Iodide	0.569	0.519	8.8	70	0.00
11 T	Tert butyl alcohol	0.040	0.018	55.0#	41#	0.05
12 CM	1,1-Dichloroethene	0.472	0.438	7.2#	76	0.00
13 T	Acrolein	0.053	0.044	17.0	69	0.00
14 T	Allyl chloride	0.571	0.505	11.6	70	0.00
15 T	Acrylonitrile	0.106	0.085	19.8	62	0.00
16 T	Acetone	0.092	0.067	27.2#	59	0.02
17 T	Carbon Disulfide	1.418	1.255	11.5	72	0.00
18 T	Methyl Acetate	0.223	0.189	15.2	64	0.00
19 T	Methyl tert-butyl Ether	1.101	0.989	10.2	69	0.00
20 T	Methylene Chloride	0.658	0.513	22.0	74	0.00
21 T	trans-1,2-Dichloroethene	0.553	0.503	9.0	73	0.00
22 T	Diisopropyl ether	1.317	1.256	4.6	74	0.00
23 T	Vinyl Acetate	0.785	0.713	9.2	69	0.00
24 P	1,1-Dichloroethane	0.900	0.824	8.4	74	0.00
25 T	2-Butanone	0.131	0.095	27.5#	56	0.00
26 T	2,2-Dichloropropane	0.756	0.676	10.6	74	0.00
27 T	cis-1,2-Dichloroethene	0.621	0.579	6.8	74	0.00
28 T	Bromochloromethane	0.354	0.425	-20.1	116	0.00
29 T	Tetrahydrofuran	0.079	0.063	20.3	60	0.00
30 C	Chloroform	0.958	0.904	5.6#	77	0.00
31 T	Cyclohexane	0.771	0.669	13.2	72	0.00
32 T	1,1,1-Trichloroethane	0.832	0.772	7.2	76	0.00
33 S	1,2-Dichloroethane-d4	0.474	0.425	10.3	76	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	82	0.00
35 S	Dibromofluoromethane	0.348	0.332	4.6	79	0.00
36 T	1,1-Dichloropropene	0.470	0.446	5.1	75	0.00
37 T	Ethyl Acetate	0.186	0.192	-3.2	80	0.00
38 T	Carbon Tetrachloride	0.471	0.453	3.8	75	0.00
39 T	Methylcyclohexane	0.565	0.519	8.1	70	0.00
40 TM	Benzene	1.396	1.345	3.7	75	0.00
41 T	Methacrylonitrile	0.093	0.086	7.5	67	-0.02
42 TM	1,2-Dichloroethane	0.341	0.322	5.6	73	0.00
43 T	Isopropyl Acetate	0.326	0.290	11.0	66	0.00
44 TM	Trichloroethene	0.402	0.381	5.2	75	0.00
45 C	1,2-Dichloropropane	0.332	0.320	3.6#	75	0.00
46 T	Dibromomethane	0.190	0.184	3.2	75	0.00
47 T	Bromodichloromethane	0.462	0.452	2.2	75	0.00
48 T	Methyl methacrylate	0.151	0.130	13.9	63	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022824\
 Data File : VY017525.D
 Acq On : 28 Feb 2024 17:04
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 28 23:15:47 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y022324S.M
 Quant Title : SW846 8260
 QLast Update : Sat Feb 24 04:41:20 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	55	0.03
50 S	Toluene-d8	1.218	1.248	-2.5	81	0.00
51 T	4-Methyl-2-Pentanone	0.182	0.163	10.4	67	0.00
52 CM	Toluene	0.880	0.849	3.5#	75	0.00
53 T	t-1,3-Dichloropropene	0.428	0.411	4.0	72	0.00
54 T	cis-1,3-Dichloropropene	0.521	0.496	4.8	73	0.00
55 T	1,1,2-Trichloroethane	0.270	0.259	4.1	75	0.00
56 T	Ethyl methacrylate	0.303	0.295	2.6	69	0.00
57 T	1,3-Dichloropropane	0.439	0.421	4.1	73	0.00
58 T	2-Chloroethyl Vinyl ether	0.156	0.184	-17.9	104	0.00
59 T	2-Hexanone	0.125	0.114	8.8	65	0.00
60 T	Dibromochloromethane	0.319	0.318	0.3	76	0.00
61 T	1,2-Dibromoethane	0.249	0.241	3.2	74	0.00
62 S	4-Bromofluorobenzene	0.383	0.389	-1.6	78	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	84	0.00
64 T	Tetrachloroethene	0.480	0.438	8.7	73	0.00
65 PM	Chlorobenzene	1.061	1.024	3.5	76	0.00
66 T	1,1,1,2-Tetrachloroethane	0.398	0.389	2.3	77	0.00
67 C	Ethyl Benzene	1.861	1.804	3.1#	74	0.00
68 T	m/p-Xylenes	0.731	0.720	1.5	75	0.00
69 T	o-Xylene	0.679	0.673	0.9	74	0.00
70 T	Styrene	1.126	1.118	0.7	74	0.00
71 P	Bromoform	0.220	0.218	0.9	76	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	84	0.00
73 T	Isopropylbenzene	3.715	3.489	6.1	74	0.00
74 T	N-amyl acetate	0.655	0.592	9.6	68	0.00
75 P	1,1,2,2-Tetrachloroethane	0.638	0.622	2.5	77	0.00
76 T	1,2,3-Trichloropropane	0.475	0.406	14.5	70	0.00
77 T	Bromobenzene	0.900	0.836	7.1	75	0.00
78 T	n-propylbenzene	4.457	4.189	6.0	74	0.00
79 T	2-Chlorotoluene	2.495	2.307	7.5	74	0.00
80 T	1,3,5-Trimethylbenzene	2.976	2.835	4.7	74	0.00
81 T	trans-1,4-Dichloro-2-butene	0.207	0.192	7.2	73	0.00
82 T	4-Chlorotoluene	2.552	2.388	6.4	75	0.00
83 T	tert-Butylbenzene	2.613	2.525	3.4	75	0.00
84 T	1,2,4-Trimethylbenzene	2.938	2.803	4.6	75	0.00
85 T	sec-Butylbenzene	3.996	3.737	6.5	73	0.00
86 T	p-Isopropyltoluene	3.271	3.110	4.9	73	0.00
87 T	1,3-Dichlorobenzene	1.806	1.703	5.7	76	0.00
88 T	1,4-Dichlorobenzene	1.755	1.644	6.3	75	0.00
89 T	n-Butylbenzene	2.984	2.781	6.8	71	0.00
90 T	Hexachloroethane	0.656	0.615	6.3	76	0.00
91 T	1,2-Dichlorobenzene	1.527	1.465	4.1	75	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.090	0.079	12.2	72	0.00
93 T	1,2,4-Trichlorobenzene	0.807	0.809	-0.2	76	0.00
94 T	Hexachlorobutadiene	0.498	0.470	5.6	77	0.00
95 T	Naphthalene	1.379	1.403	-1.7	74	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022824\
Data File : VY017525.D
Acq On : 28 Feb 2024 17:04
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Feb 28 23:15:47 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y022324S.M
Quant Title : SW846 8260
QLast Update : Sat Feb 24 04:41:20 2024
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.692	0.702	-1.4	77	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6