

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY030124\
 Data File : VY017555.D
 Acq On : 01 Mar 2024 17:01
 Operator : SY/MD
 Sample : P1653-01
 Misc : 5.05g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 294

Quant Time: Mar 02 00:21:10 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y022324S.M
 Quant Title : SW846 8260
 QLast Update : Sat Feb 24 04:41:20 2024
 Response via : Initial Calibration


Compound	R.T. QIon		Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.795	168	113407	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	203278	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.495	117	179998	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.434	152	67373	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.148	65	58351	54.290	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 108.580%	
35) Dibromofluoromethane	7.722	113	65611	46.319	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 92.640%	
50) Toluene-d8	10.185	98	231780	46.799	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	= 93.600%	
62) 4-Bromofluorobenzene	12.489	95	61423	39.463	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	= 78.920%	
Target Compounds						
					Qvalue	
11) Tert butyl alcohol	4.942	59	181	1.983	ug/l #	88
16) Acetone	3.991	43	645	3.094	ug/l #	58
20) Methylene Chloride	4.722	84	9031	2.129	ug/l	98
31) Cyclohexane	7.795	56	1859	1.063	ug/l #	6
36) 1,1-Dichloropropene	7.789	75	8686	4.545	ug/l #	46
38) Carbon Tetrachloride	7.795	117	10373	5.416	ug/l #	16
76) 1,2,3-Trichloropropane	12.489	75	31344	48.964	ug/l #	100
81) trans-1,4-Dichloro-2-b...	12.489	75	31344	112.508	ug/l #	16
95) Naphthalene	15.251	128	236	4.017	ug/l #	69

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quant Time: Mar 02 00:21:10 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y022324S.M
Quant Title : SW846 8260
QLast Update : Sat Feb 24 04:41:20 2024
Response via : Initial Calibration








#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.795 min Scan# 91
Delta R.T. -0.000 min
Lab File: VY017555.D
Acq: 01 Mar 2024 17:01

Instrument :
MSVOA_Y
ClientSampleId :
294







Tgt Ion:168 Resp: 113407
Ion Ratio Lower Upper
168 100
99 49.6 39.1 58.7



#11
Tert butyl alcohol
Concen: 1.983 ug/l
RT: 4.942 min Scan# 512
Delta R.T. -0.012 min
Lab File: VY017555.D
Acq: 01 Mar 2024 17:01

Tgt Ion: 59 Resp: 181
Ion Ratio Lower Upper
59 100
57 0.0 3.0 4.6#









#16
Acetone
Concen: 3.094 ug/l
RT: 3.991 min Scan# 316
Delta R.T. 0.049 min
Lab File: VY017555.D
Acq: 01 Mar 2024 17:01




Instrument :
MSVOA_Y
ClientSampleId :
294


Tgt Ion: 43 Resp: 645
Ion Ratio Lower Upper
43 100
58 65.6 31.7 47.5#



#20
Methylene Chloride
Concen: 2.129 ug/l
RT: 4.722 min Scan# 476
Delta R.T. 0.012 min
Lab File: VY017555.D
Acq: 01 Mar 2024 17:01

Tgt Ion: 84 Resp: 9031
Ion Ratio Lower Upper
84 100
49 103.5 84.4 126.6
51 30.7 26.0 39.0
86 63.9 49.5 74.3









#31
Cyclohexane
Concen: 1.063 ug/l
RT: 7.795 min Scan# 91
Delta R.T. 0.006 min
Lab File: VY017555.D
Acq: 01 Mar 2024 17:01




Instrument :
MSVOA_Y
ClientSampleId :
294


Tgt Ion: 56 Resp: 1859
Ion Ratio Lower Upper
56 100
69 148.7 28.7 43.1#
84 153.6 77.7 116.5#



#33
1,2-Dichloroethane-d4
Concen: 54.290 ug/l
RT: 8.148 min Scan# 1038
Delta R.T. 0.006 min
Lab File: VY017555.D
Acq: 01 Mar 2024 17:01

Tgt Ion: 65 Resp: 58351
Ion Ratio Lower Upper
65 100
67 55.8 0.0 109.6





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.697 min Scan# 1127

Delta R.T. 0.006 min

Lab File: VY017555.D

Acq: 01 Mar 2024 17:01

Instrument :

MSVOA_Y

ClientSampleId :

294





Tgt Ion:114 Resp: 203278

Ion Ratio Lower Upper

114 100

63 17.1 0.0 35.0

88 14.0 0.0 27.2



#35

Dibromofluoromethane

Concen: 46.319 ug/l

RT: 7.722 min Scan# 968

Delta R.T. 0.006 min

Lab File: VY017555.D

Acq: 01 Mar 2024 17:01




Tgt Ion:113 Resp: 65611


Ion Ratio Lower Upper

113 100

111 102.5 82.2 123.4

192 20.2 15.9 23.9





#36

1,1-Dichloropropene

Concen: 4.545 ug/l

RT: 7.789 min Scan# 91

Delta R.T. -0.128 min

Lab File: VY017555.D

Acq: 01 Mar 2024 17:01

Instrument :

MSVOA_Y

ClientSampleId :

294





Tgt Ion: 75 Resp: 8686

Ion Ratio Lower Upper

75 100

110 7.3 19.0 57.0#

77 0.0 25.3 37.9#



#38

Carbon Tetrachloride

Concen: 5.416 ug/l

RT: 7.795 min Scan# 980

Delta R.T. -0.110 min

Lab File: VY017555.D

Acq: 01 Mar 2024 17:01




Tgt Ion: 117 Resp: 10373


Ion Ratio Lower Upper

117 100

119 4.9 75.8 113.6#

121 0.0 24.0 36.0#









#50
Toluene-d8
Concen: 46.799 ug/l
RT: 10.185 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY017555.D
Acq: 01 Mar 2024 17:01




Instrument :
MSVOA_Y
ClientSampleId :
294


Tgt Ion: 98 Resp: 231780
Ion Ratio Lower Upper
98 100
100 64.3 52.0 78.0



#62
4-Bromofluorobenzene
Concen: 39.463 ug/l
RT: 12.489 min Scan# 1750
Delta R.T. 0.006 min
Lab File: VY017555.D
Acq: 01 Mar 2024 17:01

Tgt Ion: 95 Resp: 61423
Ion Ratio Lower Upper
95 100
174 93.5 0.0 175.6
176 90.0 0.0 171.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.495 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY017555.D
Acq: 01 Mar 2024 17:01




Instrument :
MSVOA_Y
ClientSampleId :
294


Tgt Ion:117 Resp: 179998
Ion Ratio Lower Upper
117 100
82 51.7 42.4 63.6
119 32.8 25.9 38.9



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.434 min Scan# 1905
Delta R.T. 0.006 min
Lab File: VY017555.D
Acq: 01 Mar 2024 17:01

Tgt Ion:152 Resp: 67373
Ion Ratio Lower Upper
152 100
115 54.5 28.2 84.7
150 157.3 0.0 345.6









#76
1,2,3-Trichloropropane
Concen: 48.964 ug/l
RT: 12.489 min Scan# 1750
Delta R.T. -0.146 min
Lab File: VY017555.D
Acq: 01 Mar 2024 17:01




Instrument :
MSVOA_Y
ClientSampleId :
294


Tgt Ion: 75 Resp: 31344
Ion Ratio Lower Upper
75 100
77 1.2 0.0 0.0#



#81
trans-1,4-Dichloro-2-butene
Concen: 112.508 ug/l
RT: 12.489 min Scan# 1750
Delta R.T. 0.104 min
Lab File: VY017555.D
Acq: 01 Mar 2024 17:01


Tgt Ion: 75 Resp: 31344
Ion Ratio Lower Upper
75 100
53 0.0 66.8 100.2#
89 0.0 35.8 53.6#





#95
Naphthalene
Concen: 4.017 ug/l
RT: 15.251 min Scan# 21
Delta R.T. 0.012 min
Lab File: VY017555.D
Acq: 01 Mar 2024 17:01

Instrument :
MSVOA_Y
ClientSampleId :
294



Tgt Ion:128 Resp: 236
Ion Ratio Lower Upper
128 100
127 0.0 10.6 16.0#
129 0.0 8.6 13.0#

