

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY030624\
 Data File : VY017589.D
 Acq On : 06 Mar 2024 13:50
 Operator : SY/MD
 Sample : P1685-02
 Misc : 5.03g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 72-12002

Quant Time: Mar 07 02:07:41 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y022324S.M
 Quant Title : SW846 8260
 QLast Update : Sat Feb 24 04:41:20 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	109586	50.000	ug/l	-0.01
34) 1,4-Difluorobenzene	8.685	114	197646	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	177711	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	68860	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	56825	54.714	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 109.420%	
35) Dibromofluoromethane	7.716	113	63862	46.369	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 92.740%	
50) Toluene-d8	10.179	98	225890	46.910	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	= 93.820%	
62) 4-Bromofluorobenzene	12.483	95	62489	41.292	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	= 82.580%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY030624\
Data File : VY017589.D
Acq On : 06 Mar 2024 13:50
Operator : SY/MD
Sample : P1685-02
Misc : 5.03g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
72-12002

Quant Time: Mar 07 02:07:41 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y022324S.M
Quant Title : SW846 8260
QLast Update : Sat Feb 24 04:41:20 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.783 min Scan# 91
Delta R.T. -0.012 min
Lab File: VY017589.D
Acq: 06 Mar 2024 13:50




Instrument :
MSVOA_Y
ClientSampleId :
72-12002


Tgt Ion:168 Resp: 109586
Ion Ratio Lower Upper
168 100
99 49.7 39.1 58.7



#33
1,2-Dichloroethane-d4
Concen: 54.714 ug/l
RT: 8.136 min Scan# 1036
Delta R.T. -0.006 min
Lab File: VY017589.D
Acq: 06 Mar 2024 13:50

Tgt Ion: 65 Resp: 56825
Ion Ratio Lower Upper
65 100
67 54.6 0.0 109.6





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.685 min Scan# 1126

Delta R.T. -0.006 min

Lab File: VY017589.D

Acq: 06 Mar 2024 13:50

Instrument :

MSVOA_Y

ClientSampleId :

72-12002





Tgt Ion:114 Resp: 197646

Ion Ratio Lower Upper

114 100

63 18.4 0.0 35.0

88 14.1 0.0 27.2



#35

Dibromofluoromethane

Concen: 46.369 ug/l

RT: 7.716 min Scan# 967

Delta R.T. 0.000 min

Lab File: VY017589.D

Acq: 06 Mar 2024 13:50




Tgt Ion:113 Resp: 63862


Ion Ratio Lower Upper

113 100

111 102.3 82.2 123.4

192 20.9 15.9 23.9









#50
Toluene-d8
Concen: 46.910 ug/l
RT: 10.179 min Scan# 1372
Delta R.T. -0.006 min
Lab File: VY017589.D
Acq: 06 Mar 2024 13:50




Instrument :
MSVOA_Y
ClientSampleId :
72-12002


Tgt Ion: 98 Resp: 225890
Ion Ratio Lower Upper
98 100
100 64.9 52.0 78.0



#62
4-Bromofluorobenzene
Concen: 41.292 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. 0.000 min
Lab File: VY017589.D
Acq: 06 Mar 2024 13:50

Tgt Ion: 95 Resp: 62489
Ion Ratio Lower Upper
95 100
174 95.5 0.0 175.6
176 89.9 0.0 171.4





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.490 min Scan# 11

Delta R.T. -0.006 min

Lab File: VY017589.D

Acq: 06 Mar 2024 13:50

Instrument :

MSVOA_Y

ClientSampleId :

72-12002





Tgt Ion:117 Resp: 177711

Ion Ratio Lower Upper

117 100

82 51.3 42.4 63.6

119 32.0 25.9 38.9



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.428 min Scan# 1904

Delta R.T. 0.000 min

Lab File: VY017589.D

Acq: 06 Mar 2024 13:50

Tgt Ion:152 Resp: 68860

Ion Ratio Lower Upper

152 100

115 55.6 28.2 84.7

150 157.7 0.0 345.6

