

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY030625\
 Data File : VY021443.D
 Acq On : 06 Mar 2025 18:33
 Operator : SY/MD
 Sample : Q1463-04
 Misc : 6.12g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 T4

Quant Time: Mar 07 00:42:17 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 05 12:42:45 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	230232	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	423986	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	354306	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	121402	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	139775	57.440	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	114.880%
35) Dibromofluoromethane	7.634	113	139499	50.055	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.100%
50) Toluene-d8	10.109	98	513394	48.653	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.300%
62) 4-Bromofluorobenzene	12.408	95	140842	39.238	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	78.480%
Target Compounds						
					Qvalue	
39) Methylcyclohexane	9.103	83	5873	1.098	ug/l #	86

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY030625\
Data File : VY021443.D
Acq On : 06 Mar 2025 18:33
Operator : SY/MD
Sample : Q1463-04
Misc : 6.12g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
T4

Quant Time: Mar 07 00:42:17 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
Quant Title : SW846 8260
QLast Update : Wed Mar 05 12:42:45 2025
Response via : Initial Calibration

