

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY031020\
 Data File : VY001930.D
 Acq On : 10 Mar 2020 18:18
 Operator : SY/MD
 Sample : L1755-01
 Misc : 7.49G/5ML/MSVOA Y/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OK-03-031020

Quant Time: Mar 11 05:10:07 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y030420S.M
 Quant Title : SW846 8260
 QLast Update : Thu Mar 05 04:05:33 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	136884	50.00	ug/l	-0.01
34) 1,4-Difluorobenzene	8.70	114	265640	50.00	ug/l	-0.01
63) Chlorobenzene-d5	11.49	117	234284	50.00	ug/l	-0.01
72) 1,4-Dichlorobenzene-d4	13.43	152	89907	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.16	65	85926	58.80	ug/l	-0.01
Spiked Amount 50.000			Recovery	=	117.60%	
35) Dibromofluoromethane	7.73	113	77618	53.51	ug/l	-0.02
Spiked Amount 50.000			Recovery	=	107.02%	
50) Toluene-d8	10.19	98	314591	51.43	ug/l	0.00
Spiked Amount 50.000			Recovery	=	102.86%	
62) 4-Bromofluorobenzene	12.49	95	100775	47.38	ug/l	0.00
Spiked Amount 50.000			Recovery	=	94.76%	
Target Compounds						
84) 1,2,4-Trimethylbenzene	13.13	105	8602	1.534	ug/l	Qvalue 100
95) Naphthalene	15.23	128	5362	1.347	ug/l	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY031020\
Data File : VY001930.D
Acq On : 10 Mar 2020 18:18
Operator : SY/MD
Sample : L1755-01
Misc : 7.49G/5ML/MSVOA Y/SOIL
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OK-03-031020

Quant Time: Mar 11 05:10:07 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y030420S.M
Quant Title : SW846 8260
QLast Update : Thu Mar 05 04:05:33 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 995

Delta R.T. -0.01 min

Lab File: VY001930.D

Acq: 10 Mar 2020 18:18

Instrument :

MSVOA_Y

ClientSampleId :


OK-03-031020

Tot Ion:168 Resp: 136884

Ion Ratio Lower Upper




168 100

99 59.2 46.7 70.1



Abundance Ion 167.90 (167.60 to 168.60): VY001845.D (-986) (-)

Ion 98.90 (98.60 to 99.60): VY001845.D (-986) (-)



#33

1,2-Dichloroethane-d4

Concen: 58.800 ug/l

RT: 8.16 min Scan# 1053

Delta R.T. -0.01 min

Lab File: VY001930.D


Acq: 10 Mar 2020 18:18

Tgt Ion: 65 Resp: 85926

Ion Ratio Lower Upper



65 100


67 54.9 0.0 110.8



Abundance Ion 64.90 (64.60 to 65.60): VY001845.D (-1044) (-)

Ion 66.90 (66.60 to 67.60): VY001845.D (-1044) (-)





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.70 min Scan# 1142

Delta R.T. -0.01 min

Lab File: VY001930.D

Acq: 10 Mar 2020 18:18

Instrument :

MSVOA_Y

ClientSampleId :

OK-03-031020



Tot Ion:114 Resp: 265640

Ion Ratio Lower Upper

114 100

63 22.1 0.0 39.4



88 16.4 0.0 30.4



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 53.511 ug/l

RT: 7.73 min Scan# 983

Delta R.T. -0.02 min

Lab File: VY001930.D

Acq: 10 Mar 2020 18:18



Tgt Ion:113 Resp: 77618

Ion Ratio Lower Upper

113 100

111 101.4 81.8 122.8


192 18.1 14.2 21.2




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 51.433 ug/l

RT: 10.19 min Scan# 1386

Delta R.T. -0.01 min

Lab File: VY001930.D

Acq: 10 Mar 2020 18:18

Instrument :

MSVOA_Y

ClientSampleId :


OK-03-031020

Tot Ion: 98 Resp: 314591




Ion Ratio Lower Upper

98 100

100 66.7 53.0 79.4



Abundance Ion 98.00 (97.70 to 98.70): VY001845.D (-1378) (-)



#62

4-Bromofluorobenzene

Concen: 47.383 ug/l

RT: 12.49 min Scan# 1763

Delta R.T. -0.01 min

Lab File: VY001930.D

Acq: 10 Mar 2020 18:18


Tgt Ion: 95 Resp: 100775

Ion Ratio Lower Upper



95 100


174 72.9 0.0 145.0

176 70.6 0.0 137.4



Abundance Ion 94.90 (94.60 to 95.60): VY001845.D (-1756) (-)









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. -0.01 min
Lab File: VY001930.D
Acq: 10 Mar 2020 18:18

Instrument :
MSVOA_Y
ClientSampleId :
OK-03-031020

Tot Ion	Ratio	Lower	Upper
117	100		
82	57.3	44.5	66.7
119	31.2	25.7	38.5




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VY0
Ion 118.90 (118.60 to 119.60): V






#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.43 min Scan# 1918
Delta R.T. -0.01 min
Lab File: VY001930.D
Acq: 10 Mar 2020 18:18

Tgt Ion	Ratio	Lower	Upper
152	100		
115	61.5	29.9	89.7
150	155.7	0.0	340.6



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V









#84
 1,2,4-Trimethylbenzene
 Concen: 1.534 ug/l
 RT: 13.13 min Scan# 1868
 Delta R.T. -0.01 min
 Lab File: VY001930.D
 Acq: 10 Mar 2020 18:18

Instrument :
 MSVOA_Y
 ClientSampleId :
 OK-03-031020

Tot Ion:105 Resp: 8602
 Ion Ratio Lower Upper
 105 100
 120 45.3 22.6 67.7



#95
 Naphthalene
 Concen: 1.347 ug/l
 RT: 15.23 min Scan# 2214
 Delta R.T. -0.01 min
 Lab File: VY001930.D
 Acq: 10 Mar 2020 18:18

Tgt Ion:128 Resp: 5362
 Ion Ratio Lower Upper
 128 100
 127 14.0 10.1 15.1
 129 10.9 8.6 13.0

