

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv031720\
 Data File : VY001989.D
 Acq On : 17 Mar 2020 09:46
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 17 16:26:23 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y030420S.M
 Quant Title : SW846 8260
 QLast Update : Thu Mar 05 04:05:33 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	94	0.00
2 T	Dichlorodifluoromethane	0.462	0.386	16.5	82	0.00
3 P	Chloromethane	0.622	0.551	11.4	85	0.00
4 C	Vinyl Chloride	0.633	0.577	8.8#	84	0.00
5 T	Bromomethane	0.420	0.390	7.1	89	0.00
6 T	Chloroethane	0.398	0.385	3.3	90	0.00
7 T	Trichlorofluoromethane	0.858	0.812	5.4	90	0.00
8 T	Diethyl Ether	0.338	0.316	6.5	87	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.552	0.536	2.9	92	0.00
10 T	Methyl Iodide	0.638	0.628	1.6	84	0.00
11 T	Tert butyl alcohol	0.065	0.052	20.0	86	0.00
12 CM	1,1-Dichloroethene	0.556	0.531	4.5#	88	0.00
13 T	Acrolein	0.075	0.062	17.3	84	0.00
14 T	Allyl chloride	0.986	0.947	4.0	88	0.00
15 T	Acrylonitrile	0.181	0.162	10.5	82	0.00
16 T	Acetone	0.155	0.163	-5.2	97	0.00
17 T	Carbon Disulfide	1.869	1.677	10.3	83	0.00
18 T	Methyl Acetate	0.399	0.348	12.8	81	0.00
19 T	Methyl tert-butyl Ether	1.506	1.427	5.2	87	0.00
20 T	Methylene Chloride	0.666	0.597	10.4	88	0.00
21 T	trans-1,2-Dichloroethene	0.631	0.608	3.6	90	0.00
22 T	Diisopropyl ether	2.020	1.985	1.7	91	0.00
23 T	Vinyl Acetate	1.324	1.245	6.0	86	0.00
24 P	1,1-Dichloroethane	1.094	1.075	1.7	91	0.00
25 T	2-Butanone	0.236	0.225	4.7	87	0.00
26 T	2,2-Dichloropropane	0.898	0.908	-1.1	95	0.00
27 T	cis-1,2-Dichloroethene	0.686	0.676	1.5	91	0.00
28 T	Bromochloromethane	0.493	0.488	1.0	91	0.00
29 T	Tetrahydrofuran	0.157	0.135	14.0	80	0.00
30 C	Chloroform	1.028	1.000	2.7#	90	0.00
31 T	Cyclohexane	1.173	1.070	8.8	89	0.00
32 T	1,1,1-Trichloroethane	0.866	0.871	-0.6	92	0.00
33 S	1,2-Dichloroethane-d4	0.534	0.486	9.0	89	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	94	0.00
35 S	Dibromofluoromethane	0.273	0.263	3.7	93	0.00
36 T	1,1-Dichloropropene	0.481	0.473	1.7	90	0.00
37 T	Ethyl Acetate	0.280	0.246	12.1	79	0.00
38 T	Carbon Tetrachloride	0.411	0.414	-0.7	93	0.00
39 T	Methylcyclohexane	0.638	0.611	4.2	89	0.00
40 TM	Benzene	1.426	1.394	2.2	90	0.00
41 T	Methacrylonitrile	0.126	0.143	-13.5	108	0.00
42 TM	1,2-Dichloroethane	0.367	0.354	3.5	87	0.00
43 T	Isopropyl Acetate	0.529	0.490	7.4	84	0.00
44 TM	Trichloroethene	0.347	0.341	1.7	91	0.00
45 C	1,2-Dichloropropane	0.359	0.356	0.8#	90	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv031720\
 Data File : VY001989.D
 Acq On : 17 Mar 2020 09:46
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 17 16:26:23 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y030420S.M
 Quant Title : SW846 8260
 QLast Update : Thu Mar 05 04:05:33 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.185	0.172	7.0	86	0.00
47 T	Bromodichloromethane	0.430	0.431	-0.2	91	0.00
48 T	Methyl methacrylate	0.235	0.214	8.9	79	0.00
49 T	1,4-Dioxane	0.003	0.002	33.3#	73	0.00
50 S	Toluene-d8	1.151	1.091	5.2	91	0.00
51 T	4-Methyl-2-Pentanone	0.273	0.250	8.4	83	0.00
52 CM	Toluene	0.866	0.854	1.4#	91	0.00
53 T	t-1,3-Dichloropropene	0.468	0.467	0.2	89	0.00
54 T	cis-1,3-Dichloropropene	0.557	0.554	0.5	89	0.00
55 T	1,1,2-Trichloroethane	0.270	0.263	2.6	89	0.00
56 T	Ethyl methacrylate	0.396	0.375	5.3	84	0.00
57 T	1,3-Dichloropropane	0.482	0.457	5.2	87	0.00
58 T	2-Chloroethyl Vinyl ether	0.157	0.119	24.2	80	0.00
59 T	2-Hexanone	0.195	0.181	7.2	83	0.00
60 T	Dibromochloromethane	0.285	0.287	-0.7	90	0.00
61 T	1,2-Dibromoethane	0.256	0.243	5.1	87	0.00
62 S	4-Bromofluorobenzene	0.400	0.377	5.8	91	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	94	0.00
64 T	Tetrachloroethene	0.314	0.314	0.0	94	0.00
65 PM	Chlorobenzene	0.996	1.003	-0.7	92	0.00
66 T	1,1,1,2-Tetrachloroethane	0.327	0.337	-3.1	93	0.00
67 C	Ethyl Benzene	1.858	1.867	-0.5#	91	0.00
68 T	m/p-Xylenes	0.687	0.693	-0.9	91	0.00
69 T	o-Xylene	0.647	0.659	-1.9	92	0.00
70 T	Styrene	1.109	1.132	-2.1	90	0.00
71 P	Bromoform	0.177	0.177	0.0	86	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	92	0.00
73 T	Isopropylbenzene	3.817	3.837	-0.5	91	0.00
74 T	N-amyl acetate	1.173	1.062	9.5	81	0.00
75 P	1,1,2,2-Tetrachloroethane	0.823	0.763	7.3	84	0.00
76 T	1,2,3-Trichloropropane	0.593	0.478	19.4	79	0.00
77 T	Bromobenzene	0.809	0.808	0.1	92	0.00
78 T	n-propylbenzene	4.709	4.753	-0.9	92	0.00
79 T	2-Chlorotoluene	2.602	2.587	0.6	90	0.00
80 T	1,3,5-Trimethylbenzene	3.142	3.165	-0.7	92	0.00
81 T	trans-1,4-Dichloro-2-butene	0.294	0.284	3.4	85	0.00
82 T	4-Chlorotoluene	2.709	2.722	-0.5	92	0.00
83 T	tert-Butylbenzene	2.610	2.667	-2.2	94	0.00
84 T	1,2,4-Trimethylbenzene	3.118	3.156	-1.2	92	0.00
85 T	sec-Butylbenzene	3.847	3.951	-2.7	93	0.00
86 T	p-Isopropyltoluene	3.318	3.408	-2.7	93	0.00
87 T	1,3-Dichlorobenzene	1.585	1.585	0.0	92	0.00
88 T	1,4-Dichlorobenzene	1.608	1.589	1.2	91	0.00
89 T	n-Butylbenzene	3.443	3.493	-1.5	93	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv031720\
Data File : VY001989.D
Acq On : 17 Mar 2020 09:46
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Mar 17 16:26:23 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y030420S.M
Quant Title : SW846 8260
QLast Update : Thu Mar 05 04:05:33 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.626	0.652	-4.2	94	0.00
91 T	1,2-Dichlorobenzene	1.440	1.409	2.2	90	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.128	0.112	12.5	81	0.00
93 T	1,2,4-Trichlorobenzene	0.934	0.889	4.8	87	0.00
94 T	Hexachlorobutadiene	0.455	0.457	-0.4	95	0.00
95 T	Naphthalene	2.215	1.993	10.0	82	0.00
96 T	1,2,3-Trichlorobenzene	0.822	0.787	4.3	88	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6