

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY031721\
 Data File : VY004095.D
 Acq On : 17 Mar 2021 10:54
 Operator : SY/MD
 Sample : VY0317SBL01
 Misc : 5.00g/5mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0317SBL01

Quant Time: Mar 18 01:47:03 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030821S.M
 Quant Title : SW846 8260
 QLast Update : Mon Mar 08 12:28:55 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.801	168	204977	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	359280	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.496	117	341840	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	168410	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.155	65	118117	58.39	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	116.78%
35) Dibromofluoromethane	7.728	113	111716	55.14	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	110.28%
50) Toluene-d8	10.185	98	425689	53.59	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	107.18%
62) 4-Bromofluorobenzene	12.483	95	157552	53.71	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	107.42%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY031721\
Data File : VY004095.D
Acq On : 17 Mar 2021 10:54
Operator : SY/MD
Sample : VY0317SBL01
Misc : 5.00g/5mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0317SBL01

Quant Time: Mar 18 01:47:03 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030821S.M
Quant Title : SW846 8260
QLast Update : Mon Mar 08 12:28:55 2021
Response via : Initial Calibration

