

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY032425\
 Data File : VY021615.D
 Acq On : 24 Mar 2025 14:04
 Operator : SY/MD
 Sample : Q1619-07RE
 Misc : 5.05g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-2RE

Quant Time: Mar 25 01:30:21 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 05 12:42:45 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	53797	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	73932	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	48145	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	12206	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	18268	32.128	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	64.260%
35) Dibromofluoromethane	7.634	113	22693	46.697	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	93.400%
50) Toluene-d8	10.103	98	80521	43.761	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	87.520%
62) 4-Bromofluorobenzene	12.408	95	14859	23.740	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	47.480%
Target Compounds						
16) Acetone	3.854	43	2542	20.497	ug/l	Qvalue # 79

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY032425\
Data File : VY021615.D
Acq On : 24 Mar 2025 14:04
Operator : SY/MD
Sample : Q1619-07RE
Misc : 5.05g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-2RE

Quant Time: Mar 25 01:30:21 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
Quant Title : SW846 8260
QLast Update : Wed Mar 05 12:42:45 2025
Response via : Initial Calibration

