

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv032520\
 Data File : VY002060.D
 Acq On : 25 Mar 2020 11:09
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 26 06:43:57 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y030420S.M
 Quant Title : SW846 8260
 QLast Update : Thu Mar 05 04:05:33 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	85	0.00
2 T	Dichlorodifluoromethane	0.462	0.404	12.6	77	0.00
3 P	Chloromethane	0.622	0.561	9.8	78	0.00
4 C	Vinyl Chloride	0.633	0.600	5.2#	79	0.00
5 T	Bromomethane	0.420	0.395	6.0	82	0.00
6 T	Chloroethane	0.398	0.400	-0.5	84	0.00
7 T	Trichlorofluoromethane	0.858	0.857	0.1	86	0.00
8 T	Diethyl Ether	0.338	0.340	-0.6	85	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.552	0.576	-4.3	90	0.00
10 T	Methyl Iodide	0.638	0.678	-6.3	82	0.00
11 T	Tert butyl alcohol	0.065	0.052	20.0	76	0.00
12 CM	1,1-Dichloroethene	0.556	0.567	-2.0#	85	0.00
13 T	Acrolein	0.075	0.071	5.3	88	0.00
14 T	Allyl chloride	0.986	1.057	-7.2	89	0.00
15 T	Acrylonitrile	0.181	0.178	1.7	82	0.00
16 T	Acetone	0.155	0.187	-20.6	100	0.00
17 T	Carbon Disulfide	1.869	1.683	10.0	76	0.00
18 T	Methyl Acetate	0.399	0.387	3.0	81	0.00
19 T	Methyl tert-butyl Ether	1.506	1.559	-3.5	86	0.00
20 T	Methylene Chloride	0.666	0.648	2.7	87	0.00
21 T	trans-1,2-Dichloroethene	0.631	0.641	-1.6	85	0.00
22 T	Diisopropyl ether	2.020	2.149	-6.4	89	0.00
23 T	Vinyl Acetate	1.324	1.362	-2.9	85	0.00
24 P	1,1-Dichloroethane	1.094	1.159	-5.9	89	0.00
25 T	2-Butanone	0.236	0.249	-5.5	87	0.00
26 T	2,2-Dichloropropane	0.898	0.983	-9.5	93	0.00
27 T	cis-1,2-Dichloroethene	0.686	0.720	-5.0	87	0.00
28 T	Bromochloromethane	0.493	0.511	-3.7	86	0.00
29 T	Tetrahydrofuran	0.157	0.148	5.7	79	0.00
30 C	Chloroform	1.028	1.097	-6.7#	89	0.00
31 T	Cyclohexane	1.173	1.123	4.3	84	0.00
32 T	1,1,1-Trichloroethane	0.866	0.948	-9.5	91	0.00
33 S	1,2-Dichloroethane-d4	0.534	0.507	5.1	84	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	85	0.00
35 S	Dibromofluoromethane	0.273	0.283	-3.7	89	0.00
36 T	1,1-Dichloropropene	0.481	0.506	-5.2	86	0.00
37 T	Ethyl Acetate	0.280	0.276	1.4	80	0.00
38 T	Carbon Tetrachloride	0.411	0.443	-7.8	89	0.00
39 T	Methylcyclohexane	0.638	0.653	-2.4	85	0.00
40 TM	Benzene	1.426	1.501	-5.3	87	0.00
41 T	Methacrylonitrile	0.126	0.147	-16.7	99	0.00
42 TM	1,2-Dichloroethane	0.367	0.389	-6.0	86	0.00
43 T	Isopropyl Acetate	0.529	0.534	-0.9	82	0.00
44 TM	Trichloroethene	0.347	0.367	-5.8	88	0.00
45 C	1,2-Dichloropropane	0.359	0.391	-8.9#	89	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv032520\
 Data File : VY002060.D
 Acq On : 25 Mar 2020 11:09
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 26 06:43:57 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y030420S.M
 Quant Title : SW846 8260
 QLast Update : Thu Mar 05 04:05:33 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.185	0.194	-4.9	87	0.00
47 T	Bromodichloromethane	0.430	0.476	-10.7	90	0.00
48 T	Methyl methacrylate	0.235	0.236	-0.4	78	0.00
49 T	1,4-Dioxane	0.003	0.002	33.3#	79	0.00
50 S	Toluene-d8	1.151	1.116	3.0	83	0.00
51 T	4-Methyl-2-Pentanone	0.273	0.274	-0.4	82	0.00
52 CM	Toluene	0.866	0.928	-7.2#	88	0.00
53 T	t-1,3-Dichloropropene	0.468	0.515	-10.0	88	0.00
54 T	cis-1,3-Dichloropropene	0.557	0.610	-9.5	88	0.00
55 T	1,1,2-Trichloroethane	0.270	0.284	-5.2	86	0.00
56 T	Ethyl methacrylate	0.396	0.417	-5.3	83	0.00
57 T	1,3-Dichloropropane	0.482	0.508	-5.4	87	0.00
58 T	2-Chloroethyl Vinyl ether	0.157	0.134	14.6	81	0.00
59 T	2-Hexanone	0.195	0.205	-5.1	85	0.00
60 T	Dibromochloromethane	0.285	0.314	-10.2	88	0.00
61 T	1,2-Dibromoethane	0.256	0.267	-4.3	86	0.00
62 S	4-Bromofluorobenzene	0.400	0.404	-1.0	87	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	86	0.00
64 T	Tetrachloroethene	0.314	0.329	-4.8	90	0.00
65 PM	Chlorobenzene	0.996	1.063	-6.7	88	0.00
66 T	1,1,1,2-Tetrachloroethane	0.327	0.356	-8.9	89	0.00
67 C	Ethyl Benzene	1.858	1.996	-7.4#	89	0.00
68 T	m/p-Xylenes	0.687	0.741	-7.9	89	0.00
69 T	o-Xylene	0.647	0.700	-8.2	89	0.00
70 T	Styrene	1.109	1.207	-8.8	88	0.00
71 P	Bromoform	0.177	0.197	-11.3	87	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	83	0.00
73 T	Isopropylbenzene	3.817	4.148	-8.7	89	0.00
74 T	N-amyl acetate	1.173	1.180	-0.6	82	0.00
75 P	1,1,2,2-Tetrachloroethane	0.823	0.833	-1.2	83	0.00
76 T	1,2,3-Trichloropropane	0.593	0.617	-4.0	92	0.00
77 T	Bromobenzene	0.809	0.878	-8.5	91	0.00
78 T	n-propylbenzene	4.709	5.107	-8.5	90	0.00
79 T	2-Chlorotoluene	2.602	2.795	-7.4	89	0.00
80 T	1,3,5-Trimethylbenzene	3.142	3.420	-8.8	90	0.00
81 T	trans-1,4-Dichloro-2-butene	0.294	0.305	-3.7	83	0.00
82 T	4-Chlorotoluene	2.709	2.966	-9.5	90	0.00
83 T	tert-Butylbenzene	2.610	2.906	-11.3	93	0.00
84 T	1,2,4-Trimethylbenzene	3.118	3.418	-9.6	90	0.00
85 T	sec-Butylbenzene	3.847	4.277	-11.2	92	0.00
86 T	p-Isopropyltoluene	3.318	3.663	-10.4	91	0.00
87 T	1,3-Dichlorobenzene	1.585	1.708	-7.8	90	0.00
88 T	1,4-Dichlorobenzene	1.608	1.716	-6.7	89	0.00
89 T	n-Butylbenzene	3.443	3.774	-9.6	91	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv032520\
Data File : VY002060.D
Acq On : 25 Mar 2020 11:09
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Mar 26 06:43:57 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y030420S.M
Quant Title : SW846 8260
QLast Update : Thu Mar 05 04:05:33 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.626	0.701	-12.0	92	0.00
91 T	1,2-Dichlorobenzene	1.440	1.545	-7.3	89	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.128	0.123	3.9	82	0.00
93 T	1,2,4-Trichlorobenzene	0.934	1.009	-8.0	90	0.00
94 T	Hexachlorobutadiene	0.455	0.502	-10.3	94	0.00
95 T	Naphthalene	2.215	2.250	-1.6	84	0.00
96 T	1,2,3-Trichlorobenzene	0.822	0.874	-6.3	89	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6