

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY032520\
 Data File : VY002075.D
 Acq On : 25 Mar 2020 18:21
 Operator : SY/MD
 Sample : L2043-01
 Misc : 6.63G/5ML/MSVOA Y/SOIL
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-2-(6.5-7.5)

Quant Time: Mar 26 08:14:35 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y030420S.M
 Quant Title : SW846 8260
 QLast Update : Thu Mar 05 04:05:33 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.82	168	128585	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.71	114	252705	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.50	117	234101	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.44	152	104877	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.17	65	82754	60.28	ug/l	0.00
Spiked Amount			Recovery	=	120.56%	
35) Dibromofluoromethane	7.75	113	74837	54.23	ug/l	0.00
Spiked Amount			Recovery	=	108.46%	
50) Toluene-d8	10.19	98	309018	53.11	ug/l	0.00
Spiked Amount			Recovery	=	106.22%	
62) 4-Bromofluorobenzene	12.49	95	108164	53.46	ug/l	0.00
Spiked Amount			Recovery	=	106.92%	


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY032520\
Data File : VY002075.D
Acq On : 25 Mar 2020 18:21
Operator : SY/MD
Sample : L2043-01
Misc : 6.63G/5ML/MSVOA Y/SOIL
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-2-(6.5-7.5)

Quant Time: Mar 26 08:14:35 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y030420S.M
Quant Title : SW846 8260
QLast Update : Thu Mar 05 04:05:33 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.82 min Scan# 997

Delta R.T. 0.00 min

Lab File: VY002075.D

Acq: 25 Mar 2020 18:21

Instrument :

MSVOA_Y

ClientSampleId :


TP-2-(6.5-7.5)

Tot Ion:168 Resp: 128585

Ion Ratio Lower Upper

168 100

99 59.6 46.7 70.1



Abundance Ion 167.90 (167.60 to 168.60): VY001845.D (-986) (-)

Ion 98.90 (98.60 to 99.60): VY001845.D (-986) (-)

7.82

60000



40000

20000

0

7.70 7.80 7.90

Time-->



#33

1,2-Dichloroethane-d4

Concen: 60.284 ug/l

RT: 8.17 min Scan# 1055

Delta R.T. 0.00 min

Lab File: VY002075.D


Acq: 25 Mar 2020 18:21

Tgt Ion: 65 Resp: 82754

Ion Ratio Lower Upper

65 100

67 55.7 0.0 110.8



Abundance Ion 64.90 (64.60 to 65.60): VY001845.D (-1044) (-)

Ion 66.90 (66.60 to 67.60): VY001845.D (-1044) (-)

8.17

40000

30000


20000

10000

0

8.10 8.20

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.71 min Scan# 1144

Delta R.T. 0.00 min

Lab File: VY002075.D

Acq: 25 Mar 2020 18:21

Instrument :

MSVOA_Y

ClientSampleId :

TP-2-(6.5-7.5)


Tot Ion:114 Resp: 252705

Ion Ratio Lower Upper

114 100

63 22.0 0.0 39.4




88 15.6 0.0 30.4



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 54.234 ug/l

RT: 7.75 min Scan# 986

Delta R.T. 0.00 min

Lab File: VY002075.D

Acq: 25 Mar 2020 18:21


Tgt Ion:113 Resp: 74837

Ion Ratio Lower Upper

113 100

111 102.3 81.8 122.8



192 17.6 14.2 21.2




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 53.107 ug/l

RT: 10.19 min Scan# 1387

Delta R.T. 0.00 min

Lab File: VY002075.D

Acq: 25 Mar 2020 18:21

Instrument :

MSVOA_Y

ClientSampleId :





TP-2-(6.5-7.5)

Tot Ion: 98 Resp: 309018

Ion Ratio Lower Upper

98 100

100 65.2 53.0 79.4



#62

4-Bromofluorobenzene

Concen: 53.461 ug/l

RT: 12.49 min Scan# 1764

Delta R.T. 0.00 min

Lab File: VY002075.D

Acq: 25 Mar 2020 18:21




Tgt Ion: 95 Resp: 108164


Ion Ratio Lower Upper

95 100

174 71.5 0.0 145.0

176 70.8 0.0 137.4






#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.50 min Scan# 1601
Delta R.T. -0.01 min
Lab File: VY002075.D
Acq: 25 Mar 2020 18:21

Instrument :
MSVOA_Y
ClientSampleId :
TP-2-(6.5-7.5)

Tot Ion	Ratio	Lower	Upper
117	100		
82	59.1	44.5	66.7
119	31.7	25.7	38.5






Abundance

Ion 116.90 (116.60 to 117.60): V


Ion 82.00 (81.70 to 82.70): VY0

Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.44 min Scan# 1919
Delta R.T. 0.00 min
Lab File: VY002075.D
Acq: 25 Mar 2020 18:21

Tgt Ion	Ratio	Lower	Upper
152	100		
115	61.2	29.9	89.7
150	157.2	0.0	340.6



Abundance

Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

