

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv032720\
 Data File : VY002120.D
 Acq On : 27 Mar 2020 20:43
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 30 05:30:21 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y032620S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 27 07:11:05 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	89	0.00
2 T	Dichlorodifluoromethane	0.396	0.292	26.3#	86	0.00
3 P	Chloromethane	0.584	0.517	11.5	88	0.00
4 C	Vinyl Chloride	0.594	0.539	9.3#	86	0.00
5 T	Bromomethane	0.388	0.394	-1.5	93	0.00
6 T	Chloroethane	0.382	0.374	2.1	88	0.00
7 T	Trichlorofluoromethane	0.814	0.762	6.4	87	0.00
8 T	Diethyl Ether	0.345	0.335	2.9	90	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.534	0.495	7.3	85	0.00
10 T	Methyl Iodide	0.635	0.556	12.4	75	0.00
11 T	Tert butyl alcohol	0.065	0.060	7.7	95	0.00
12 CM	1,1-Dichloroethene	0.543	0.513	5.5#	86	0.00
13 T	Acrolein	0.081	0.084	-3.7	85	0.01
14 T	Allyl chloride	0.993	0.982	1.1	87	0.00
15 T	Acrylonitrile	0.181	0.176	2.8	87	0.00
16 T	Acetone	0.155	0.123	20.6	71	0.00
17 T	Carbon Disulfide	1.801	1.700	5.6	85	0.00
18 T	Methyl Acetate	0.403	0.388	3.7	89	0.00
19 T	Methyl tert-butyl Ether	1.514	1.499	1.0	88	0.00
20 T	Methylene Chloride	0.765	0.631	17.5	90	0.00
21 T	trans-1,2-Dichloroethene	0.618	0.603	2.4	87	0.00
22 T	Diisopropyl ether	2.033	2.129	-4.7	92	0.00
23 T	Vinyl Acetate	1.333	1.372	-2.9	90	0.00
24 P	1,1-Dichloroethane	1.081	1.089	-0.7	88	0.00
25 T	2-Butanone	0.238	0.219	8.0	83	0.00
26 T	2,2-Dichloropropane	0.890	0.837	6.0	83	0.00
27 T	cis-1,2-Dichloroethene	0.680	0.685	-0.7	89	0.00
28 T	Bromochloromethane	0.493	0.539	-9.3	89	0.00
29 T	Tetrahydrofuran	0.156	0.153	1.9	88	0.00
30 C	Chloroform	1.024	1.036	-1.2#	89	0.00
31 T	Cyclohexane	1.152	1.072	6.9	87	0.00
32 T	1,1,1-Trichloroethane	0.855	0.857	-0.2	88	0.00
33 S	1,2-Dichloroethane-d4	0.553	0.570	-3.1	92	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	90	0.00
35 S	Dibromofluoromethane	0.280	0.281	-0.4	91	0.00
36 T	1,1-Dichloropropene	0.473	0.457	3.4	87	0.00
37 T	Ethyl Acetate	0.286	0.279	2.4	91	0.00
38 T	Carbon Tetrachloride	0.401	0.394	1.7	87	0.00
39 T	Methylcyclohexane	0.620	0.596	3.9	86	0.00
40 TM	Benzene	1.401	1.388	0.9	89	0.00
41 T	Methacrylonitrile	0.145	0.171	-17.9	107	0.00
42 TM	1,2-Dichloroethane	0.372	0.368	1.1	90	0.00
43 T	Isopropyl Acetate	0.530	0.527	0.6	90	0.00
44 TM	Trichloroethene	0.338	0.331	2.1	87	0.00
45 C	1,2-Dichloropropane	0.357	0.363	-1.7#	90	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv032720\
 Data File : VY002120.D
 Acq On : 27 Mar 2020 20:43
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 30 05:30:21 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y032620S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 27 07:11:05 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.183	0.185	-1.1	90	0.00
47 T	Bromodichloromethane	0.426	0.443	-4.0	91	0.00
48 T	Methyl methacrylate	0.238	0.234	1.7	90	0.00
49 T	1,4-Dioxane	0.003	0.002	33.3#	88	0.00
50 S	Toluene-d8	1.164	1.166	-0.2	89	0.00
51 T	4-Methyl-2-Pentanone	0.273	0.275	-0.7	91	0.00
52 CM	Toluene	0.847	0.848	-0.1#	90	0.00
53 T	t-1,3-Dichloropropene	0.473	0.482	-1.9	90	0.00
54 T	cis-1,3-Dichloropropene	0.557	0.565	-1.4	89	0.00
55 T	1,1,2-Trichloroethane	0.271	0.268	1.1	88	0.00
56 T	Ethyl methacrylate	0.396	0.402	-1.5	91	0.00
57 T	1,3-Dichloropropane	0.479	0.483	-0.8	90	0.00
58 T	2-Chloroethyl Vinyl ether	0.203	0.204	-0.5	92	0.00
59 T	2-Hexanone	0.192	0.186	3.1	87	0.00
60 T	Dibromochloromethane	0.284	0.288	-1.4	90	0.00
61 T	1,2-Dibromoethane	0.254	0.255	-0.4	91	0.00
62 S	4-Bromofluorobenzene	0.407	0.413	-1.5	90	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	92	0.00
64 T	Tetrachloroethene	0.306	0.288	5.9	87	0.00
65 PM	Chlorobenzene	0.965	0.944	2.2	90	0.00
66 T	1,1,1,2-Tetrachloroethane	0.323	0.319	1.2	91	0.00
67 C	Ethyl Benzene	1.793	1.740	3.0#	88	0.00
68 T	m/p-Xylenes	0.663	0.647	2.4	89	0.00
69 T	o-Xylene	0.629	0.618	1.7	90	0.00
70 T	Styrene	1.089	1.094	-0.5	90	0.00
71 P	Bromoform	0.177	0.173	2.3	87	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	94	0.00
73 T	Isopropylbenzene	3.709	3.605	2.8	89	0.00
74 T	N-amyl acetate	1.170	1.145	2.1	91	0.00
75 P	1,1,2,2-Tetrachloroethane	0.798	0.773	3.1	90	0.00
76 T	1,2,3-Trichloropropane	0.559	0.536	4.1	85	0.00
77 T	Bromobenzene	0.792	0.777	1.9	89	0.00
78 T	n-propylbenzene	4.603	4.451	3.3	89	0.00
79 T	2-Chlorotoluene	2.527	2.484	1.7	90	0.00
80 T	1,3,5-Trimethylbenzene	3.060	3.006	1.8	89	0.00
81 T	trans-1,4-Dichloro-2-butene	0.289	0.277	4.2	87	0.00
82 T	4-Chlorotoluene	2.663	2.605	2.2	90	0.00
83 T	tert-Butylbenzene	2.554	2.560	-0.2	90	0.00
84 T	1,2,4-Trimethylbenzene	3.053	3.020	1.1	90	0.00
85 T	sec-Butylbenzene	3.783	3.680	2.7	88	0.00
86 T	p-Isopropyltoluene	3.249	3.194	1.7	89	0.00
87 T	1,3-Dichlorobenzene	1.549	1.521	1.8	91	0.00
88 T	1,4-Dichlorobenzene	1.559	1.511	3.1	89	0.00
89 T	n-Butylbenzene	3.385	3.269	3.4	88	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv032720\
Data File : VY002120.D
Acq On : 27 Mar 2020 20:43
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Mar 30 05:30:21 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y032620S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 27 07:11:05 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.612	0.612	0.0	90	0.00
91 T	1,2-Dichlorobenzene	1.430	1.397	2.3	90	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.128	0.122	4.7	93	0.00
93 T	1,2,4-Trichlorobenzene	0.922	0.873	5.3	89	0.00
94 T	Hexachlorobutadiene	0.455	0.423	7.0	87	0.00
95 T	Naphthalene	2.190	2.099	4.2	90	0.00
96 T	1,2,3-Trichlorobenzene	0.836	0.782	6.5	88	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6