

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY032723\
 Data File : VY013087.D
 Acq On : 27 Mar 2023 13:24
 Operator : KP/MD
 Sample : 02045-08
 Misc : 5.08g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 WC2-20230322

Quant Time: Mar 27 16:17:53 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030223S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 03 01:13:13 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	85645	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	143400	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	130958	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	57849	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.142	65	50076	58.889	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	117.780%
35) Dibromofluoromethane	7.716	113	49315	56.984	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	113.960%
50) Toluene-d8	10.179	98	170766	53.975	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	107.960%
62) 4-Bromofluorobenzene	12.483	95	50094	46.911	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	93.820%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY032723\
Data File : VY013087.D
Acq On : 27 Mar 2023 13:24
Operator : KP/MD
Sample : 02045-08
Misc : 5.08g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
WC2-20230322

Quant Time: Mar 27 16:17:53 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030223S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 03 01:13:13 2023
Response via : Initial Calibration

