

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY032921\
 Data File : VY004220.D
 Acq On : 29 Mar 2021 19:25
 Operator : SY/MD
 Sample : VSTDICV050
 Misc : 5.00g/5mL/MSVOA_Y/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 ICVVY032921

Quant Time: Mar 30 06:39:47 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032921S.M
 Quant Title : SW846 8260
 QLast Update : Tue Mar 30 06:38:14 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	99	0.00
2 T	Dichlorodifluoromethane	0.433	0.421	2.8	97	0.00
3 P	Chloromethane	0.584	0.570	2.4	96	0.00
4 C	Vinyl Chloride	0.651	0.642	1.4#	99	0.00
5 T	Bromomethane	0.358	0.364	-1.7	104	0.00
6 T	Chloroethane	0.422	0.409	3.1	98	0.00
7 T	Trichlorofluoromethane	0.847	0.831	1.9	98	0.00
8 T	Diethyl Ether	0.272	0.276	-1.5	101	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.461	0.444	3.7	97	0.00
10 T	Methyl Iodide	0.533	0.543	-1.9	100	0.00
11 T	Tert butyl alcohol	0.039	0.043	-10.3	104	0.00
12 CM	1,1-Dichloroethene	0.452	0.436	3.5#	95	0.00
13 T	Acrolein	0.037	0.031	16.2	101	0.00
14 T	Allyl chloride	0.721	0.715	0.8	98	0.00
15 T	Acrylonitrile	0.129	0.137	-6.2	101	0.00
16 T	Acetone	0.100	0.102	-2.0	103	0.00
17 T	Carbon Disulfide	1.189	1.224	-2.9	98	0.00
18 T	Methyl Acetate	0.321	0.326	-1.6	98	0.00
19 T	Methyl tert-butyl Ether	1.336	1.363	-2.0	99	0.00
20 T	Methylene Chloride	0.554	0.503	9.2	101	0.00
21 T	trans-1,2-Dichloroethene	0.508	0.509	-0.2	98	0.00
22 T	Diisopropyl ether	1.583	1.569	0.9	99	0.00
23 T	Vinyl Acetate	1.065	1.085	-1.9	99	0.00
24 P	1,1-Dichloroethane	0.862	0.855	0.8	98	0.00
25 T	2-Butanone	0.167	0.176	-5.4	99	0.00
26 T	2,2-Dichloropropane	0.807	0.767	5.0	95	0.00
27 T	cis-1,2-Dichloroethene	0.575	0.564	1.9	97	0.00
28 T	Bromochloromethane	0.351	0.346	1.4	104	0.00
29 T	Tetrahydrofuran	0.118	0.124	-5.1	100	0.00
30 C	Chloroform	0.917	0.908	1.0#	98	0.00
31 T	Cyclohexane	0.849	0.783	7.8	96	0.00
32 T	1,1,1-Trichloroethane	0.839	0.832	0.8	98	0.00
33 S	1,2-Dichloroethane-d4	0.481	0.467	2.9	98	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	99	0.00
35 S	Dibromofluoromethane	0.279	0.273	2.2	99	0.00
36 T	1,1-Dichloropropene	0.456	0.448	1.8	97	0.00
37 T	Ethyl Acetate	0.268	0.273	-1.9	100	0.00
38 T	Carbon Tetrachloride	0.397	0.421	-6.0	101	0.00
39 T	Methylcyclohexane	0.565	0.555	1.8	96	0.00
40 TM	Benzene	1.294	1.284	0.8	98	0.00
41 T	Methacrylonitrile	0.148	0.140	5.4	96	0.00
42 TM	1,2-Dichloroethane	0.407	0.411	-1.0	99	0.00
43 T	Isopropyl Acetate	0.507	0.524	-3.4	99	0.00
44 TM	Trichloroethene	0.412	0.397	3.6	96	0.00
45 C	1,2-Dichloropropane	0.320	0.318	0.6#	98	0.00
46 T	Dibromomethane	0.188	0.190	-1.1	98	0.00
47 T	Bromodichloromethane	0.449	0.449	0.0	97	0.00
48 T	Methyl methacrylate	0.230	0.243	-5.7	99	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY032921\
 Data File : VY004220.D
 Acq On : 29 Mar 2021 19:25
 Operator : SY/MD
 Sample : VSTDICV050
 Misc : 5.00g/5mL/MSVOA_Y/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 ICVVY032921

Quant Time: Mar 30 06:39:47 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032921S.M
 Quant Title : SW846 8260
 QLast Update : Tue Mar 30 06:38:14 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.003	0.002	33.3#	94	0.00
50 S	Toluene-d8	1.048	0.993	5.2	98	0.00
51 T	4-Methyl-2-Pentanone	0.258	0.273	-5.8	100	0.00
52 CM	Toluene	0.832	0.819	1.6#	97	0.00
53 T	t-1,3-Dichloropropene	0.478	0.486	-1.7	98	0.00
54 T	cis-1,3-Dichloropropene	0.534	0.537	-0.6	97	0.00
55 T	1,1,2-Trichloroethane	0.258	0.259	-0.4	98	0.00
56 T	Ethyl methacrylate	0.353	0.371	-5.1	100	0.00
57 T	1,3-Dichloropropane	0.444	0.446	-0.5	98	0.00
58 T	2-Chloroethyl Vinyl ether	0.151	0.128	15.2	93	0.00
59 T	2-Hexanone	0.178	0.189	-6.2	100	0.00
60 T	Dibromochloromethane	0.309	0.323	-4.5	100	0.00
61 T	1,2-Dibromoethane	0.254	0.260	-2.4	100	0.00
62 S	4-Bromofluorobenzene	0.359	0.345	3.9	98	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	99	0.00
64 T	Tetrachloroethene	0.492	0.463	5.9	96	0.00
65 PM	Chlorobenzene	0.997	0.969	2.8	97	0.00
66 T	1,1,1,2-Tetrachloroethane	0.357	0.357	0.0	99	0.00
67 C	Ethyl Benzene	1.811	1.784	1.5#	98	0.00
68 T	m/p-Xylenes	0.695	0.680	2.2	97	0.00
69 T	o-Xylene	0.651	0.639	1.8	98	0.00
70 T	Styrene	1.082	1.070	1.1	98	0.00
71 P	Bromoform	0.203	0.212	-4.4	100	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	100	0.00
73 T	Isopropylbenzene	3.653	3.568	2.3	97	0.00
74 T	N-amyl acetate	1.068	1.099	-2.9	99	0.00
75 P	1,1,2,2-Tetrachloroethane	0.676	0.679	-0.4	98	0.00
76 T	1,2,3-Trichloropropane	0.454	0.485	-6.8	103	0.00
77 T	Bromobenzene	0.855	0.846	1.1	98	0.00
78 T	n-propylbenzene	4.226	4.158	1.6	98	0.00
79 T	2-Chlorotoluene	2.322	2.286	1.6	97	0.00
80 T	1,3,5-Trimethylbenzene	2.980	2.928	1.7	97	0.00
81 T	trans-1,4-Dichloro-2-butene	0.246	0.254	-3.3	102	0.00
82 T	4-Chlorotoluene	2.444	2.380	2.6	98	0.00
83 T	tert-Butylbenzene	2.575	2.587	-0.5	101	0.00
84 T	1,2,4-Trimethylbenzene	2.989	2.935	1.8	98	0.00
85 T	sec-Butylbenzene	3.545	3.461	2.4	97	0.00
86 T	p-Isopropyltoluene	3.298	3.211	2.6	96	0.00
87 T	1,3-Dichlorobenzene	1.596	1.560	2.3	97	0.00
88 T	1,4-Dichlorobenzene	1.576	1.558	1.1	98	0.00
89 T	n-Butylbenzene	3.032	2.969	2.1	96	0.00
90 T	Hexachloroethane	0.229	0.270	-17.9	107	0.00
91 T	1,2-Dichlorobenzene	1.432	1.387	3.1	96	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.126	0.125	0.8	102	0.00
93 T	1,2,4-Trichlorobenzene	1.018	1.010	0.8	98	0.00
94 T	Hexachlorobutadiene	0.541	0.525	3.0	95	0.00
95 T	Naphthalene	2.159	2.276	-5.4	103	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY032921\
Data File : VY004220.D
Acq On : 29 Mar 2021 19:25
Operator : SY/MD
Sample : VSTDICV050
Misc : 5.00g/5mL/MSVOA_Y/SOIL
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
ICVVY032921

Quant Time: Mar 30 06:39:47 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032921S.M
Quant Title : SW846 8260
QLast Update : Tue Mar 30 06:38:14 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.930	0.922	0.9	101	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6