

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040221\
 Data File : VY004251.D
 Acq On : 02 Apr 2021 10:00
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 02 22:56:20 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032921S.M
 Quant Title : SW846 8260
 QLast Update : Tue Mar 30 06:38:14 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	108	0.00
2 T	Dichlorodifluoromethane	0.433	0.443	-2.3	111	0.00
3 P	Chloromethane	0.584	0.639	-9.4	118	0.00
4 C	Vinyl Chloride	0.651	0.771	-18.4#	130	0.00
5 T	Bromomethane	0.358	0.320	10.6	100	0.00
6 T	Chloroethane	0.422	0.422	0.0	110	0.00
7 T	Trichlorofluoromethane	0.847	0.870	-2.7	112	0.00
8 T	Diethyl Ether	0.272	0.290	-6.6	116	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.461	0.501	-8.7	120	0.00
10 T	Methyl Iodide	0.533	0.533	0.0	108	0.00
11 T	Tert butyl alcohol	0.039	0.045	-15.4	117	0.00
12 CM	1,1-Dichloroethene	0.452	0.485	-7.3#	116	0.00
13 T	Acrolein	0.037	0.032	13.5	111	0.01
14 T	Allyl chloride	0.721	0.922	-27.9#	138	0.00
15 T	Acrylonitrile	0.129	0.149	-15.5	121	0.00
16 T	Acetone	0.100	0.081	19.0	89	0.00
17 T	Carbon Disulfide	1.189	1.411	-18.7	124	0.00
18 T	Methyl Acetate	0.321	0.371	-15.6	122	0.00
19 T	Methyl tert-butyl Ether	1.336	1.421	-6.4	113	0.00
20 T	Methylene Chloride	0.554	0.541	2.3	119	0.00
21 T	trans-1,2-Dichloroethene	0.508	0.559	-10.0	117	0.00
22 T	Diisopropyl ether	1.583	1.974	-24.7	136	0.00
23 T	Vinyl Acetate	1.065	1.261	-18.4	126	0.00
24 P	1,1-Dichloroethane	0.862	1.006	-16.7	126	0.00
25 T	2-Butanone	0.167	0.169	-1.2	104	0.00
26 T	2,2-Dichloropropane	0.807	0.918	-13.8	124	0.00
27 T	cis-1,2-Dichloroethene	0.575	0.628	-9.2	118	0.00
28 T	Bromochloromethane	0.351	0.390	-11.1	129	0.00
29 T	Tetrahydrofuran	0.118	0.137	-16.1	122	0.00
30 C	Chloroform	0.917	0.989	-7.9#	117	0.00
31 T	Cyclohexane	0.849	0.998	-17.6	134	0.00
32 T	1,1,1-Trichloroethane	0.839	0.893	-6.4	115	0.00
33 S	1,2-Dichloroethane-d4	0.481	0.406	15.6	93	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	111	0.00
35 S	Dibromofluoromethane	0.279	0.230	17.6	94	0.00
36 T	1,1-Dichloropropene	0.456	0.505	-10.7	123	0.00
37 T	Ethyl Acetate	0.268	0.285	-6.3	117	0.00
38 T	Carbon Tetrachloride	0.397	0.458	-15.4	123	0.00
39 T	Methylcyclohexane	0.565	0.641	-13.5	125	0.00
40 TM	Benzene	1.294	1.434	-10.8	123	0.00
41 T	Methacrylonitrile	0.148	0.155	-4.7	119	0.00
42 TM	1,2-Dichloroethane	0.407	0.422	-3.7	114	0.00
43 T	Isopropyl Acetate	0.507	0.574	-13.2	121	0.00
44 TM	Trichloroethene	0.412	0.401	2.7	110	0.00
45 C	1,2-Dichloropropane	0.320	0.369	-15.3#	128	0.00
46 T	Dibromomethane	0.188	0.193	-2.7	112	0.00
47 T	Bromodichloromethane	0.449	0.483	-7.6	117	0.00
48 T	Methyl methacrylate	0.230	0.267	-16.1	122	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040221\
 Data File : VY004251.D
 Acq On : 02 Apr 2021 10:00
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 02 22:56:20 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032921S.M
 Quant Title : SW846 8260
 QLast Update : Tue Mar 30 06:38:14 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.003	0.002	33.3#	122	0.00
50 S	Toluene-d8	1.048	0.894	14.7	99	0.00
51 T	4-Methyl-2-Pentanone	0.258	0.291	-12.8	120	0.00
52 CM	Toluene	0.832	0.908	-9.1#	120	0.00
53 T	t-1,3-Dichloropropene	0.478	0.525	-9.8	119	0.00
54 T	cis-1,3-Dichloropropene	0.534	0.603	-12.9	123	0.00
55 T	1,1,2-Trichloroethane	0.258	0.268	-3.9	114	0.00
56 T	Ethyl methacrylate	0.353	0.387	-9.6	117	0.00
57 T	1,3-Dichloropropane	0.444	0.480	-8.1	118	0.00
58 T	2-Chloroethyl Vinyl ether	0.151	0.137	9.3	112	0.00
59 T	2-Hexanone	0.178	0.186	-4.5	111	0.00
60 T	Dibromochloromethane	0.309	0.321	-3.9	112	0.00
61 T	1,2-Dibromoethane	0.254	0.259	-2.0	111	0.00
62 S	4-Bromofluorobenzene	0.359	0.300	16.4	95	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	109	0.00
64 T	Tetrachloroethene	0.492	0.445	9.6	101	0.00
65 PM	Chlorobenzene	0.997	1.068	-7.1	117	0.00
66 T	1,1,1,2-Tetrachloroethane	0.357	0.385	-7.8	117	0.00
67 C	Ethyl Benzene	1.811	2.012	-11.1#	121	0.00
68 T	m/p-Xylenes	0.695	0.762	-9.6	119	0.00
69 T	o-Xylene	0.651	0.703	-8.0	118	0.00
70 T	Styrene	1.082	1.184	-9.4	118	0.00
71 P	Bromoform	0.203	0.212	-4.4	109	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	106	0.00
73 T	Isopropylbenzene	3.653	4.141	-13.4	120	0.00
74 T	N-amyl acetate	1.068	1.283	-20.1	123	0.00
75 P	1,1,2,2-Tetrachloroethane	0.676	0.731	-8.1	112	0.00
76 T	1,2,3-Trichloropropane	0.454	0.444	2.2	100	0.00
77 T	Bromobenzene	0.855	0.903	-5.6	112	0.00
78 T	n-propylbenzene	4.226	4.895	-15.8	123	0.00
79 T	2-Chlorotoluene	2.322	2.635	-13.5	120	0.00
80 T	1,3,5-Trimethylbenzene	2.980	3.344	-12.2	118	0.00
81 T	trans-1,4-Dichloro-2-butene	0.246	0.289	-17.5	123	0.00
82 T	4-Chlorotoluene	2.444	2.770	-13.3	121	0.00
83 T	tert-Butylbenzene	2.575	2.893	-12.3	121	0.00
84 T	1,2,4-Trimethylbenzene	2.989	3.347	-12.0	119	0.00
85 T	sec-Butylbenzene	3.545	4.074	-14.9	122	0.00
86 T	p-Isopropyltoluene	3.298	3.672	-11.3	117	0.00
87 T	1,3-Dichlorobenzene	1.596	1.703	-6.7	113	0.00
88 T	1,4-Dichlorobenzene	1.576	1.690	-7.2	113	0.00
89 T	n-Butylbenzene	3.032	3.506	-15.6	121	0.00
90 T	Hexachloroethane	0.229	0.477	-108.3#	202#	0.00
91 T	1,2-Dichlorobenzene	1.432	1.498	-4.6	110	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.126	0.119	5.6	104	0.00
93 T	1,2,4-Trichlorobenzene	1.018	1.030	-1.2	107	0.00
94 T	Hexachlorobutadiene	0.541	0.556	-2.8	107	0.00
95 T	Naphthalene	2.159	2.109	2.3	101	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040221\
Data File : VY004251.D
Acq On : 02 Apr 2021 10:00
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5mL/MSVOA_Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Apr 02 22:56:20 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032921S.M
Quant Title : SW846 8260
QLast Update : Tue Mar 30 06:38:14 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.930	0.887	4.6	103	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6