

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY040320\
 Data File : VY002210.D
 Acq On : 03 Apr 2020 11:18
 Operator : SY/MD
 Sample : VY0403SBL01
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0403SBL01

Quant Time: Apr 04 00:25:17 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y032620S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 27 07:11:05 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.82	168	132503	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.71	114	259735	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.50	117	240243	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.44	152	104786	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.16	65	83163	56.77	ug/l	0.00
Spiked Amount						
			Recovery	=	113.54%	
35) Dibromofluoromethane	7.74	113	77080	52.96	ug/l	0.00
Spiked Amount						
			Recovery	=	105.92%	
50) Toluene-d8	10.19	98	316777	52.40	ug/l	0.00
Spiked Amount						
			Recovery	=	104.80%	
62) 4-Bromofluorobenzene	12.50	95	108597	51.36	ug/l	0.01
Spiked Amount						
			Recovery	=	102.72%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY040320\
Data File : VY002210.D
Acq On : 03 Apr 2020 11:18
Operator : SY/MD
Sample : VY0403SBL01
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0403SBL01

Quant Time: Apr 04 00:25:17 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y032620S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 27 07:11:05 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.82 min Scan# 997

Delta R.T. 0.01 min

Lab File: VY002210.D

Acq: 03 Apr 2020 11:18

Instrument :

MSVOA_Y

ClientSampleId :


VY0403SBL01

Tot Ion:168 Resp: 132503

Ion Ratio Lower Upper

168 100

99 59.5 47.6 71.4



Abundance Ion 167.90 (167.60 to 168.60): VY002210.D (-947) (-)

Ion 98.90 (98.60 to 99.60): VY002210.D (-947) (-)

7.82



60000

40000

20000

0

Time--> 7.70 7.80 7.90



#33

1,2-Dichloroethane-d4

Concen: 56.775 ug/l

RT: 8.16 min Scan# 1054

Delta R.T. 0.00 min

Lab File: VY002210.D


Acq: 03 Apr 2020 11:18

Tgt Ion: 65 Resp: 83163

Ion Ratio Lower Upper

65 100

67 57.7 0.0 112.8



Abundance Ion 64.90 (64.60 to 65.60): VY002210.D (-1005) (-)

Ion 66.90 (66.60 to 67.60): VY002210.D (-1005) (-)

8.16

40000


30000


20000

10000

0

Time--> 8.05 8.10 8.15 8.20 8.25





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.71 min Scan# 1144

Delta R.T. 0.01 min

Lab File: VY002210.D

Acq: 03 Apr 2020 11:18

Instrument :

MSVOA_Y

ClientSampleId :

VY0403SBL01


Tot Ion:114 Resp: 259735

Ion Ratio Lower Upper

114 100

63 20.6 0.0 41.4




88 15.6 0.0 33.0



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 52.964 ug/l

RT: 7.74 min Scan# 985

Delta R.T. 0.01 min

Lab File: VY002210.D

Acq: 03 Apr 2020 11:18


Tgt Ion:113 Resp: 77080

Ion Ratio Lower Upper

113 100

111 104.4 84.4 126.6



192 17.7 14.6 21.8




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 52.396 ug/l

RT: 10.19 min Scan# 1387

Delta R.T. 0.01 min

Lab File: VY002210.D

Acq: 03 Apr 2020 11:18

Instrument :

MSVOA_Y

ClientSampleId :





VY0403SBL01

Tot Ion: 98 Resp: 316777

Ion Ratio Lower Upper

98 100

100 65.5 51.6 77.4



#62

4-Bromofluorobenzene

Concen: 51.360 ug/l

RT: 12.50 min Scan# 1765

Delta R.T. 0.01 min

Lab File: VY002210.D

Acq: 03 Apr 2020 11:18




Tgt Ion: 95 Resp: 108597


Ion Ratio Lower Upper

95 100

174 72.9 0.0 143.4

176 70.7 0.0 137.0









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.50 min Scan# 1602
Delta R.T. 0.01 min
Lab File: VY002210.D
Acq: 03 Apr 2020 11:18

Instrument :
MSVOA_Y
ClientSampleId :
VY0403SBL01

Tot Ion:117 Resp: 240243
Ion Ratio Lower Upper
117 100
82 58.0 45.4 68.2
119 33.0 25.3 37.9




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VY0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.44 min Scan# 1919
Delta R.T. 0.01 min
Lab File: VY002210.D
Acq: 03 Apr 2020 11:18

Tgt Ion:152 Resp: 104786
Ion Ratio Lower Upper
152 100
115 61.3 31.2 93.6
150 158.1 0.0 354.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

