

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY040320\
 Data File : VY002222.D
 Acq On : 03 Apr 2020 16:40
 Operator : SY/MD
 Sample : L2153-03
 Misc : 5.77G/5ML/MSVOA Y/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 72-11991

Quant Time: Apr 04 01:45:31 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y032620S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 27 07:11:05 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.81	168	123191	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.70	114	242560	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.50	117	226481	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.43	152	101099	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.16	65	80411	59.05	ug/l	0.00
Spiked Amount	50.000		Recovery	=	118.10%	
35) Dibromofluoromethane	7.74	113	73280	53.92	ug/l	0.00
Spiked Amount	50.000		Recovery	=	107.84%	
50) Toluene-d8	10.19	98	296535	52.52	ug/l	0.00
Spiked Amount	50.000		Recovery	=	105.04%	
62) 4-Bromofluorobenzene	12.49	95	103314	52.32	ug/l	0.00
Spiked Amount	50.000		Recovery	=	104.64%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY040320\
Data File : VY002222.D
Acq On : 03 Apr 2020 16:40
Operator : SY/MD
Sample : L2153-03
Misc : 5.77G/5ML/MSVOA Y/SOIL
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
72-11991

Quant Time: Apr 04 01:45:31 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y032620S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 27 07:11:05 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.81 min Scan# 996

Delta R.T. 0.00 min

Lab File: VY002222.D

Acq: 03 Apr 2020 16:40

Instrument :

MSVOA_Y

ClientSampleId :


72-11991

Tot Ion:168 Resp: 123191




Ion Ratio Lower Upper

168 100

99 59.6 47.6 71.4



Abundance Ion 167.90 (167.60 to 168.60): VY002222.D (-947) (-)



#33

1,2-Dichloroethane-d4

Concen: 59.046 ug/l

RT: 8.16 min Scan# 1053

Delta R.T. -0.01 min

Lab File: VY002222.D


Acq: 03 Apr 2020 16:40

Tgt Ion: 65 Resp: 80411



Ion Ratio Lower Upper


65 100

67 55.1 0.0 112.8



Abundance Ion 64.90 (64.60 to 65.60): VY002222.D (-1005) (-)





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.70 min Scan# 1142

Delta R.T. -0.01 min

Lab File: VY002222.D

Acq: 03 Apr 2020 16:40

Instrument :

MSVOA_Y

ClientSampleId :

72-11991


Tot Ion:114 Resp: 242560

Ion Ratio Lower Upper

114 100

63 21.6 0.0 41.4




88 15.5 0.0 33.0



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 53.918 ug/l

RT: 7.74 min Scan# 984

Delta R.T. 0.00 min

Lab File: VY002222.D

Acq: 03 Apr 2020 16:40


Tgt Ion:113 Resp: 73280

Ion Ratio Lower Upper

113 100

111 102.2 84.4 126.6



192 17.2 14.6 21.8




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 52.521 ug/l

RT: 10.19 min Scan# 1386

Delta R.T. 0.00 min

Lab File: VY002222.D

Acq: 03 Apr 2020 16:40

Instrument :

MSVOA_Y

ClientSampleId :





72-11991

Tot Ion: 98 Resp: 296535

Ion Ratio Lower Upper

98 100

100 66.0 51.6 77.4



#62

4-Bromofluorobenzene

Concen: 52.321 ug/l

RT: 12.49 min Scan# 1763

Delta R.T. 0.00 min

Lab File: VY002222.D

Acq: 03 Apr 2020 16:40




Tgt Ion: 95 Resp: 103314


Ion Ratio Lower Upper

95 100

174 72.9 0.0 143.4

176 69.6 0.0 137.0







#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.50 min Scan# 1601
Delta R.T. 0.00 min
Lab File: VY002222.D
Acq: 03 Apr 2020 16:40

Instrument :
MSVOA_Y
ClientSampleId :
72-11991



Tot Ion:117 Resp: 226481
Ion Ratio Lower Upper
117 100
82 58.7 45.4 68.2
119 33.2 25.3 37.9



Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VY0
Ion 118.90 (118.60 to 119.60): V




Time-->




#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.43 min Scan# 1918
Delta R.T. 0.00 min
Lab File: VY002222.D
Acq: 03 Apr 2020 16:40

Tgt Ion:152 Resp: 101099
Ion Ratio Lower Upper
152 100
115 61.2 31.2 93.6
150 156.5 0.0 354.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V



Time-->

