

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040621\
 Data File : VY004298.D
 Acq On : 06 Apr 2021 15:12
 Operator : SY/MD
 Sample : M1933-07
 Misc : 4.76g/5mL/MSVOA_Y/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 BENNETT_BH_04_0-1

Quant Time: Apr 07 00:59:28 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032921S.M
 Quant Title : SW846 8260
 QLast Update : Tue Mar 30 06:38:14 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.801	168	185291	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	318182	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.496	117	294436	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	126931	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	110222	61.88	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	123.76%
35) Dibromofluoromethane	7.728	113	97409	54.94	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	109.88%
50) Toluene-d8	10.185	98	389652	58.44	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	116.88%
62) 4-Bromofluorobenzene	12.483	95	128406	56.19	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	112.38%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040621\
Data File : VY004298.D
Acq On : 06 Apr 2021 15:12
Operator : SY/MD
Sample : M1933-07
Misc : 4.76g/5mL/MSVOA_Y/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
BENNETT_BH_04_0-1

Quant Time: Apr 07 00:59:28 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032921S.M
Quant Title : SW846 8260
QLast Update : Tue Mar 30 06:38:14 2021
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.00 ug/l
RT: 7.801 min Scan# 981
Delta R.T. 0.000 min
Lab File: VY004298.D
Acq: 06 Apr 2021 15:12




Instrument :
MSVOA_Y
ClientSampleId :
BENNETT_BH_04_0-1


Tgt Ion:168 Resp: 185291
Ion Ratio Lower Upper
168 100
99 53.0 42.6 64.0



#33
1,2-Dichloroethane-d4
Concen: 61.88 ug/l
RT: 8.149 min Scan# 1038
Delta R.T. -0.000 min
Lab File: VY004298.D
Acq: 06 Apr 2021 15:12

Tgt Ion: 65 Resp: 110222
Ion Ratio Lower Upper
65 100
67 53.1 0.0 103.2









#34

1,4-Difluorobenzene
Concen: 50.00 ug/l
RT: 8.697 min Scan# 1128
Delta R.T. 0.000 min
Lab File: VY004298.D
Acq: 06 Apr 2021 15:12

Instrument :
MSVOA_Y
ClientSampleId :
BENNETT_BH_04_0-1




Tgt Ion:	114	Resp:	318182
Ion Ratio	Lower	Upper	
114	100		
63	21.1	0.0	40.4
88	15.6	0.0	30.8




#35

Dibromofluoromethane
Concen: 54.94 ug/l
RT: 7.728 min Scan# 969
Delta R.T. -0.000 min
Lab File: VY004298.D
Acq: 06 Apr 2021 15:12

Tgt Ion:	113	Resp:	97409
Ion Ratio	Lower	Upper	
113	100		
111	102.5	82.6	124.0
192	19.5	16.4	24.6









#50
Toluene-d8
Concen: 58.44 ug/l
RT: 10.185 min Scan# 1372
Delta R.T. -0.000 min
Lab File: VY004298.D
Acq: 06 Apr 2021 15:12




Instrument :
MSVOA_Y
ClientSampleId :
BENNETT_BH_04_0-1


Tgt Ion: 98 Resp: 389652
Ion Ratio Lower Upper
98 100
100 65.0 52.5 78.7



#62
4-Bromofluorobenzene
Concen: 56.19 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. -0.000 min
Lab File: VY004298.D
Acq: 06 Apr 2021 15:12

Tgt Ion: 95 Resp: 128406
Ion Ratio Lower Upper
95 100
174 84.2 0.0 171.4
176 80.4 0.0 165.6









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 11.496 min Scan# 1587
Delta R.T. -0.000 min
Lab File: VY004298.D
Acq: 06 Apr 2021 15:12

Instrument :
MSVOA_Y
ClientSampleId :
BENNETT_BH_04_0-1

Tgt Ion:117 Resp: 294436

Ion	Ratio	Lower	Upper
117	100		
82	54.8	42.7	64.1
119	32.2	25.7	38.5



#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 13.428 min Scan# 1904
Delta R.T. -0.000 min
Lab File: VY004298.D
Acq: 06 Apr 2021 15:12

Tgt Ion:152 Resp: 126931

Ion	Ratio	Lower	Upper
152	100		
115	59.6	29.0	87.1
150	160.5	0.0	347.4

