

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY040920\
 Data File : VY002268.D
 Acq On : 09 Apr 2020 12:22
 Operator : SY/MD
 Sample : L2205-09
 Misc : 6.57G/5ML/MSVOA Y/SOIL
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 JC-02-04082020-B

Quant Time: Apr 10 04:28:11 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y040820S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 08 15:15:02 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.81	168	139973	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.71	114	287364	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.50	117	246280	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.44	152	85628	50.00	ug/l	0.00

System Monitoring Compounds

33) 1,2-Dichloroethane-d4	8.16	65	86855	55.80	ug/l	0.00
Spiked Amount	50.000		Recovery	=	111.60%	
35) Dibromofluoromethane	7.74	113	81267	47.53	ug/l	0.00
Spiked Amount	50.000		Recovery	=	95.06%	
50) Toluene-d8	10.19	98	341871	47.77	ug/l	0.00
Spiked Amount	50.000		Recovery	=	95.54%	
62) 4-Bromofluorobenzene	12.49	95	104578	44.29	ug/l	0.00
Spiked Amount	50.000		Recovery	=	88.58%	

Target Compounds


					Qvalue	
11) Tert butyl alcohol	4.99	59	289	Below Cal	#	77
16) Acetone	3.97	43	3793	9.252	ug/l #	76
20) Methylene Chloride	4.75	84	13291	6.596	ug/l	94
25) 2-Butanone	7.01	43	1017	1.567	ug/l	92
31) Cyclohexane	7.80	56	3563	1.087	ug/l #	1
36) 1,1-Dichloropropene	7.81	75	11805	4.171	ug/l #	49
38) Carbon Tetrachloride	7.80	117	15077	6.227	ug/l #	18
67) Ethyl Benzene	11.60	91	38788	4.139	ug/l	96
68) m/p-Xylenes	11.71	106	7603	2.166	ug/l	96
69) o-Xylene	12.04	106	54460	16.525	ug/l	98
73) Isopropylbenzene	12.34	105	18317	2.723	ug/l	100
74) N-amyl acetate	12.13	43	12347	6.466	ug/l #	44
75) 1,1,2,2-Tetrachloroethane	12.66	83	2176	2.674	ug/l #	25
76) 1,2,3-Trichloropropane	12.74	75	1639	1.648	ug/l #	100
78) n-propylbenzene	12.68	91	70059	8.374	ug/l	99
79) 2-Chlorotoluene	12.77	91	14106	3.102	ug/l #	43
80) 1,3,5-Trimethylbenzene	12.82	105	134120	24.107	ug/l	99
81) trans-1,4-Dichloro-2-buten	12.49	75	51687	101.104	ug/l #	19
82) 4-Chlorotoluene	12.82	91	14697	3.084	ug/l #	42
83) tert-Butylbenzene	13.13	119	14767	3.169	ug/l #	69
84) 1,2,4-Trimethylbenzene	13.13	105	126207	22.717	ug/l	97
85) sec-Butylbenzene	13.26	105	42922	6.183	ug/l	92
86) p-Isopropyltoluene	13.38	119	34217	5.727	ug/l	100
89) n-Butylbenzene	13.70	91	59698	9.748	ug/l #	76
90) Hexachloroethane	13.98	117	15192	13.343	ug/l #	17
92) 1,2-Dibromo-3-Chloropropan	14.34	75	867	4.405	ug/l #	1
95) Naphthalene	15.25	128	46063	12.349	ug/l #	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY040920\
Data File : VY002268.D
Acq On : 09 Apr 2020 12:22
Operator : SY/MD
Sample : L2205-09
Misc : 6.57G/5ML/MSVOA Y/SOIL
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
JC-02-04082020-B

Quant Time: Apr 10 04:28:11 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y040820S.M
Quant Title : SW846 8260
QLast Update : Wed Apr 08 15:15:02 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.81 min Scan# 996

Delta R.T. 0.01 min

Lab File: VY002268.D

Acq: 09 Apr 2020 12:22

Instrument :

MSVOA_Y

ClientSampleId :


JC-02-04082020-B

Tot Ion:168 Resp: 139973

Ion Ratio Lower Upper




168 100

99 60.1 48.0 72.0



Abundance Ion 167.90 (167.60 to 168.60): VY002249.D (-985) (-)

Ion 98.90 (98.60 to 99.60): VY002249.D (-985) (-)



#11

Tert butyl alcohol

Concen: Below Cal

RT: 4.99 min Scan# 534

Delta R.T. 0.02 min

Lab File: VY002268.D


Acq: 09 Apr 2020 12:22

Tgt Ion: 59 Resp: 289

Ion Ratio Lower Upper



59 100


57 0.0 6.6 9.8#



Abundance Ion 59.00 (58.70 to 59.70): VY002249.D (-514) (-)

Ion 57.00 (56.70 to 57.70): VY002249.D (-514) (-)





#16

Acetone

Concen: 9.252 ug/l

RT: 3.97 min Scan# 367

Delta R.T. 0.01 min

Lab File: VY002268.D

Acq: 09 Apr 2020 12:22

Instrument :

MSVOA_Y

ClientSampleId :


JC-02-04082020-B

Tot Ion: 43 Resp: 3793

Ion Ratio Lower Upper




43 100

58 49.5 28.5 42.7#



Abundance Ion 43.00 (42.70 to 43.70): VY002249.D (-347) (-)

Ion 58.00 (57.70 to 58.70): VY002249.D (-347) (-)



#20

Methylene Chloride

Concen: 6.596 ug/l

RT: 4.75 min Scan# 494

Delta R.T. 0.01 min

Lab File: VY002268.D

Acq: 09 Apr 2020 12:22

Tgt Ion: 84 Resp: 13291


Ion Ratio Lower Upper

84 100

49 111.8 95.5 143.3

51 33.3 29.5 44.3

86 59.3 50.7 76.1






Abundance Ion 83.90 (83.60 to 84.60): VY002249.D (-479) (-)

Ion 48.90 (48.60 to 49.60): VY002249.D (-479) (-)

Ion 50.90 (50.60 to 51.60): VY002249.D (-479) (-)

Ion 85.90 (85.60 to 86.60): VY002249.D (-479) (-)





#25

2-Butanone

Concen: 1.567 ug/l

RT: 7.01 min Scan# 865

Delta R.T. 0.01 min

Lab File: VY002268.D

Acq: 09 Apr 2020 12:22

Instrument :

MSVOA_Y

ClientSampleId :


JC-02-04082020-B

Tot Ion: 43 Resp: 1017

Ion Ratio Lower Upper




43 100

72 33.1 23.2 34.8



Abundance Ion 43.00 (42.70 to 43.70): VY0

Ion 72.00 (71.70 to 72.70): VY0



#31

Cyclohexane

Concen: 1.087 ug/l

RT: 7.80 min Scan# 995

Delta R.T. 0.01 min

Lab File: VY002268.D

Acq: 09 Apr 2020 12:22


Tgt Ion: 56 Resp: 3563

Ion Ratio Lower Upper

56 100

69 145.1 25.0 37.6#



84 160.4 69.7 104.5#




Abundance Ion 56.00 (55.70 to 56.70): VY0

Ion 69.00 (68.70 to 69.70): VY0

Ion 84.00 (83.70 to 84.70): VY0









#33
 1,2-Dichloroethane-d4
 Concen: 55.798 ug/l
 RT: 8.16 min Scan# 1053
 Delta R.T. -0.00 min
 Lab File: VY002268.D
 Acq: 09 Apr 2020 12:22




Instrument :
 MSVOA_Y
 ClientSampleId :
 JC-02-04082020-B


Tot Ion: 65 Resp: 86855
 Ion Ratio Lower Upper
 65 100
 67 55.3 0.0 114.0



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.71 min Scan# 1143
 Delta R.T. 0.01 min
 Lab File: VY002268.D
 Acq: 09 Apr 2020 12:22

Tgt Ion: 114 Resp: 287364
 Ion Ratio Lower Upper
 114 100
 63 20.4 0.0 39.0
 88 15.7 0.0 31.0





#35

Dibromofluoromethane

Concen: 47.527 ug/l

RT: 7.74 min Scan# 984

Delta R.T. 0.00 min

Lab File: VY002268.D

Acq: 09 Apr 2020 12:22

Instrument :

MSVOA_Y

ClientSampleId :

JC-02-04082020-B


Tot Ion:113 Resp: 81267

Ion Ratio Lower Upper

113 100

111 102.4 83.5 125.3




192 17.4 14.7 22.1



Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V



#36

1,1-Dichloropropene

Concen: 4.171 ug/l

RT: 7.81 min Scan# 996

Delta R.T. -0.12 min

Lab File: VY002268.D

Acq: 09 Apr 2020 12:22


Tgt Ion: 75 Resp: 11805

Ion Ratio Lower Upper

75 100

110 8.7 17.8 53.3#



77 0.0 24.4 36.6#




Abundance Ion 74.90 (74.60 to 75.60): VY0

Ion 109.90 (109.60 to 110.60): V

Ion 76.90 (76.60 to 77.60): VY0





#38

Carbon Tetrachloride

Concen: 6.227 ug/l

RT: 7.80 min Scan# 995

Delta R.T. -0.11 min

Lab File: VY002268.D

Acq: 09 Apr 2020 12:22

Instrument :

MSVOA_Y

ClientSampleId :

JC-02-04082020-B


Tot Ion:117 Resp: 15077

Ion Ratio Lower Upper

117 100

119 7.6 77.1 115.7#




121 0.0 23.9 35.9#



Abundance Ion 116.80 (116.50 to 117.50): V

Ion 118.80 (118.50 to 119.50): V

Ion 120.80 (120.50 to 121.50): V



#50

Toluene-d8

Concen: 47.767 ug/l

RT: 10.19 min Scan# 1386

Delta R.T. -0.00 min

Lab File: VY002268.D


Acq: 09 Apr 2020 12:22

Tgt Ion: 98 Resp: 341871

Ion Ratio Lower Upper



98 100


100 64.9 52.6 78.8



Abundance Ion 98.00 (97.70 to 98.70): VY0

Ion 100.00 (99.70 to 100.70): VY









#62
4-Bromofluorobenzene
Concen: 44.290 ug/l
RT: 12.49 min Scan# 1764
Delta R.T. 0.01 min
Lab File: VY002268.D
Acq: 09 Apr 2020 12:22




Instrument :
MSVOA_Y
ClientSampleId :
JC-02-04082020-B


Tot Ion: 95 Resp: 104578
Ion Ratio Lower Upper
95 100
174 71.6 0.0 150.6
176 66.9 0.0 141.4



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.50 min Scan# 1601
Delta R.T. 0.01 min
Lab File: VY002268.D
Acq: 09 Apr 2020 12:22

Tgt Ion: 117 Resp: 246280
Ion Ratio Lower Upper
117 100
82 56.0 44.2 66.4
119 31.5 25.1 37.7









#67
Ethyl Benzene
Concen: 4.139 ug/l
RT: 11.60 min Scan# 1618
Delta R.T. 0.01 min
Lab File: VY002268.D
Acq: 09 Apr 2020 12:22




Instrument :
MSVOA_Y
ClientSampleId :
JC-02-04082020-B


Tot Ion: 91 Resp: 38788
Ion Ratio Lower Upper
91 100
106 29.6 25.4 38.0



#68
m/p-Xylenes
Concen: 2.166 ug/l
RT: 11.71 min Scan# 1636
Delta R.T. 0.01 min
Lab File: VY002268.D
Acq: 09 Apr 2020 12:22

Tgt Ion: 106 Resp: 7603
Ion Ratio Lower Upper
106 100
91 205.2 159.8 239.6









#69
o-Xylene
Concen: 16.525 ug/l
RT: 12.04 min Scan# 1690
Delta R.T. 0.01 min
Lab File: VY002268.D
Acq: 09 Apr 2020 12:22




Instrument :
MSVOA_Y
ClientSampleId :
JC-02-04082020-B


Tot Ion:106 Resp: 54460
Ion Ratio Lower Upper
106 100
91 215.0 105.8 317.3



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.44 min Scan# 1919
Delta R.T. 0.01 min
Lab File: VY002268.D
Acq: 09 Apr 2020 12:22

Tgt Ion:152 Resp: 85628
Ion Ratio Lower Upper
152 100
115 72.1 30.7 92.1
150 159.2 0.0 350.6





#73

Isopropylbenzene

Concen: 2.723 ug/l

RT: 12.34 min Scan# 1739

Delta R.T. 0.01 min

Lab File: VY002268.D

Acq: 09 Apr 2020 12:22

Instrument :

MSVOA_Y

ClientSampleId :





JC-02-04082020-B

Tot Ion:105 Resp: 18317

Ion Ratio Lower Upper

105 100

120 26.5 13.3 39.8



#74

N-ethyl acetate

Concen: 6.466 ug/l

RT: 12.13 min Scan# 1705

Delta R.T. -0.01 min

Lab File: VY002268.D

Acq: 09 Apr 2020 12:22

Tgt Ion: 43 Resp: 12347




Ion Ratio Lower Upper


43 100

70 5.4 37.5 56.3#

55 0.0 19.0 28.6#

61 0.0 21.6 32.4#





#75

1,1,2,2-Tetrachloroethane

Concen: 2.674 ug/l

RT: 12.66 min Scan# 1791

Delta R.T. 0.07 min

Lab File: VY002268.D

Acq: 09 Apr 2020 12:22

Instrument :

MSVOA_Y

ClientSampleId :

JC-02-04082020-B





Tot Ion: 83 Resp: 2176

Ion Ratio Lower Upper

83 100

131 1.9 4.9 14.7#

85 0.0 32.6 97.8#



#76

1,2,3-Trichloropropane

Concen: 1.648 ug/l

RT: 12.74 min Scan# 1805

Delta R.T. 0.10 min

Lab File: VY002268.D




Acq: 09 Apr 2020 12:22


Tgt Ion: 75 Resp: 1639

Ion Ratio Lower Upper

75 100

77 887.4 0.0 0.0#





#78

n-propylbenzene

Concen: 8.374 ug/l

RT: 12.68 min Scan# 1795

Delta R.T. 0.01 min

Lab File: VY002268.D

Acq: 09 Apr 2020 12:22

Instrument :

MSVOA_Y

ClientSampleId :





JC-02-04082020-B

Tot Ion: 91 Resp: 70059

Ion Ratio Lower Upper

91 100

120 22.6 11.2 33.5



#79

2-Chlorotoluene

Concen: 3.102 ug/l

RT: 12.77 min Scan# 1810

Delta R.T. 0.01 min

Lab File: VY002268.D




Acq: 09 Apr 2020 12:22


Tgt Ion: 91 Resp: 14106

Ion Ratio Lower Upper

91 100

126 1.1 16.9 50.7#









#80
 1,3,5-Trimethylbenzene
 Concen: 24.107 ug/l
 RT: 12.82 min Scan# 1818
 Delta R.T. 0.01 min
 Lab File: VY002268.D
 Acq: 09 Apr 2020 12:22




Instrument :
 MSVOA_Y
 ClientSampleId :
 JC-02-04082020-B


Tot Ion:105 Resp: 134120
 Ion Ratio Lower Upper
 105 100
 120 48.7 24.7 74.1



#81
 trans-1,4-Dichloro-2-butene
 Concen: 101.104 ug/l
 RT: 12.49 min Scan# 1764
 Delta R.T. 0.11 min
 Lab File: VY002268.D
 Acq: 09 Apr 2020 12:22

Tgt Ion: 75 Resp: 51687
 Ion Ratio Lower Upper
 75 100
 53 0.3 59.8 89.8#
 89 0.0 37.0 55.6#









#82
4-Chlorotoluene
Concen: 3.084 ug/l
RT: 12.82 min Scan# 1818
Delta R.T. -0.04 min
Lab File: VY002268.D
Acq: 09 Apr 2020 12:22




Instrument :
MSVOA_Y
ClientSampleId :
JC-02-04082020-B


Tot Ion: 91 Resp: 14697
Ion Ratio Lower Upper
91 100
126 0.7 16.9 50.7#



#83
tert-Butylbenzene
Concen: 3.169 ug/l
RT: 13.13 min Scan# 1869
Delta R.T. 0.05 min
Lab File: VY002268.D
Acq: 09 Apr 2020 12:22

Tgt Ion: 119 Resp: 14767
Ion Ratio Lower Upper
119 100
91 83.4 32.4 97.0
134 0.0 12.6 37.6#









#84
 1,2,4-Trimethylbenzene
 Concen: 22.717 ug/l
 RT: 13.13 min Scan# 1868
 Delta R.T. -0.00 min
 Lab File: VY002268.D
 Acq: 09 Apr 2020 12:22




Instrument :
 MSVOA_Y
 ClientSampleId :
 JC-02-04082020-B


Tot Ion:105 Resp: 126207
 Ion Ratio Lower Upper
 105 100
 120 44.2 23.1 69.2



#85
 sec-Butylbenzene
 Concen: 6.183 ug/l
 RT: 13.26 min Scan# 1890
 Delta R.T. 0.01 min
 Lab File: VY002268.D
 Acq: 09 Apr 2020 12:22

Tgt Ion:105 Resp: 42922
 Ion Ratio Lower Upper
 105 100
 134 23.4 9.8 29.3









#86
p-Isopropyltoluene
Concen: 5.727 ug/l
RT: 13.38 min Scan# 1909
Delta R.T. 0.01 min
Lab File: VY002268.D
Acq: 09 Apr 2020 12:22




Instrument :
MSVOA_Y
ClientSampleId :
JC-02-04082020-B


Tot Ion:119 Resp: 34217
Ion Ratio Lower Upper
119 100
134 26.3 13.3 39.9
91 22.9 11.5 34.4



#89
n-Butylbenzene
Concen: 9.748 ug/l
RT: 13.70 min Scan# 1963
Delta R.T. 0.01 min
Lab File: VY002268.D
Acq: 09 Apr 2020 12:22

Tgt Ion: 91 Resp: 59698
Ion Ratio Lower Upper
91 100
92 63.0 27.2 81.6
134 0.0 12.7 38.0#





#90

Hexachloroethane

Concen: 13.343 ug/l

RT: 13.98 min Scan# 2008

Delta R.T. 0.02 min

Lab File: VY002268.D

Acq: 09 Apr 2020 12:22

Instrument :

MSVOA_Y

ClientSampleId :





JC-02-04082020-B

Tot Ion:117 Resp: 15192

Ion Ratio Lower Upper

117 100

201 0.0 33.1 99.2#



#92

1,2-Dibromo-3-Chloropropane

Concen: 4.405 ug/l

RT: 14.34 min Scan# 2068

Delta R.T. -0.02 min

Lab File: VY002268.D

Acq: 09 Apr 2020 12:22




Tgt Ion: 75 Resp: 867


Ion Ratio Lower Upper

75 100

155 0.0 43.6 130.8#

157 0.0 56.0 168.2#






#95
Naphthalene
Concen: 12.349 ug/l
RT: 15.25 min Scan# 2216
Delta R.T. 0.01 min
Lab File: VY002268.D
Acq: 09 Apr 2020 12:22

Instrument :
MSVOA_Y
ClientSampleId :
JC-02-04082020-B

Tot Ion:128 Resp: 46063
Ion Ratio Lower Upper
128 100
127 14.9 10.1 15.1
129 14.5 8.7 13.1#



Abundance Ion 128.00 (127.70 to 128.70): V
Ion 127.00 (126.70 to 127.70): V
Ion 129.00 (128.70 to 129.70): V

