

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040924\
 Data File : VY017887.D
 Acq On : 09 Apr 2024 12:21
 Operator : SY/MD
 Sample : P1980-01
 Misc : 5.53g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 WC1-GRAB-10-11

Quant Time: Apr 10 04:24:57 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032924S.M
 Quant Title : SW846 8260
 QLast Update : Sat Mar 30 05:58:13 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	132027	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	240626	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	211693	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	79997	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	69834	61.125	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	122.260%
35) Dibromofluoromethane	7.716	113	75058	53.981	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	107.960%
50) Toluene-d8	10.179	98	277716	53.470	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	106.940%
62) 4-Bromofluorobenzene	12.483	95	73640	46.600	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	93.200%


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY040924\
Data File : VY017887.D
Acq On : 09 Apr 2024 12:21
Operator : SY/MD
Sample : P1980-01
Misc : 5.53g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
WC1-GRAB-10-11

Quant Time: Apr 10 04:24:57 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032924S.M
Quant Title : SW846 8260
QLast Update : Sat Mar 30 05:58:13 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.789 min Scan# 91
Delta R.T. -0.006 min
Lab File: VY017887.D
Acq: 09 Apr 2024 12:21




Instrument :
MSVOA_Y
ClientSampleId :
WC1-GRAB-10-11


Tgt Ion:168 Resp: 132027
Ion Ratio Lower Upper
168 100
99 49.8 39.1 58.7



#33
1,2-Dichloroethane-d4
Concen: 61.125 ug/l
RT: 8.136 min Scan# 1036
Delta R.T. -0.006 min
Lab File: VY017887.D
Acq: 09 Apr 2024 12:21

Tgt Ion: 65 Resp: 69834
Ion Ratio Lower Upper
65 100
67 52.6 0.0 109.6





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.691 min Scan# 1127

Delta R.T. -0.000 min

Lab File: VY017887.D

Acq: 09 Apr 2024 12:21

Instrument :

MSVOA_Y

ClientSampleId :

WC1-GRAB-10-11





Tgt Ion:114 Resp: 240626

Ion Ratio Lower Upper

114 100

63 17.3 0.0 35.0

88 13.7 0.0 27.2



#35

Dibromofluoromethane

Concen: 53.981 ug/l

RT: 7.716 min Scan# 967

Delta R.T. -0.000 min

Lab File: VY017887.D

Acq: 09 Apr 2024 12:21




Tgt Ion:113 Resp: 75058


Ion Ratio Lower Upper

113 100

111 104.6 82.2 123.4

192 20.2 15.9 23.9









#50
Toluene-d8
Concen: 53.470 ug/l
RT: 10.179 min Scan# 11
Delta R.T. -0.006 min
Lab File: VY017887.D
Acq: 09 Apr 2024 12:21




Instrument :
MSVOA_Y
ClientSampleId :
WC1-GRAB-10-11


Tgt Ion: 98 Resp: 277716
Ion Ratio Lower Upper
98 100
100 64.2 52.0 78.0



#62
4-Bromofluorobenzene
Concen: 46.600 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. -0.006 min
Lab File: VY017887.D
Acq: 09 Apr 2024 12:21

Tgt Ion: 95 Resp: 73640
Ion Ratio Lower Upper
95 100
174 92.5 0.0 175.6
176 91.8 0.0 171.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.489 min Scan# 11
Delta R.T. -0.006 min
Lab File: VY017887.D
Acq: 09 Apr 2024 12:21

Instrument :
MSVOA_Y
ClientSampleId :
WC1-GRAB-10-11

Tgt Ion:117 Resp: 211693
Ion Ratio Lower Upper
117 100
82 52.1 42.4 63.6
119 33.4 25.9 38.9



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.428 min Scan# 1904
Delta R.T. -0.006 min
Lab File: VY017887.D
Acq: 09 Apr 2024 12:21

Tgt Ion:152 Resp: 79997
Ion Ratio Lower Upper
152 100
115 54.6 28.2 84.7
150 158.3 0.0 345.6

