

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY041320\
 Data File : VY002279.D
 Acq On : 13 Apr 2020 14:55
 Operator : SY/MD
 Sample : L2215-01
 Misc : 6.66G/5ML/MSVOA Y/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-9-7FT

Quant Time: Apr 14 06:22:00 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y040820S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 08 15:15:02 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.81	168	148262	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.71	114	291048	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.50	117	272899	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.43	152	119531	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.16	65	86279	52.33	ug/l	0.00
Spiked Amount						
			Recovery	=	104.66%	
35) Dibromofluoromethane	7.74	113	85810	49.55	ug/l	0.00
Spiked Amount						
			Recovery	=	99.10%	
50) Toluene-d8	10.19	98	352825	48.67	ug/l	0.00
Spiked Amount						
			Recovery	=	97.34%	
62) 4-Bromofluorobenzene	12.49	95	124787	52.18	ug/l	0.00
Spiked Amount						
			Recovery	=	104.36%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY041320\
Data File : VY002279.D
Acq On : 13 Apr 2020 14:55
Operator : SY/MD
Sample : L2215-01
Misc : 6.66G/5ML/MSVOA Y/SOIL
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-9-7FT

Quant Time: Apr 14 06:22:00 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y040820S.M
Quant Title : SW846 8260
QLast Update : Wed Apr 08 15:15:02 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.81 min Scan# 996

Delta R.T. 0.01 min

Lab File: VY002279.D

Acq: 13 Apr 2020 14:55

Instrument :

MSVOA_Y

ClientSampleId :


TP-9-7FT

Tot Ion:168 Resp: 148262

Ion Ratio Lower Upper




168 100

99 60.2 48.0 72.0



Abundance Ion 167.90 (167.60 to 168.60): VY002279.D (-946) (-)

Ion 98.90 (98.60 to 99.60): VY002279.D (-946) (-)



#33

1,2-Dichloroethane-d4

Concen: 52.329 ug/l

RT: 8.16 min Scan# 1054

Delta R.T. 0.01 min

Lab File: VY002279.D


Acq: 13 Apr 2020 14:55

Tgt Ion: 65 Resp: 86279

Ion Ratio Lower Upper



65 100


67 57.1 0.0 114.0



Abundance Ion 64.90 (64.60 to 65.60): VY002279.D (-1004) (-)

Ion 66.90 (66.60 to 67.60): VY002279.D (-1004) (-)









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.71 min Scan# 1143
 Delta R.T. 0.01 min
 Lab File: VY002279.D
 Acq: 13 Apr 2020 14:55




Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-9-7FT


Tot Ion	Ratio	Lower	Upper
114	100		
63	19.4	0.0	39.0
88	14.9	0.0	31.0



#35
 Dibromofluoromethane
 Concen: 49.549 ug/l
 RT: 7.74 min Scan# 985
 Delta R.T. 0.01 min
 Lab File: VY002279.D
 Acq: 13 Apr 2020 14:55

Tgt Ion	Ratio	Lower	Upper
113	100		
111	103.0	83.5	125.3
192	17.9	14.7	22.1





#50

Toluene-d8

Concen: 48.674 ug/l

RT: 10.19 min Scan# 1386

Delta R.T. 0.00 min

Lab File: VY002279.D

Acq: 13 Apr 2020 14:55

Instrument :

MSVOA_Y

ClientSampleId :





TP-9-7FT

Tot Ion: 98 Resp: 352825

Ion Ratio Lower Upper

98 100

100 65.4 52.6 78.8



#62

4-Bromofluorobenzene

Concen: 52.180 ug/l

RT: 12.49 min Scan# 1763

Delta R.T. 0.00 min

Lab File: VY002279.D

Acq: 13 Apr 2020 14:55




Tgt Ion: 95 Resp: 124787


Ion Ratio Lower Upper

95 100

174 72.1 0.0 150.6

176 69.3 0.0 141.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.50 min Scan# 1601
Delta R.T. 0.01 min
Lab File: VY002279.D
Acq: 13 Apr 2020 14:55

Instrument :
MSVOA_Y
ClientSampleId :
TP-9-7FT

Tot Ion:117 Resp: 272899
Ion Ratio Lower Upper
117 100
82 54.1 44.2 66.4
119 31.1 25.1 37.7



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.43 min Scan# 1918
Delta R.T. 0.00 min
Lab File: VY002279.D
Acq: 13 Apr 2020 14:55

Tgt Ion:152 Resp: 119531
Ion Ratio Lower Upper
152 100
115 60.8 30.7 92.1
150 158.0 0.0 350.6

