

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY041420\
 Data File : VY002313.D
 Acq On : 14 Apr 2020 16:55
 Operator : SY/MD
 Sample : L2229-23RE
 Misc : 6.11G/5ML/MSVOA Y/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-17

Quant Time: Apr 15 05:36:28 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y040820S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 08 15:15:02 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	137924	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.71	114	276565	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.50	117	233215	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.44	152	79009	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.16	65	79287	51.69	ug/l	0.00
Spiked Amount	50.000		Recovery	=	103.38%	
35) Dibromofluoromethane	7.74	113	81432	49.48	ug/l	0.00
Spiked Amount	50.000		Recovery	=	98.96%	
50) Toluene-d8	10.19	98	323736	47.00	ug/l	0.00
Spiked Amount	50.000		Recovery	=	94.00%	
62) 4-Bromofluorobenzene	12.49	95	91957	40.47	ug/l	0.00
Spiked Amount	50.000		Recovery	=	80.94%	
Target Compounds						
16) Acetone	3.97	43	19988	49.478	ug/l	97
20) Methylene Chloride	4.74	84	2519	1.269	ug/l	95
25) 2-Butanone	7.01	43	7418	11.603	ug/l	96
31) Cyclohexane	7.80	56	3312	1.025	ug/l #	1
36) 1,1-Dichloropropene	7.80	75	11228	4.122	ug/l #	49
37) Ethyl Acetate	7.01	43	7418	4.767	ug/l #	71
38) Carbon Tetrachloride	7.80	117	14255	6.118	ug/l #	16
76) 1,2,3-Trichloropropane	12.49	75	44267	48.249	ug/l #	100
81) trans-1,4-Dichloro-2-buten	12.49	75	44267	93.844	ug/l #	19


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY041420\
Data File : VY002313.D
Acq On : 14 Apr 2020 16:55
Operator : SY/MD
Sample : L2229-23RE
Misc : 6.11G/5ML/MSVOA Y/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-17

Quant Time: Apr 15 05:36:28 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y040820S.M
Quant Title : SW846 8260
QLast Update : Wed Apr 08 15:15:02 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 995

Delta R.T. -0.00 min

Lab File: VY002313.D

Acq: 14 Apr 2020 16:55

Instrument :

MSVOA_Y

ClientSampled :


TP-17

Tot Ion:168 Resp: 137924

Ion Ratio Lower Upper




168 100

99 59.1 48.0 72.0



Abundance Ion 167.90 (167.60 to 168.60): VY002249.D (-985) (-)

Ion 98.90 (98.60 to 99.60): VY002249.D (-985) (-)



#16

Acetone

Concen: 49.478 ug/l

RT: 3.97 min Scan# 367

Delta R.T. 0.01 min

Lab File: VY002313.D


Acq: 14 Apr 2020 16:55

Tgt Ion: 43 Resp: 19988

Ion Ratio Lower Upper



43 100


58 33.7 28.5 42.7



Abundance Ion 43.00 (42.70 to 43.70): VY002249.D (-347) (-)

Ion 58.00 (57.70 to 58.70): VY002249.D (-347) (-)









#20
Methylene Chloride
Concen: 1.269 ug/l
RT: 4.74 min Scan# 493
Delta R.T. 0.01 min
Lab File: VY002313.D
Acq: 14 Apr 2020 16:55

Instrument :
MSVOA_Y
ClientSampleId :
TP-17

Tot Ion: 84 Resp: 2519
Ion Ratio Lower Upper
84 100
49 127.5 95.5 143.3
51 34.0 29.5 44.3
86 61.9 50.7 76.1




Abundance Ion 83.90 (83.60 to 84.60): VY0
Ion 48.90 (48.60 to 49.60): VY0
Ion 50.90 (50.60 to 51.60): VY0
Ion 85.90 (85.60 to 86.60): VY0






#25
2-Butanone
Concen: 11.603 ug/l
RT: 7.01 min Scan# 865
Delta R.T. 0.01 min
Lab File: VY002313.D
Acq: 14 Apr 2020 16:55

Tgt Ion: 43 Resp: 7418
Ion Ratio Lower Upper
43 100
72 31.2 23.2 34.8



Abundance Ion 43.00 (42.70 to 43.70): VY0
Ion 72.00 (71.70 to 72.70): VY0





#31

Cyclohexane

Concen: 1.025 ug/l

RT: 7.80 min Scan# 995

Delta R.T. 0.01 min

Lab File: VY002313.D

Acq: 14 Apr 2020 16:55

Instrument :

MSVOA_Y

ClientSampled :

TP-17


Tot Ion: 56 Resp: 3312

Ion Ratio Lower Upper

56 100

69 162.5 25.0 37.6#




84 187.0 69.7 104.5#



Abundance Ion 56.00 (55.70 to 56.70): VY0

Ion 69.00 (68.70 to 69.70): VY0

Ion 84.00 (83.70 to 84.70): VY0



#33

1,2-Dichloroethane-d4

Concen: 51.693 ug/l

RT: 8.16 min Scan# 1053

Delta R.T. -0.00 min

Lab File: VY002313.D


Acq: 14 Apr 2020 16:55

Tgt Ion: 65 Resp: 79287

Ion Ratio Lower Upper



65 100


67 57.1 0.0 114.0



Abundance Ion 64.90 (64.60 to 65.60): VY0

Ion 66.90 (66.60 to 67.60): VY0







#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.71 min Scan# 1143
 Delta R.T. 0.01 min
 Lab File: VY002313.D
 Acq: 14 Apr 2020 16:55

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-17



Tot Ion	Ratio	Lower	Upper
114	100		
63	18.8	0.0	39.0
88	15.6	0.0	31.0



Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VY0
 Ion 87.90 (87.60 to 88.60): VY0




Time-->




#35
 Dibromofluoromethane
 Concen: 49.483 ug/l
 RT: 7.74 min Scan# 984
 Delta R.T. -0.00 min
 Lab File: VY002313.D
 Acq: 14 Apr 2020 16:55


Tgt Ion	Ratio	Lower	Upper
113	100		
111	103.3	83.5	125.3
192	17.4	14.7	22.1




Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V



Time-->





#36

1,1-Dichloropropene

Concen: 4.122 ug/l

RT: 7.80 min Scan# 995

Delta R.T. -0.13 min

Lab File: VY002313.D

Acq: 14 Apr 2020 16:55

Instrument :

MSVOA_Y

ClientSampled :

TP-17


Tot Ion: 75 Resp: 11228

Ion Ratio Lower Upper

75 100

110 8.0 17.8 53.3#




77 0.0 24.4 36.6#



Abundance Ion 74.90 (74.60 to 75.60): VY0

Ion 109.90 (109.60 to 110.60): VY0

Ion 76.90 (76.60 to 77.60): VY0



#37

Ethyl Acetate

Concen: 4.767 ug/l

RT: 7.01 min Scan# 865

Delta R.T. -0.08 min

Lab File: VY002313.D

Acq: 14 Apr 2020 16:55


Tgt Ion: 43 Resp: 7418

Ion Ratio Lower Upper

43 100

61 3.0 11.8 17.6#



70 0.0 9.1 13.7#




Abundance Ion 43.00 (42.70 to 43.70): VY0

Ion 60.90 (60.60 to 61.60): VY0

Ion 70.00 (69.70 to 70.70): VY0





#38

Carbon Tetrachloride

Concen: 6.118 ug/l

RT: 7.80 min Scan# 995

Delta R.T. -0.11 min

Lab File: VY002313.D

Acq: 14 Apr 2020 16:55

Instrument :

MSVOA_Y

ClientSampled :

TP-17


Tot Ion:117 Resp: 14255

Ion Ratio Lower Upper

117 100

119 5.9 77.1 115.7#




121 0.0 23.9 35.9#



Abundance Ion 116.80 (116.50 to 117.50): V

Ion 118.80 (118.50 to 119.50): V

Ion 120.80 (120.50 to 121.50): V



#50

Toluene-d8

Concen: 47.000 ug/l

RT: 10.19 min Scan# 1386

Delta R.T. -0.00 min

Lab File: VY002313.D


Acq: 14 Apr 2020 16:55

Tgt Ion: 98 Resp: 323736

Ion Ratio Lower Upper



98 100


100 65.8 52.6 78.8



Abundance Ion 98.00 (97.70 to 98.70): VY0

Ion 100.00 (99.70 to 100.70): VY









#62
4-Bromofluorobenzene
Concen: 40.466 ug/l
RT: 12.49 min Scan# 1764
Delta R.T. 0.01 min
Lab File: VY002313.D
Acq: 14 Apr 2020 16:55




Instrument :
MSVOA_Y
ClientSampleId :
TP-17


Tot Ion: 95 Resp: 91957
Ion Ratio Lower Upper
95 100
174 75.8 0.0 150.6
176 72.6 0.0 141.4



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.50 min Scan# 1601
Delta R.T. 0.01 min
Lab File: VY002313.D
Acq: 14 Apr 2020 16:55

Tgt Ion: 117 Resp: 233215
Ion Ratio Lower Upper
117 100
82 53.6 44.2 66.4
119 31.3 25.1 37.7









#72

1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.44 min Scan# 1919
Delta R.T. 0.01 min
Lab File: VY002313.D
Acq: 14 Apr 2020 16:55

Instrument :
MSVOA_Y
ClientSampled :
TP-17




Tot Ion:152 Resp: 79009
Ion Ratio Lower Upper
152 100
115 61.2 30.7 92.1
150 157.4 0.0 350.6




#76

1,2,3-Trichloropropane
Concen: 48.249 ug/l
RT: 12.49 min Scan# 1764
Delta R.T. -0.15 min
Lab File: VY002313.D
Acq: 14 Apr 2020 16:55

Tgt Ion: 75 Resp: 44267
Ion Ratio Lower Upper
75 100
77 1.9 0.0 0.0#





#81

trans-1,4-Dichloro-2-butene

Concen: 93.844 ug/l

RT: 12.49 min Scan# 1764

Delta R.T. 0.11 min

Lab File: VY002313.D

Acq: 14 Apr 2020 16:55

Instrument :

MSVOA_Y

ClientSampleId :

TP-17


Tot Ion: 75 Resp: 44267

Ion Ratio Lower Upper

75 100

53 0.0 59.8 89.8#

89 0.0 37.0 55.6#



Abundance Ion 74.90 (74.60 to 75.60): VY0

Ion 53.00 (52.70 to 53.70): VY0

Ion 88.90 (88.60 to 89.60): VY0

