

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY041620\
 Data File : VY002372.D
 Acq On : 16 Apr 2020 17:09
 Operator : SY/MD
 Sample : L2243-15
 Misc : 6.79G/5ML/MSVOA Y/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-28

Quant Time: Apr 17 08:06:38 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y040820S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 08 15:15:02 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.81	168	153412	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.71	114	306377	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.50	117	288494	50.00	ug/l	0.01
72) 1,4-Dichlorobenzene-d4	13.44	152	124583	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.16	65	87594	51.34	ug/l	0.00
Spiked Amount 50.000			Recovery	=	102.68%	
35) Dibromofluoromethane	7.74	113	90757	49.78	ug/l	0.00
Spiked Amount 50.000			Recovery	=	99.56%	
50) Toluene-d8	10.19	98	372256	48.79	ug/l	0.00
Spiked Amount 50.000			Recovery	=	97.58%	
62) 4-Bromofluorobenzene	12.49	95	130515	51.84	ug/l	0.00
Spiked Amount 50.000			Recovery	=	103.68%	
Target Compounds						
16) Acetone	3.97	43	14105	31.390	ug/l	96
25) 2-Butanone	7.01	43	4390	6.173	ug/l #	85


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY041620\
Data File : VY002372.D
Acq On : 16 Apr 2020 17:09
Operator : SY/MD
Sample : L2243-15
Misc : 6.79G/5ML/MSVOA Y/SOIL
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-28

Quant Time: Apr 17 08:06:38 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y040820S.M
Quant Title : SW846 8260
QLast Update : Wed Apr 08 15:15:02 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.81 min Scan# 996

Delta R.T. 0.01 min

Lab File: VY002372.D

Acq: 16 Apr 2020 17:09

Instrument :

MSVOA_Y

ClientSampleId :


TP-28

Tot Ion:168 Resp: 153412

Ion Ratio Lower Upper

168 100

99 55.4 48.0 72.0



Abundance Ion 167.90 (167.60 to 168.60): VY002249.D (-985) (-)

Ion 98.90 (98.60 to 99.60): VY002249.D (-985) (-)

7.81

60000



40000

20000

0

7.70 7.80 7.90

Time-->



#16

Acetone

Concen: 31.390 ug/l

RT: 3.97 min Scan# 366

Delta R.T. -0.00 min

Lab File: VY002372.D


Acq: 16 Apr 2020 17:09

Tgt Ion: 43 Resp: 14105

Ion Ratio Lower Upper

43 100

58 33.4 28.5 42.7



Abundance Ion 43.00 (42.70 to 43.70): VY002249.D (-347) (-)

Ion 58.00 (57.70 to 58.70): VY002249.D (-347) (-)

3.97

6000

5000

4000

3000


2000


1000

0

3.85 3.90 3.95 4.00 4.05

Time-->









#25
2-Butanone
Concen: 6.173 ug/l
RT: 7.01 min Scan# 865
Delta R.T. 0.01 min
Lab File: VY002372.D
Acq: 16 Apr 2020 17:09




Instrument :
MSVOA_Y
ClientSampled :
TP-28


Tot Ion: 43 Resp: 4390
Ion Ratio Lower Upper
43 100
72 21.2 23.2 34.8#



#33
1,2-Dichloroethane-d4
Concen: 51.343 ug/l
RT: 8.16 min Scan# 1054
Delta R.T. 0.01 min
Lab File: VY002372.D
Acq: 16 Apr 2020 17:09

Tgt Ion: 65 Resp: 87594
Ion Ratio Lower Upper
65 100
67 57.2 0.0 114.0









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.71 min Scan# 1143
 Delta R.T. 0.01 min
 Lab File: VY002372.D
 Acq: 16 Apr 2020 17:09




Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-28


Tot Ion	Ratio	Lower	Upper
114	100		
63	19.1	0.0	39.0
88	15.3	0.0	31.0



#35
 Dibromofluoromethane
 Concen: 49.783 ug/l
 RT: 7.74 min Scan# 984
 Delta R.T. -0.00 min
 Lab File: VY002372.D
 Acq: 16 Apr 2020 17:09

Tgt Ion	Ratio	Lower	Upper
113	100		
111	103.0	83.5	125.3
192	17.7	14.7	22.1





#50

Toluene-d8

Concen: 48.785 ug/l

RT: 10.19 min Scan# 1387

Delta R.T. 0.01 min

Lab File: VY002372.D

Acq: 16 Apr 2020 17:09

Instrument :

MSVOA_Y

ClientSampleId :





TP-28

Tot Ion: 98 Resp: 372256

Ion Ratio Lower Upper

98 100

100 65.8 52.6 78.8



#62

4-Bromofluorobenzene

Concen: 51.845 ug/l

RT: 12.49 min Scan# 1764

Delta R.T. 0.01 min

Lab File: VY002372.D

Acq: 16 Apr 2020 17:09




Tgt Ion: 95 Resp: 130515


Ion Ratio Lower Upper

95 100

174 71.1 0.0 150.6

176 69.9 0.0 141.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.50 min Scan# 1602
Delta R.T. 0.01 min
Lab File: VY002372.D
Acq: 16 Apr 2020 17:09

Instrument :
MSVOA_Y
ClientSampleId :
TP-28

Tot Ion	Ratio	Lower	Upper
117	100		
82	55.1	44.2	66.4
119	32.0	25.1	37.7




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VY0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.44 min Scan# 1919
Delta R.T. 0.01 min
Lab File: VY002372.D
Acq: 16 Apr 2020 17:09

Tgt Ion	Ratio	Lower	Upper
152	100		
115	61.7	30.7	92.1
150	160.9	0.0	350.6



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

