

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041621\
 Data File : VY004462.D
 Acq On : 16 Apr 2021 12:15
 Operator : SY/MD
 Sample : M2051-01
 Misc : 4.84G/5ML/MSVOA_Y/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 0124027

Quant Time: Apr 17 00:52:55 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y041221S.M
 Quant Title : SW846 8260
 QLast Update : Tue Apr 13 03:38:02 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	7.801	168	125926	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	201866	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.496	117	170798	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	70144	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	65011	46.47	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	92.94%
35) Dibromofluoromethane	7.728	113	58631	52.34	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	104.68%
50) Toluene-d8	10.185	98	242647	50.92	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	101.84%
62) 4-Bromofluorobenzene	12.483	95	74484	46.06	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	92.12%
Target Compounds						
					Qvalue	
11) Tert butyl alcohol	4.972	59	2115	15.34	ug/l #	91
95) Naphthalene	15.239	128	3265	1.13	ug/l	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041621\
Data File : VY004462.D
Acq On : 16 Apr 2021 12:15
Operator : SY/MD
Sample : M2051-01
Misc : 4.84G/5ML/MSVOA_Y/SOIL
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
0124027

Quant Time: Apr 17 00:52:55 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y041221S.M
Quant Title : SW846 8260
QLast Update : Tue Apr 13 03:38:02 2021
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.00 ug/l
RT: 7.801 min Scan# 981
Delta R.T. 0.000 min
Lab File: VY004462.D
Acq: 16 Apr 2021 12:15




Instrument :
MSVOA_Y
ClientSampleId :
0124027


Tgt Ion:168 Resp: 125926
Ion Ratio Lower Upper
168 100
99 54.9 45.5 68.3



#11
Tert butyl alcohol
Concen: 15.34 ug/l
RT: 4.972 min Scan# 517
Delta R.T. -0.006 min
Lab File: VY004462.D
Acq: 16 Apr 2021 12:15

Tgt Ion: 59 Resp: 2115
Ion Ratio Lower Upper
59 100
57 6.9 8.1 12.1#









#33
1,2-Dichloroethane-d4
Concen: 46.47 ug/l
RT: 8.149 min Scan# 1038
Delta R.T. -0.006 min
Lab File: VY004462.D
Acq: 16 Apr 2021 12:15




Instrument :
MSVOA_Y
ClientSampleId :
0124027


Tgt Ion: 65 Resp: 65011
Ion Ratio Lower Upper
65 100
67 52.1 0.0 106.4



#34
1,4-Difluorobenzene
Concen: 50.00 ug/l
RT: 8.697 min Scan# 1128
Delta R.T. 0.000 min
Lab File: VY004462.D
Acq: 16 Apr 2021 12:15

Tgt Ion: 114 Resp: 201866
Ion Ratio Lower Upper
114 100
63 21.1 0.0 42.4
88 15.6 0.0 30.8









#35
Dibromofluoromethane
Concen: 52.34 ug/l
RT: 7.728 min Scan# 969
Delta R.T. 0.000 min
Lab File: VY004462.D
Acq: 16 Apr 2021 12:15




Instrument :
MSVOA_Y
ClientSampleId :
0124027


Tgt Ion:	113	Resp:	58631
Ion Ratio	Lower	Upper	
113	100		
111	103.3	82.6	123.8
192	19.5	16.1	24.1



#50
Toluene-d8
Concen: 50.92 ug/l
RT: 10.185 min Scan# 1372
Delta R.T. 0.000 min
Lab File: VY004462.D
Acq: 16 Apr 2021 12:15

Tgt Ion:	98	Resp:	242647
Ion Ratio	Lower	Upper	
98	100		
100	64.7	51.8	77.6









#62
4-Bromofluorobenzene
Concen: 46.06 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. 0.000 min
Lab File: VY004462.D
Acq: 16 Apr 2021 12:15




Instrument :
MSVOA_Y
ClientSampleId :
0124027


Tgt Ion: 95 Resp: 74484
Ion Ratio Lower Upper
95 100
174 82.3 0.0 162.4
176 81.5 0.0 156.0



#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 11.496 min Scan# 1587
Delta R.T. 0.000 min
Lab File: VY004462.D
Acq: 16 Apr 2021 12:15

Tgt Ion: 117 Resp: 170798
Ion Ratio Lower Upper
117 100
82 56.0 44.9 67.3
119 32.8 25.4 38.0









#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 13.428 min Scan# 1904
Delta R.T. 0.000 min
Lab File: VY004462.D
Acq: 16 Apr 2021 12:15

Instrument :
MSVOA_Y
ClientSampleId :
0124027

Tgt Ion:152 Resp: 70144
Ion Ratio Lower Upper
152 100
115 58.2 29.6 88.8
150 155.5 0.0 348.4



#95
Naphthalene
Concen: 1.13 ug/l
RT: 15.239 min Scan# 2201
Delta R.T. 0.000 min
Lab File: VY004462.D
Acq: 16 Apr 2021 12:15

Tgt Ion:128 Resp: 3265
Ion Ratio Lower Upper
128 100
127 13.9 10.2 15.2
129 8.9 8.8 13.2

