

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041624\
 Data File : VY017947.D
 Acq On : 16 Apr 2024 14:17
 Operator : SY/MD
 Sample : VSTDICV050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 ICVVY041624

Quant Time: Apr 17 06:28:48 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y041624S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 17 06:24:42 2024
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 04/17/2024
 Supervised By :Semsettin Yesilyurt 04/17/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	427643	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	670752	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	584522	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	275165	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	187686	50.716	ug/l	0.00
Spiked Amount 50.000	Range 50 - 163		Recovery = 101.440%			
35) Dibromofluoromethane	7.710	113	212553	51.364	ug/l	-0.01
Spiked Amount 50.000	Range 54 - 147		Recovery = 102.720%			
50) Toluene-d8	10.179	98	826611	52.643	ug/l	0.00
Spiked Amount 50.000	Range 58 - 134		Recovery = 105.280%			
62) 4-Bromofluorobenzene	12.483	95	256257	52.695	ug/l	0.00
Spiked Amount 50.000	Range 30 - 143		Recovery = 105.400%			
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.900	85	143501	42.298	ug/l	99
3) Chloromethane	2.107	50	250238	44.515	ug/l	96
4) Vinyl Chloride	2.247	62	289876	45.750	ug/l	98
5) Bromomethane	2.650	94	195145	46.272	ug/l	99
6) Chloroethane	2.790	64	184493	46.121	ug/l	99
7) Trichlorofluoromethane	3.119	101	320807	44.926	ug/l	93
8) Diethyl Ether	3.521	74	101087	44.799	ug/l	95
9) 1,1,2-Trichlorotrifluo...	3.893	101	198762	44.698	ug/l	100
10) Methyl Iodide	4.082	142	284408	48.074	ug/l	99
11) Tert butyl alcohol	4.948	59	58584	219.527	ug/l #	80
12) 1,1-Dichloroethene	3.869	96	196145	45.437	ug/l	98
13) Acrolein	3.723	56	74573	258.740	ug/l	98
14) Allyl chloride	4.472	41	255239	45.688	ug/l	96
15) Acrylonitrile	5.155	53	207275	226.240	ug/l	100
16) Acetone	3.942	43	175606	240.156	ug/l	94
17) Carbon Disulfide	4.192	76	610675	44.468	ug/l	99
18) Methyl Acetate	4.466	43	77592	40.336	ug/l	99
19) Methyl tert-butyl Ether	5.216	73	438949	46.656	ug/l	97
20) Methylene Chloride	4.710	84	216057	43.614	ug/l	95
21) trans-1,2-Dichloroethene	5.210	96	215542	45.579	ug/l	99
22) Diisopropyl ether	6.112	45	573222	46.805	ug/l	98
23) Vinyl Acetate	6.051	43	1725825	237.638	ug/l	99
24) 1,1-Dichloroethane	6.009	63	365741	45.738	ug/l	98
25) 2-Butanone	6.978	43	251121	233.645	ug/l	95
26) 2,2-Dichloropropane	6.978	77	300998	46.919	ug/l	99
27) cis-1,2-Dichloroethene	6.978	96	251732	46.609	ug/l	98
28) Bromochloromethane	7.332	49	166425	52.910	ug/l	97
29) Tetrahydrofuran	7.344	42	155019	227.280	ug/l	97
30) Chloroform	7.502	83	371524	45.461	ug/l	99
31) Cyclohexane	7.783	56	312838	44.227	ug/l	98
32) 1,1,1-Trichloroethane	7.697	97	312433	45.900	ug/l	98
36) 1,1-Dichloropropene	7.917	75	276865	46.006	ug/l	98
37) Ethyl Acetate	7.070	43	116775	47.163	ug/l	99
38) Carbon Tetrachloride	7.899	117	281800	46.349	ug/l	99
39) Methylcyclohexane	9.179	83	359882	45.889	ug/l	96
40) Benzene	8.155	78	865916	45.936	ug/l	98

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041624\
 Data File : VY017947.D
 Acq On : 16 Apr 2024 14:17
 Operator : SY/MD
 Sample : VSTDICV050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 ICVVY041624

Quant Time: Apr 17 06:28:48 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y041624S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 17 06:24:42 2024
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 04/17/2024
 Supervised By :Semsettin Yesilyurt 04/17/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.332	41	83691m	53.568	ug/l	
42) 1,2-Dichloroethane	8.234	62	196999	45.610	ug/l	100
43) Isopropyl Acetate	8.271	43	211598	45.846	ug/l	98
44) Trichloroethene	8.935	130	219424	45.807	ug/l	98
45) 1,2-Dichloropropane	9.209	63	198029	45.637	ug/l	99
46) Dibromomethane	9.301	93	111270	46.358	ug/l	99
47) Bromodichloromethane	9.496	83	278215	46.202	ug/l	97
48) Methyl methacrylate	9.289	41	98869	46.749	ug/l	98
49) 1,4-Dioxane	9.301	88	25205	919.862	ug/l #	94
51) 4-Methyl-2-Pentanone	10.069	43	568906	232.517	ug/l	100
52) Toluene	10.240	92	544875	47.105	ug/l	99
53) t-1,3-Dichloropropene	10.465	75	256434	46.646	ug/l	97
54) cis-1,3-Dichloropropene	9.929	75	316538	46.871	ug/l	99
55) 1,1,2-Trichloroethane	10.642	97	148159	45.409	ug/l	97
56) Ethyl methacrylate	10.508	69	201985	47.485	ug/l	98
57) 1,3-Dichloropropane	10.788	76	252509	45.704	ug/l	100
58) 2-Chloroethyl Vinyl ether	9.782	63	589845	266.770	ug/l	100
59) 2-Hexanone	10.831	43	402674	241.092	ug/l	100
60) Dibromochloromethane	10.983	129	193582	46.164	ug/l	99
61) 1,2-Dibromoethane	11.087	107	138988	45.708	ug/l	100
64) Tetrachloroethene	10.715	164	192132	45.885	ug/l	98
65) Chlorobenzene	11.514	112	594414	46.400	ug/l	98
66) 1,1,1,2-Tetrachloroethane	11.587	131	195958	46.389	ug/l	99
67) Ethyl Benzene	11.593	91	1025090	47.523	ug/l	98
68) m/p-Xylenes	11.703	106	791578	95.546	ug/l	99
69) o-Xylene	12.026	106	364920	47.167	ug/l	99
70) Styrene	12.044	104	630006	48.179	ug/l	100
71) Bromoform	12.209	173	112063	45.915	ug/l #	98
73) Isopropylbenzene	12.331	105	956437	47.702	ug/l	99
74) N-amyl acetate	12.142	43	191475	47.308	ug/l	99
75) 1,1,2,2-Tetrachloroethane	12.581	83	170512	45.598	ug/l	99
76) 1,2,3-Trichloropropane	12.630	75	114759m	44.444	ug/l	
77) Bromobenzene	12.605	156	226874	46.758	ug/l	99
78) n-propylbenzene	12.672	91	1160583	47.708	ug/l	99
79) 2-Chlorotoluene	12.758	91	639936	46.997	ug/l	99
80) 1,3,5-Trimethylbenzene	12.812	105	761789	47.916	ug/l	99
81) trans-1,4-Dichloro-2-b...	12.380	75	58259	46.520	ug/l	97
82) 4-Chlorotoluene	12.855	91	667511	47.333	ug/l	99
83) tert-Butylbenzene	13.075	119	692099	47.663	ug/l	97
84) 1,2,4-Trimethylbenzene	13.117	105	757598	47.850	ug/l	99
85) sec-Butylbenzene	13.251	105	1029908	47.221	ug/l	99
86) p-Isopropyltoluene	13.367	119	853127	47.603	ug/l	99
87) 1,3-Dichlorobenzene	13.367	146	444504	46.172	ug/l	99
88) 1,4-Dichlorobenzene	13.446	146	431873	45.697	ug/l	99
89) n-Butylbenzene	13.696	91	797021	47.271	ug/l	100
90) Hexachloroethane	13.959	117	168324	45.803	ug/l	97
91) 1,2-Dichlorobenzene	13.739	146	381568	45.941	ug/l	99
92) 1,2-Dibromo-3-Chloropr...	14.355	75	20877	43.404	ug/l	95
93) 1,2,4-Trichlorobenzene	15.007	180	218026	45.077	ug/l	99
94) Hexachlorobutadiene	15.111	225	125479	43.732	ug/l	99
95) Naphthalene	15.239	128	366080	45.930	ug/l	99
96) 1,2,3-Trichlorobenzene	15.422	180	181419	44.701	ug/l	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041624\
Data File : VY017947.D
Acq On : 16 Apr 2024 14:17
Operator : SY/MD
Sample : VSTDICV050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024

Quant Time: Apr 17 06:28:48 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y041624S.M
Quant Title : SW846 8260
QLast Update : Wed Apr 17 06:24:42 2024
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041624\
Data File : VY017947.D
Acq On : 16 Apr 2024 14:17
Operator : SY/MD
Sample : VSTDICV050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 10 Sample Multiplier: 1


Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024

Quant Time: Apr 17 06:28:48 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y041624S.M
Quant Title : SW846 8260
QLast Update : Wed Apr 17 06:24:42 2024
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.783 min Scan# 91

Delta R.T. -0.006 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17

Instrument :

MSVOA_Y

ClientSampleId :

ICVVY041624

Tgt Ion:168 Resp: 42764

Ion Ratio Lower Upper

168 100





99 51.2 39.1 58.7

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/17/2024

Supervised By :Semsettin Yesilyurt 04/17/2024



#2

Dichlorodifluoromethane

Concen: 42.298 ug/l

RT: 1.900 min Scan# 13

Delta R.T. 0.000 min

Lab File: VY017947.D




Acq: 16 Apr 2024 14:17


Tgt Ion: 85 Resp: 143501

Ion Ratio Lower Upper

85 100


87 32.4 16.0 48.0





#3
Chloromethane
Concen: 44.515 ug/l
RT: 2.107 min Scan# 41
Delta R.T. -0.006 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624




Tgt Ion: 50 Resp: 250238
Ion Ratio Lower Upper
50 100
52 34.1 25.6 38.4

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024




#4
Vinyl Chloride
Concen: 45.750 ug/l
RT: 2.247 min Scan# 70
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Tgt Ion: 62 Resp: 289876
Ion Ratio Lower Upper
62 100
64 31.3 26.1 39.1





#5
Bromomethane
Concen: 46.272 ug/l
RT: 2.650 min Scan# 11
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624



Tgt Ion: 94 Resp: 195149
Ion Ratio Lower Upper
94 100
96 91.5 74.1 111.1




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#6
Chloroethane
Concen: 46.121 ug/l
RT: 2.790 min Scan# 159
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17


Tgt Ion: 64 Resp: 184493
Ion Ratio Lower Upper
64 100
66 31.9 26.1 39.1





#7
Trichlorofluoromethane
Concen: 44.926 ug/l
RT: 3.119 min Scan# 212
Delta R.T. -0.006 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624




Tgt Ion:101 Resp: 32080
Ion Ratio Lower Upper
101 100
103 66.7 49.3 73.9

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024




#8
Diethyl Ether
Concen: 44.799 ug/l
RT: 3.521 min Scan# 279
Delta R.T. -0.006 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17



Tgt Ion: 74 Resp: 101087
Ion Ratio Lower Upper
74 100
45 86.9 41.3 124.1









#9
1,1,2-Trichlorotrifluoroethane
Concen: 44.698 ug/l
RT: 3.893 min Scan# 341
Delta R.T. -0.006 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17

Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624

Tgt Ion:101 Resp: 198762
Ion Ratio Lower Upper
101 100
85 43.0 34.5 51.7
151 77.5 61.7 92.5




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#10
Methyl Iodide
Concen: 48.074 ug/l
RT: 4.082 min Scan# 371
Delta R.T. -0.006 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17

Tgt Ion:142 Resp: 284408
Ion Ratio Lower Upper
142 100
127 39.8 32.8 49.2
141 14.2 11.4 17.2





#11

Tert butyl alcohol

Concen: 219.527 ug/l

RT: 4.948 min Scan# 512

Delta R.T. -0.006 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17

Instrument :

MSVOA_Y

ClientSampleId :

ICVVY041624

Tgt Ion: 59 Resp: 58584

Ion Ratio Lower Upper

59 100





57 10.5 3.0 4.6

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/17/2024

Supervised By :Semsettin Yesilyurt 04/17/2024



#12

1,1-Dichloroethene

Concen: 45.437 ug/l

RT: 3.869 min Scan# 336

Delta R.T. -0.006 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17




Tgt Ion: 96 Resp: 196145


Ion Ratio Lower Upper

96 100

61 147.5 114.6 171.8


98 63.7 50.8 76.2





#13
Acrolein
Concen: 258.740 ug/l
RT: 3.723 min Scan# 311
Delta R.T. -0.006 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624



Tgt Ion: 56 Resp: 7457
Ion Ratio Lower Upper
56 100
55 70.9 55.7 83.5




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#14
Allyl chloride
Concen: 45.688 ug/l
RT: 4.472 min Scan# 435
Delta R.T. -0.006 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17


Tgt Ion: 41 Resp: 255239
Ion Ratio Lower Upper
41 100
39 68.6 58.3 87.5
76 47.6 39.0 58.6





#15
Acrylonitrile
Concen: 226.240 ug/l
RT: 5.155 min Scan# 546
Delta R.T. -0.006 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624



Tgt Ion: 53 Resp: 207275
Ion Ratio Lower Upper
53 100
52 80.8 64.7 97.1
51 36.1 28.4 42.6




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#16
Acetone
Concen: 240.156 ug/l
RT: 3.942 min Scan# 348
Delta R.T. -0.006 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17

Tgt Ion: 43 Resp: 175606
Ion Ratio Lower Upper
43 100
58 35.8 31.7 47.5





#17

Carbon Disulfide

Concen: 44.468 ug/l

RT: 4.192 min Scan# 389

Delta R.T. 0.000 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17

Instrument :

MSVOA_Y

ClientSampleId :

ICVVY041624

Tgt Ion: 76 Resp: 61067

Ion Ratio Lower Upper

76 100





78 8.9 6.8 10.2

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/17/2024

Supervised By :Semsettin Yesilyurt 04/17/2024



#18

Methyl Acetate

Concen: 40.336 ug/l

RT: 4.466 min Scan# 434

Delta R.T. -0.012 min

Lab File: VY017947.D




Acq: 16 Apr 2024 14:17


Tgt Ion: 43 Resp: 77592

Ion Ratio Lower Upper

43 100


74 29.8 23.3 34.9





#19
Methyl tert-butyl Ether
Concen: 46.656 ug/l
RT: 5.216 min Scan# 51
Delta R.T. -0.006 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624



Tgt Ion: 73 Resp: 438949
Ion Ratio Lower Upper
73 100
57 20.4 17.3 25.9




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#20
Methylene Chloride
Concen: 43.614 ug/l
RT: 4.710 min Scan# 474
Delta R.T. -0.006 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17


Tgt Ion: 84 Resp: 216057
Ion Ratio Lower Upper
84 100
49 110.2 84.4 126.6
51 34.7 26.0 39.0
86 65.9 49.5 74.3





#21
trans-1,2-Dichloroethene
Concen: 45.579 ug/l
RT: 5.210 min Scan# 511
Delta R.T. -0.012 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624




Tgt Ion: 96 Resp: 215542
Ion Ratio Lower Upper
96 100
61 122.6 97.5 146.3
98 64.6 50.5 75.7

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024




#22
Diisopropyl ether
Concen: 46.805 ug/l
RT: 6.112 min Scan# 704
Delta R.T. -0.006 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Tgt Ion: 45 Resp: 573222
Ion Ratio Lower Upper
45 100
43 54.7 42.2 63.2
87 31.5 25.0 37.6
59 12.2 10.5 15.7





#23
 Vinyl Acetate
 Concen: 237.638 ug/l
 RT: 6.051 min Scan# 694
 Delta R.T. -0.012 min
 Lab File: VY017947.D
 Acq: 16 Apr 2024 14:17




Instrument : MSVOA_Y
 ClientSampleId : ICVVY041624




Tgt Ion: 43 Resp: 172582
 Ion Ratio Lower Upper
 43 100
 86 12.8 10.6 16.0

Manual Integrations
 APPROVED



Reviewed By :Mahesh Dadoda 04/17/2024
 Supervised By :Semsettin Yesilyurt 04/17/2024




#24
 1,1-Dichloroethane
 Concen: 45.738 ug/l
 RT: 6.009 min Scan# 687
 Delta R.T. -0.012 min
 Lab File: VY017947.D
 Acq: 16 Apr 2024 14:17



Tgt Ion: 63 Resp: 365741
 Ion Ratio Lower Upper
 63 100
 98 7.3 4.0 12.2
 100 4.7 2.6 8.0





#25

2-Butanone

Concen: 233.645 ug/l

RT: 6.978 min Scan# 846

Delta R.T. -0.006 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17

Instrument :

MSVOA_Y

ClientSampleId :

ICVVY041624

Tgt Ion: 43 Resp: 25112

Ion Ratio Lower Upper

43 100





72 31.0 27.3 40.9

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/17/2024

Supervised By :Semsettin Yesilyurt 04/17/2024



#26

2,2-Dichloropropane

Concen: 46.919 ug/l

RT: 6.978 min Scan# 846

Delta R.T. 0.000 min

Lab File: VY017947.D




Acq: 16 Apr 2024 14:17


Tgt Ion: 77 Resp: 300998

Ion Ratio Lower Upper

77 100


97 24.5 12.0 36.1





#27
 cis-1,2-Dichloroethene
 Concen: 46.609 ug/l
 RT: 6.978 min Scan# 846
 Delta R.T. -0.006 min
 Lab File: VY017947.D
 Acq: 16 Apr 2024 14:17




Instrument :
 MSVOA_Y
 ClientSampleId :
 ICVVY041624



Tgt Ion: 96 Resp: 251732
 Ion Ratio Lower Upper
 96 100
 61 129.8 0.0 256.2
 98 63.7 0.0 130.0




Manual Integrations
 APPROVED


Reviewed By :Mahesh Dadoda 04/17/2024
 Supervised By :Semsettin Yesilyurt 04/17/2024



#28
 Bromochloromethane
 Concen: 52.910 ug/l
 RT: 7.332 min Scan# 904
 Delta R.T. -0.006 min
 Lab File: VY017947.D
 Acq: 16 Apr 2024 14:17

Tgt Ion: 49 Resp: 166425
 Ion Ratio Lower Upper
 49 100
 129 2.3 0.0 4.6
 130 88.1 72.7 109.1





#29

Tetrahydrofuran

Concen: 227.280 ug/l

RT: 7.344 min Scan# 905

Delta R.T. -0.006 min

Lab File: VY017947.D


Acq: 16 Apr 2024 14:17

Instrument :

MSVOA_Y

ClientSampleId :

ICVVY041624






Tgt Ion:	42	Resp:	155019
Ion	Ratio	Lower	Upper
42	100		
72	52.2	43.0	64.4
71	48.6	40.8	61.2

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#30

Chloroform

Concen: 45.461 ug/l




RT: 7.502 min Scan# 932


Delta R.T. -0.006 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17


Tgt Ion:	83	Resp:	371524
Ion	Ratio	Lower	Upper
83	100		
85	66.1	52.2	78.4





#31
Cyclohexane
Concen: 44.227 ug/l
RT: 7.783 min Scan# 91
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624



Tgt Ion: 56 Resp: 312838
Ion Ratio Lower Upper
56 100
69 34.5 28.7 43.1
84 95.5 77.7 116.5




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#32
1,1,1-Trichloroethane
Concen: 45.900 ug/l
RT: 7.697 min Scan# 964
Delta R.T. -0.006 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17

Tgt Ion: 97 Resp: 312433
Ion Ratio Lower Upper
97 100
99 63.6 50.3 75.5
61 42.3 32.6 48.8





#33

1,2-Dichloroethane-d4

Concen: 50.716 ug/l

RT: 8.136 min Scan# 1035

Delta R.T. -0.006 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17

Instrument :

MSVOA_Y

ClientSampleId :

ICVVY041624

Tgt Ion: 65 Resp: 187680

Ion Ratio Lower Upper

65 100





67 55.6 0.0 109.6

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/17/2024

Supervised By :Semsettin Yesilyurt 04/17/2024



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.685 min Scan# 1126

Delta R.T. -0.006 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17




Tgt Ion:114 Resp: 670752


Ion Ratio Lower Upper

114 100

63 18.1 0.0 35.0


88 14.6 0.0 27.2





#35
Dibromofluoromethane
Concen: 51.364 ug/l
RT: 7.710 min Scan# 90
Delta R.T. -0.012 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624




Tgt Ion: 113 Resp: 21255
Ion Ratio Lower Upper
113 100
111 102.5 82.2 123.4
192 20.5 15.9 23.9

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024




#36
1,1-Dichloropropene
Concen: 46.006 ug/l
RT: 7.917 min Scan# 1000
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Tgt Ion: 75 Resp: 276865
Ion Ratio Lower Upper
75 100
110 36.4 19.0 57.0
77 31.1 25.3 37.9





#37
Ethyl Acetate
Concen: 47.163 ug/l
RT: 7.070 min Scan# 861
Delta R.T. -0.006 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624



Tgt Ion: 43 Resp: 116775
Ion Ratio Lower Upper
43 100
61 15.9 12.6 19.0
70 11.0 7.8 11.8




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#38
Carbon Tetrachloride
Concen: 46.349 ug/l
RT: 7.899 min Scan# 997
Delta R.T. -0.006 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17

Tgt Ion:117 Resp: 281800
Ion Ratio Lower Upper
117 100
119 96.1 75.8 113.6
121 29.6 24.0 36.0





#39
Methylcyclohexane
Concen: 45.889 ug/l
RT: 9.179 min Scan# 11
Delta R.T. -0.006 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17

Instrument :

MSVOA_Y

ClientSampleId :





ICVVY041624

Tgt Ion: 83 Resp: 35988
Ion Ratio Lower Upper
83 100
55 68.6 51.5 77.3
98 49.2 40.5 60.7

Manual Integrations




APPROVED


Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#40
Benzene
Concen: 45.936 ug/l
RT: 8.155 min Scan# 1039
Delta R.T. -0.006 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17

Tgt Ion: 78 Resp: 865916
Ion Ratio Lower Upper
78 100
77 23.5 19.5 29.3






#41
Methacrylonitrile
Concen: 53.568 ug/l m
RT: 7.332 min Scan# 904
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17

Instrument :

MSVOA_Y

ClientSampleId :

ICVVY041624






Tgt Ion: 41 Resp: 8369
Ion Ratio Lower Upper
41 100
39 37.9 48.0 72.0
67 65.6 75.1 112.7
52 24.8 29.8 44.6

Manual Integrations




APPROVED


Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#42
1,2-Dichloroethane
Concen: 45.610 ug/l
RT: 8.234 min Scan# 1052
Delta R.T. -0.006 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17


Tgt Ion: 62 Resp: 196999
Ion Ratio Lower Upper
62 100
98 11.0 0.0 22.0





#43
Isopropyl Acetate
Concen: 45.846 ug/l
RT: 8.271 min Scan# 1058
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Instrument : MSVOA_Y
ClientSampleId : ICVVY041624



Tgt Ion: 43 Resp: 211598
Ion Ratio Lower Upper
43 100
61 33.6 27.9 41.9
87 16.0 13.1 19.7




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#44
Trichloroethene
Concen: 45.807 ug/l
RT: 8.935 min Scan# 1167
Delta R.T. -0.006 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17

Tgt Ion:130 Resp: 219424
Ion Ratio Lower Upper
130 100
95 96.1 0.0 188.0





#45

1,2-Dichloropropane

Concen: 45.637 ug/l

RT: 9.209 min Scan# 1212

Delta R.T. -0.006 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17

Instrument :

MSVOA_Y

ClientSampleId :

ICVVY041624

Tgt Ion: 63 Resp: 198029

Ion Ratio Lower Upper

63 100





65 32.4 25.4 38.2

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/17/2024

Supervised By :Semsettin Yesilyurt 04/17/2024



#46

Dibromomethane

Concen: 46.358 ug/l

RT: 9.301 min Scan# 1227

Delta R.T. -0.006 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17




Tgt Ion: 93 Resp: 111270


Ion Ratio Lower Upper

93 100

95 83.0 66.2 99.4

174 102.6 80.9 121.3









#47
Bromodichloromethane
Concen: 46.202 ug/l
RT: 9.496 min Scan# 1258
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17

Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624

Tgt Ion: 83 Resp: 278215
Ion Ratio Lower Upper
83 100
85 65.5 50.1 75.1
127 8.9 7.4 11.0




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#48
Methyl methacrylate
Concen: 46.749 ug/l
RT: 9.289 min Scan# 1225
Delta R.T. -0.006 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17


Tgt Ion: 41 Resp: 98869
Ion Ratio Lower Upper
41 100
69 102.8 84.1 126.1
39 52.5 43.6 65.4





#49
1,4-Dioxane
Concen: 919.862 ug/l
RT: 9.301 min Scan# 11
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624



Tgt Ion: 88 Resp: 2520
Ion Ratio Lower Upper
88 100
43 27.8 0.0 0.0
58 66.1 49.3 73.9




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#50
Toluene-d8
Concen: 52.643 ug/l
RT: 10.179 min Scan# 1371
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17


Tgt Ion: 98 Resp: 826611
Ion Ratio Lower Upper
98 100
100 64.8 52.0 78.0





#51
4-Methyl-2-Pentanone
Concen: 232.517 ug/l
RT: 10.069 min Scan# 1352
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624



Tgt Ion: 43 Resp: 568900
Ion Ratio Lower Upper
43 100
58 44.3 35.7 53.5




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#52
Toluene
Concen: 47.105 ug/l
RT: 10.240 min Scan# 1381
Delta R.T. -0.006 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17


Tgt Ion: 92 Resp: 544875
Ion Ratio Lower Upper
92 100
91 173.0 139.0 208.6





#53
t-1,3-Dichloropropene
Concen: 46.646 ug/l
RT: 10.465 min Scan# 1417
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624



Tgt Ion: 75 Resp: 256434
Ion Ratio Lower Upper
75 100
77 31.6 24.1 36.1




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#54
cis-1,3-Dichloropropene
Concen: 46.871 ug/l
RT: 9.929 min Scan# 1330
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17

Tgt Ion: 75 Resp: 316538
Ion Ratio Lower Upper
75 100
77 32.2 25.4 38.0
39 36.3 29.8 44.6





#55

1,1,2-Trichloroethane

Concen: 45.409 ug/l

RT: 10.642 min Scan# 1447

Delta R.T. 0.000 min

Lab File: VY017947.D


Acq: 16 Apr 2024 14:17

Instrument :

MSVOA_Y

ClientSampleId :

ICVVY041624



Tgt Ion: 97 Resp: 14815

Ion Ratio Lower Upper

97 100

83 86.3 67.5 101.3

85 56.6 42.9 64.3




99 61.2 46.6 70.0

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/17/2024

Supervised By :Semsettin Yesilyurt 04/17/2024



#56

Ethyl methacrylate

Concen: 47.485 ug/l

RT: 10.508 min Scan# 1425

Delta R.T. 0.000 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17




Tgt Ion: 69 Resp: 201985


Ion Ratio Lower Upper

69 100

41 53.8 42.3 63.5

39 26.8 22.9 34.3





#57

1,3-Dichloropropane

Concen: 45.704 ug/l

RT: 10.788 min Scan# 1471

Delta R.T. 0.000 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17

Instrument :

MSVOA_Y

ClientSampleId :

ICVVY041624

Tgt Ion: 76 Resp: 252509

Ion Ratio Lower Upper

76 100





78 32.7 26.2 39.4

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/17/2024

Supervised By :Semsettin Yesilyurt 04/17/2024



#58

2-Chloroethyl Vinyl ether

Concen: 266.770 ug/l

RT: 9.782 min Scan# 1306

Delta R.T. 0.000 min

Lab File: VY017947.D




Acq: 16 Apr 2024 14:17


Tgt Ion: 63 Resp: 589845

Ion Ratio Lower Upper

63 100


106 29.5 23.7 35.5





#59
2-Hexanone
Concen: 241.092 ug/l
RT: 10.831 min Scan# 1477
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624



Tgt Ion: 43 Resp: 402674
Ion Ratio Lower Upper
43 100
58 62.6 31.4 94.0




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#60
Dibromochloromethane
Concen: 46.164 ug/l
RT: 10.983 min Scan# 1503
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17


Tgt Ion:129 Resp: 193582
Ion Ratio Lower Upper
129 100
127 77.2 39.0 117.0





#61
1,2-Dibromoethane
Concen: 45.708 ug/l
RT: 11.087 min Scan# 1520
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624




Tgt Ion:107 Resp: 138988
Ion Ratio Lower Upper
107 100
109 94.4 75.9 113.9

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024




#62
4-Bromofluorobenzene
Concen: 52.695 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Tgt Ion: 95 Resp: 256257
Ion Ratio Lower Upper
95 100
174 89.7 0.0 175.6
176 87.0 0.0 171.4





#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.489 min Scan# 117
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624



Tgt Ion:117 Resp: 58452
Ion Ratio Lower Upper
117 100
82 51.4 42.4 63.6
119 31.6 25.9 38.9




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#64
Tetrachloroethene
Concen: 45.885 ug/l
RT: 10.715 min Scan# 1459
Delta R.T. -0.006 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17

Tgt Ion:164 Resp: 192132
Ion Ratio Lower Upper
164 100
166 123.6 102.6 154.0
129 89.4 72.0 108.0
131 86.3 70.0 105.0





#65

Chlorobenzene

Concen: 46.400 ug/l

RT: 11.514 min Scan# 1590

Delta R.T. 0.000 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17

Instrument :

MSVOA_Y

ClientSampleId :

ICVVY041624

Tgt Ion:112 Resp: 594414

Ion Ratio Lower Upper

112 100





114 31.9 26.4 39.6

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/17/2024

Supervised By :Semsettin Yesilyurt 04/17/2024



#66

1,1,1,2-Tetrachloroethane

Concen: 46.389 ug/l

RT: 11.587 min Scan# 1602

Delta R.T. 0.000 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17




Tgt Ion:131 Resp: 195958


Ion Ratio Lower Upper

131 100

133 96.6 47.8 143.3

119 68.5 34.1 102.2









#67
Ethyl Benzene
Concen: 47.523 ug/l
RT: 11.593 min Scan# 1603
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17

Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624

Tgt Ion: 91 Resp: 1025090
Ion Ratio Lower Upper
91 100
106 31.4 24.5 36.7




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#68
m/p-Xylenes
Concen: 95.546 ug/l
RT: 11.703 min Scan# 1621
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17


Tgt Ion:106 Resp: 791578
Ion Ratio Lower Upper
106 100
91 196.7 156.0 234.0





#69
o-Xylene
Concen: 47.167 ug/l
RT: 12.026 min Scan# 1674
Delta R.T. -0.006 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624




Tgt Ion:106 Resp: 364920
Ion Ratio Lower Upper
106 100
91 209.0 103.6 310.8

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024




#70
Styrene
Concen: 48.179 ug/l
RT: 12.044 min Scan# 1677
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17



Tgt Ion:104 Resp: 630006
Ion Ratio Lower Upper
104 100
78 45.7 37.0 55.4
103 55.0 44.2 66.2





#71

Bromoform

Concen: 45.915 ug/l

RT: 12.209 min Scan# 11

Delta R.T. 0.000 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17

Instrument :

MSVOA_Y

ClientSampleId :

ICVVY041624

Tgt Ion:173 Resp: 11206

Ion Ratio Lower Upper

173 100

175 48.9 25.1 75.3





254 0.1 0.0 0.0

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/17/2024

Supervised By :Semsettin Yesilyurt 04/17/2024



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.428 min Scan# 1904

Delta R.T. 0.000 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17




Tgt Ion:152 Resp: 275165


Ion Ratio Lower Upper

152 100

115 55.8 28.2 84.7


150 172.9 0.0 345.6





#73
Isopropylbenzene
Concen: 47.702 ug/l
RT: 12.331 min Scan# 1724
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624




Tgt Ion:105 Resp: 95643
Ion Ratio Lower Upper
105 100
120 27.2 13.4 40.1

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024




#74
N-ethyl acetate
Concen: 47.308 ug/l
RT: 12.142 min Scan# 1693
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17



Tgt Ion: 43 Resp: 191475
Ion Ratio Lower Upper
43 100
70 51.1 41.4 62.2
55 27.8 23.3 34.9
61 28.1 22.6 33.8





#75

1,1,2,2-Tetrachloroethane

Concen: 45.598 ug/l

RT: 12.581 min Scan# 1765

Delta R.T. 0.000 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17

Instrument :

MSVOA_Y

ClientSampleId :





ICVVY041624

Tgt Ion:	83	Resp:	17051
Ion Ratio	Lower	Upper	
83	100		
131	10.3	5.0	14.9
85	65.2	32.0	96.0

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#76

1,2,3-Trichloropropane

Concen: 44.444 ug/l m




RT: 12.630 min Scan# 1773


Delta R.T. -0.006 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17

Tgt Ion:	75	Resp:	114759
Ion Ratio	Lower	Upper	
75	100		
77	0.0	0.0	0.0





#77

Bromobenzene

Concen: 46.758 ug/l

RT: 12.605 min Scan# 1769

Delta R.T. -0.006 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17

Instrument :

MSVOA_Y

ClientSampleId :

ICVVY041624





Tgt Ion:156 Resp: 226874

Ion	Ratio	Lower	Upper
156	100		
77	173.0	87.1	261.3
158	96.9	48.6	145.9

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#78

n-propylbenzene

Concen: 47.708 ug/l

RT: 12.672 min Scan# 1780




Delta R.T. 0.000 min


Lab File: VY017947.D

Acq: 16 Apr 2024 14:17

Tgt Ion: 91 Resp: 1160583

Ion	Ratio	Lower	Upper
91	100		
120	23.1	11.5	34.4





#79

2-Chlorotoluene

Concen: 46.997 ug/l

RT: 12.758 min Scan# 1793

Delta R.T. 0.000 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17

Instrument :

MSVOA_Y

ClientSampleId :

ICVVY041624

Tgt Ion: 91 Resp: 639930

Ion Ratio Lower Upper

91 100





126 36.4 17.8 53.5

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/17/2024

Supervised By :Semsettin Yesilyurt 04/17/2024



#80

1,3,5-Trimethylbenzene

Concen: 47.916 ug/l

RT: 12.812 min Scan# 1803

Delta R.T. 0.000 min

Lab File: VY017947.D




Acq: 16 Apr 2024 14:17


Tgt Ion:105 Resp: 761789

Ion Ratio Lower Upper

105 100

120 50.8 25.1 75.2









#81
trans-1,4-Dichloro-2-butene
Concen: 46.520 ug/l
RT: 12.380 min Scan# 1731
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17

Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624

Tgt Ion: 75 Resp: 58259
Ion Ratio Lower Upper
75 100
53 80.1 66.8 100.2
89 46.1 35.8 53.6




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#82
4-Chlorotoluene
Concen: 47.333 ug/l
RT: 12.855 min Scan# 1810
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17


Tgt Ion: 91 Resp: 667511
Ion Ratio Lower Upper
91 100
126 35.9 17.6 52.9





#83
tert-Butylbenzene
Concen: 47.663 ug/l
RT: 13.075 min Scan# 1846
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17




Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624




Tgt Ion:119 Resp: 692099
Ion Ratio Lower Upper
119 100
91 59.9 31.3 93.8
134 27.5 13.4 40.1

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024




#84
1,2,4-Trimethylbenzene
Concen: 47.850 ug/l
RT: 13.117 min Scan# 1853
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17



Tgt Ion:105 Resp: 757598
Ion Ratio Lower Upper
105 100
120 46.9 23.2 69.6





#85

sec-Butylbenzene

Concen: 47.221 ug/l

RT: 13.251 min Scan# 1875

Delta R.T. 0.000 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17

Instrument :

MSVOA_Y

ClientSampleId :

ICVVY041624

Tgt Ion:105 Resp: 1029908

Ion Ratio Lower Upper

105 100





134 20.7 10.1 30.1

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/17/2024

Supervised By :Semsettin Yesilyurt 04/17/2024



#86

p-Isopropyltoluene

Concen: 47.603 ug/l

RT: 13.367 min Scan# 1894

Delta R.T. 0.000 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17




Tgt Ion:119 Resp: 853127


Ion Ratio Lower Upper

119 100

134 27.1 13.1 39.3

91 21.5 10.7 32.1





#87

1,3-Dichlorobenzene

Concen: 46.172 ug/l

RT: 13.367 min Scan# 1893

Delta R.T. 0.000 min

Lab File: VY017947.D


Acq: 16 Apr 2024 14:17

Instrument :

MSVOA_Y

ClientSampleId :

ICVVY041624






Tgt Ion:146	Resp:	444504
Ion Ratio	Lower	Upper
146	100	
111	37.7	19.0 57.0
148	64.0	31.7 95.1

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#88

1,4-Dichlorobenzene


Concen: 45.697 ug/l

RT: 13.446 min Scan# 1907



Delta R.T. 0.000 min


Lab File: VY017947.D

Acq: 16 Apr 2024 14:17



Tgt Ion:146	Resp:	431873
Ion Ratio	Lower	Upper
146	100	
111	37.0	18.4 55.4
148	63.8	32.4 97.2









#89
n-Butylbenzene
Concen: 47.271 ug/l
RT: 13.696 min Scan# 1948
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17

Instrument :
MSVOA_Y
ClientSampleId :
ICVVY041624

Tgt Ion: 91 Resp: 79702
Ion Ratio Lower Upper
91 100
92 53.1 26.6 79.7
134 26.3 12.9 38.7




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#90
Hexachloroethane
Concen: 45.803 ug/l
RT: 13.959 min Scan# 1991
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17

Tgt Ion:117 Resp: 168324
Ion Ratio Lower Upper
117 100
201 77.3 37.4 112.2









#91
1,2-Dichlorobenzene
Concen: 45.941 ug/l
RT: 13.739 min Scan# 1955
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17

Instrument :
MSVOA_Y
ClientSampleId :
ICVY041624

Tgt Ion:146 Resp: 38156
Ion Ratio Lower Upper
146 100
111 39.1 19.9 59.7
148 63.9 31.8 95.4




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#92
1,2-Dibromo-3-Chloropropane
Concen: 43.404 ug/l
RT: 14.355 min Scan# 2056
Delta R.T. 0.000 min
Lab File: VY017947.D
Acq: 16 Apr 2024 14:17

Tgt Ion: 75 Resp: 20877
Ion Ratio Lower Upper
75 100
155 102.6 48.6 145.8
157 131.2 62.7 188.2





#93

1,2,4-Trichlorobenzene

Concen: 45.077 ug/l

RT: 15.007 min Scan# 2163

Delta R.T. 0.000 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17

Instrument :

MSVOA_Y

ClientSampleId :





ICVVY041624

Tgt Ion:180	Resp: 218020
Ion Ratio	Lower Upper
180 100	
182 95.1	47.9 143.8
145 28.0	14.2 42.6

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/17/2024
Supervised By :Semsettin Yesilyurt 04/17/2024



#94

Hexachlorobutadiene

Concen: 43.732 ug/l




RT: 15.111 min Scan# 2180


Delta R.T. 0.000 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17

Tgt Ion:225	Resp: 125479
Ion Ratio	Lower Upper
225 100	
223 61.6	30.4 91.2
227 63.9	31.9 95.9





#95

Naphthalene

Concen: 45.930 ug/l

RT: 15.239 min Scan# 2201

Delta R.T. 0.006 min

Lab File: VY017947.D


Acq: 16 Apr 2024 14:17

Instrument :

MSVOA_Y

ClientSampleId :

ICVVY041624



Tgt Ion:128 Resp: 366080

Ion Ratio Lower Upper

128 100

127 12.8 10.6 16.0




129 11.1 8.6 13.0

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 04/17/2024

Supervised By :Semsettin Yesilyurt 04/17/2024



#96

1,2,3-Trichlorobenzene

Concen: 44.701 ug/l

RT: 15.422 min Scan# 2231

Delta R.T. 0.000 min

Lab File: VY017947.D

Acq: 16 Apr 2024 14:17

Tgt Ion:180 Resp: 181419

Ion Ratio Lower Upper

180 100

182 94.8 47.6 142.9

145 30.1 15.4 46.1

