

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042021\
 Data File : VY004519.D
 Acq On : 20 Apr 2021 11:29
 Operator : SY/MD
 Sample : M2095-01
 Misc : 5.92G/5ML/MSVOA_Y/SOIL
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 WC-1

Quant Time: Apr 21 08:48:57 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y041221S.M
 Quant Title : SW846 8260
 QLast Update : Tue Apr 13 03:38:02 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.801	168	126978	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	214245	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.496	117	187991	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	71504	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	79423	56.30	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	112.60%
35) Dibromofluoromethane	7.728	113	65068	54.73	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	109.46%
50) Toluene-d8	10.185	98	262523	51.91	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	103.82%
62) 4-Bromofluorobenzene	12.483	95	75151	43.79	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	87.58%


Target Compounds	Qvalue
-----	-----


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042021\
Data File : VY004519.D
Acq On : 20 Apr 2021 11:29
Operator : SY/MD
Sample : M2095-01
Misc : 5.92G/5ML/MSVOA_Y/SOIL
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
WC-1

Quant Time: Apr 21 08:48:57 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y041221S.M
Quant Title : SW846 8260
QLast Update : Tue Apr 13 03:38:02 2021
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.00 ug/l
RT: 7.801 min Scan# 981
Delta R.T. 0.000 min
Lab File: VY004519.D
Acq: 20 Apr 2021 11:29




Instrument :
MSVOA_Y
ClientSampleId :
WC-1


Tgt Ion:168 Resp: 126978
Ion Ratio Lower Upper
168 100
99 56.1 45.5 68.3



#33
1,2-Dichloroethane-d4
Concen: 56.30 ug/l
RT: 8.149 min Scan# 1038
Delta R.T. -0.006 min
Lab File: VY004519.D
Acq: 20 Apr 2021 11:29

Tgt Ion: 65 Resp: 79423
Ion Ratio Lower Upper
65 100
67 52.1 0.0 106.4









#34

1,4-Difluorobenzene
Concen: 50.00 ug/l
RT: 8.697 min Scan# 1128
Delta R.T. 0.000 min
Lab File: VY004519.D
Acq: 20 Apr 2021 11:29

Instrument :
MSVOA_Y
ClientSampleId :
WC-1




Tgt Ion:	114	Resp:	214245
Ion	Ratio	Lower	Upper
114	100		
63	21.1	0.0	42.4
88	16.0	0.0	30.8




#35

Dibromofluoromethane
Concen: 54.73 ug/l
RT: 7.728 min Scan# 969
Delta R.T. 0.000 min
Lab File: VY004519.D
Acq: 20 Apr 2021 11:29

Tgt Ion:	113	Resp:	65068
Ion	Ratio	Lower	Upper
113	100		
111	103.2	82.6	123.8
192	19.4	16.1	24.1









#50
Toluene-d8
Concen: 51.91 ug/l
RT: 10.185 min Scan# 1372
Delta R.T. 0.000 min
Lab File: VY004519.D
Acq: 20 Apr 2021 11:29




Instrument :
MSVOA_Y
ClientSampleId :
WC-1

Tgt Ion: 98 Resp: 262523
Ion Ratio Lower Upper
98 100
100 64.2 51.8 77.6



#62
4-Bromofluorobenzene
Concen: 43.79 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. 0.000 min
Lab File: VY004519.D
Acq: 20 Apr 2021 11:29

Tgt Ion: 95 Resp: 75151
Ion Ratio Lower Upper
95 100
174 84.2 0.0 162.4
176 82.3 0.0 156.0









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 11.496 min Scan# 1587
Delta R.T. 0.000 min
Lab File: VY004519.D
Acq: 20 Apr 2021 11:29

Instrument :
MSVOA_Y
ClientSampleId :
WC-1

Tgt Ion:	117	Resp:	187991
Ion	Ratio	Lower	Upper
117	100		
82	56.0	44.9	67.3
119	32.2	25.4	38.0



#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 13.428 min Scan# 1904
Delta R.T. 0.000 min
Lab File: VY004519.D
Acq: 20 Apr 2021 11:29

Tgt Ion:	152	Resp:	71504
Ion	Ratio	Lower	Upper
152	100		
115	58.9	29.6	88.8
150	157.9	0.0	348.4

