

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY042120\
 Data File : VY002435.D
 Acq On : 21 Apr 2020 16:03
 Operator : SY/MD
 Sample : L2327-05
 Misc : 6.73G/5ML/MSVOA Y/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-1-D2

Quant Time: Apr 22 03:23:20 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y042020S.M
 Quant Title : SW846 8260
 QLast Update : Mon Apr 20 15:14:11 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.81	168	227245	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.71	114	363271	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.50	117	325987	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.44	152	156013	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.16	65	95944	58.05	ug/l	0.00
Spiked Amount			Recovery	=	116.10%	
35) Dibromofluoromethane	7.74	113	104420	54.65	ug/l	0.00
Spiked Amount			Recovery	=	109.30%	
50) Toluene-d8	10.19	98	419865	54.33	ug/l	0.00
Spiked Amount			Recovery	=	108.66%	
62) 4-Bromofluorobenzene	12.49	95	109479	42.91	ug/l	0.00
Spiked Amount			Recovery	=	85.82%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY042120\
Data File : VY002435.D
Acq On : 21 Apr 2020 16:03
Operator : SY/MD
Sample : L2327-05
Misc : 6.73G/5ML/MSVOA Y/SOIL
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-1-D2

Quant Time: Apr 22 03:23:20 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y042020S.M
Quant Title : SW846 8260
QLast Update : Mon Apr 20 15:14:11 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.81 min Scan# 996

Delta R.T. -0.00 min

Lab File: VY002435.D

Acq: 21 Apr 2020 16:03


Instrument :
MSVOA_Y
ClientSampleId :
TP-1-D2

Tot Ion:168 Resp: 227245

Ion Ratio Lower Upper

168 100

99 46.3 37.0 55.4



Abundance Ion 167.90 (167.60 to 168.60): VY002422.D (-985) (-)

Ion 98.90 (98.60 to 99.60): VY002422.D (-985) (-)

7.81

100000

80000



60000

40000

20000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 58.050 ug/l

RT: 8.16 min Scan# 1054

Delta R.T. 0.01 min

Lab File: VY002435.D


Acq: 21 Apr 2020 16:03

Tgt Ion: 65 Resp: 95944

Ion Ratio Lower Upper

65 100

67 56.5 0.0 111.0



Abundance Ion 64.90 (64.60 to 65.60): VY002422.D (-1044) (-)

Ion 66.90 (66.60 to 67.60): VY002422.D (-1044) (-)

8.16

50000

40000


30000


20000

10000

0

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.71 min Scan# 1143

Delta R.T. -0.00 min

Lab File: VY002435.D

Acq: 21 Apr 2020 16:03

Instrument :

MSVOA_Y

ClientSampleId :

TP-1-D2


Tot Ion:114 Resp: 363271

Ion Ratio Lower Upper

114 100

63 16.1 0.0 31.0




88 14.4 0.0 28.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 54.649 ug/l

RT: 7.74 min Scan# 984

Delta R.T. -0.01 min

Lab File: VY002435.D

Acq: 21 Apr 2020 16:03


Tgt Ion:113 Resp: 104420

Ion Ratio Lower Upper

113 100

111 102.1 81.7 122.5



192 23.0 17.8 26.6




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 54.329 ug/l

RT: 10.19 min Scan# 1387

Delta R.T. 0.01 min

Lab File: VY002435.D

Acq: 21 Apr 2020 16:03

Instrument :

MSVOA_Y

ClientSampleId :





TP-1-D2

Tot Ion: 98 Resp: 419865

Ion Ratio Lower Upper

98 100

100 65.0 51.6 77.4



#62

4-Bromofluorobenzene

Concen: 42.907 ug/l

RT: 12.49 min Scan# 1764

Delta R.T. -0.00 min

Lab File: VY002435.D

Acq: 21 Apr 2020 16:03




Tgt Ion: 95 Resp: 109479


Ion Ratio Lower Upper

95 100

174 101.3 0.0 185.8

176 97.0 0.0 181.2





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.50 min Scan# 1601

Delta R.T. -0.00 min

Lab File: VY002435.D

Acq: 21 Apr 2020 16:03

Instrument :

MSVOA_Y

ClientSampled :

TP-1-D2


Tot Ion:117 Resp: 325987

Ion Ratio Lower Upper

117 100

82 49.0 38.4 57.6




119 31.6 25.3 37.9



Abundance Ion 116.90 (116.60 to 117.60): V

Ion 82.00 (81.70 to 82.70): VY0

Ion 118.90 (118.60 to 119.60): V



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.44 min Scan# 1919

Delta R.T. 0.01 min

Lab File: VY002435.D

Acq: 21 Apr 2020 16:03


Tgt Ion:152 Resp: 156013

Ion Ratio Lower Upper

152 100

115 53.8 27.3 81.8

150 157.2 0.0 344.0



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

