

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042225\
 Data File : VY021959.D
 Acq On : 22 Apr 2025 16:38
 Operator : SY/MD
 Sample : IBLK
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 IBLK

Quant Time: Apr 23 02:36:17 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 23 02:30:30 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	383562	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	692080	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	597690	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	220015	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	187893	53.034	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	106.060%
35) Dibromofluoromethane	7.634	113	230782	50.474	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.940%
50) Toluene-d8	10.103	98	813784	47.210	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	94.420%
62) 4-Bromofluorobenzene	12.401	95	228996	39.463	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	78.920%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042225\
Data File : VY021959.D
Acq On : 22 Apr 2025 16:38
Operator : SY/MD
Sample : IBLK
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
IBLK

Quant Time: Apr 23 02:36:17 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042225S.M
Quant Title : SW846 8260
QLast Update : Wed Apr 23 02:30:30 2025
Response via : Initial Calibration

