

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042424\
 Data File : VY018029.D
 Acq On : 24 Apr 2024 09:48
 Operator : SY/MD
 Sample : VY0424SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0424SBL01

Quant Time: Apr 25 01:31:33 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y041624S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 17 06:24:42 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.795	168	305735	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	554449	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.496	117	496257	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.434	152	181607	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	151924	57.422	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	114.840%
35) Dibromofluoromethane	7.722	113	176947	51.730	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	103.460%
50) Toluene-d8	10.185	98	646757	49.829	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	99.660%
62) 4-Bromofluorobenzene	12.489	95	171378	42.633	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	85.260%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042424\
Data File : VY018029.D
Acq On : 24 Apr 2024 09:48
Operator : SY/MD
Sample : VY0424SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0424SBL01

Quant Time: Apr 25 01:31:33 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y041624S.M
Quant Title : SW846 8260
QLast Update : Wed Apr 17 06:24:42 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.795 min Scan# 91
Delta R.T. 0.006 min
Lab File: VY018029.D
Acq: 24 Apr 2024 09:48




Instrument :
MSVOA_Y
ClientSampleId :
VY0424SBL01


Tgt Ion:168 Resp: 305735
Ion Ratio Lower Upper
168 100
99 49.3 39.1 58.7



#33
1,2-Dichloroethane-d4
Concen: 57.422 ug/l
RT: 8.149 min Scan# 1038
Delta R.T. 0.006 min
Lab File: VY018029.D
Acq: 24 Apr 2024 09:48

Tgt Ion: 65 Resp: 151924
Ion Ratio Lower Upper
65 100
67 55.3 0.0 109.6





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.697 min Scan# 1128

Delta R.T. 0.006 min

Lab File: VY018029.D

Acq: 24 Apr 2024 09:48

Instrument :

MSVOA_Y

ClientSampleId :

VY0424SBL01





Tgt Ion:114 Resp: 554449

Ion Ratio Lower Upper

114 100

63 17.7 0.0 35.0

88 14.2 0.0 27.2



#35

Dibromofluoromethane

Concen: 51.730 ug/l

RT: 7.722 min Scan# 968

Delta R.T. 0.000 min

Lab File: VY018029.D

Acq: 24 Apr 2024 09:48




Tgt Ion:113 Resp: 176947


Ion Ratio Lower Upper

113 100

111 103.8 82.2 123.4

192 21.0 15.9 23.9









#50
Toluene-d8
Concen: 49.829 ug/l
RT: 10.185 min Scan# 11
Delta R.T. 0.006 min
Lab File: VY018029.D
Acq: 24 Apr 2024 09:48




Instrument :
MSVOA_Y
ClientSampleId :
VY0424SBL01


Tgt Ion: 98 Resp: 646757
Ion Ratio Lower Upper
98 100
100 64.5 52.0 78.0



#62
4-Bromofluorobenzene
Concen: 42.633 ug/l
RT: 12.489 min Scan# 1750
Delta R.T. 0.006 min
Lab File: VY018029.D
Acq: 24 Apr 2024 09:48

Tgt Ion: 95 Resp: 171378
Ion Ratio Lower Upper
95 100
174 92.7 0.0 175.6
176 89.6 0.0 171.4





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.496 min Scan# 11

Delta R.T. 0.006 min

Lab File: VY018029.D

Acq: 24 Apr 2024 09:48

Instrument :

MSVOA_Y

ClientSampleId :

VY0424SBL01





Tgt Ion:117 Resp: 496257

Ion Ratio Lower Upper

117 100

82 52.1 42.4 63.6

119 32.3 25.9 38.9



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.434 min Scan# 1905

Delta R.T. 0.006 min

Lab File: VY018029.D

Acq: 24 Apr 2024 09:48

Tgt Ion:152 Resp: 181607

Ion Ratio Lower Upper

152 100

115 53.9 28.2 84.7

150 157.0 0.0 345.6

