

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY050420\
 Data File : VY002534.D
 Acq On : 04 May 2020 12:42
 Operator : SY/MD
 Sample : L2441-03
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 RECOVERED-CRUSH-AGGREGAT

Quant Time: May 05 07:34:31 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y043020S.M
 Quant Title : SW846 8260
 QLast Update : Mon May 04 12:22:08 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	315898	50.00	ug/l	-0.01
34) 1,4-Difluorobenzene	8.69	114	512456	50.00	ug/l	-0.01
63) Chlorobenzene-d5	11.49	117	462311	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	228910	50.00	ug/l	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.15	65	154352	58.11	ug/l	-0.01
Spiked Amount 50.000			Recovery	=	116.22%	
35) Dibromofluoromethane	7.73	113	157550	53.76	ug/l	0.00
Spiked Amount 50.000			Recovery	=	107.52%	
50) Toluene-d8	10.18	98	597218	52.18	ug/l	-0.01
Spiked Amount 50.000			Recovery	=	104.36%	
62) 4-Bromofluorobenzene	12.48	95	196854	50.69	ug/l	-0.01
Spiked Amount 50.000			Recovery	=	101.38%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY050420\
Data File : VY002534.D
Acq On : 04 May 2020 12:42
Operator : SY/MD
Sample : L2441-03
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
RECOVERED-CRUSH-AGGREGAT

Quant Time: May 05 07:34:31 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y043020S.M
Quant Title : SW846 8260
QLast Update : Mon May 04 12:22:08 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 994

Delta R.T. -0.01 min

Lab File: VY002534.D

Acq: 04 May 2020 12:42

Instrument :

MSVOA_Y

ClientSampleId :


RECOVERED-CRUSH-AGGREGAT

Tot Ion:168 Resp: 315898

Ion Ratio Lower Upper

168 100

99 50.2 39.2 58.8



Abundance Ion 167.90 (167.60 to 168.60): VY002513.D (-985) (-)

Ion 98.90 (98.60 to 99.60): VY002513.D (-985) (-)

7.80

150000



100000

50000

0

7.70 7.80 7.90

Time-->



#33

1,2-Dichloroethane-d4

Concen: 58.112 ug/l

RT: 8.15 min Scan# 1052

Delta R.T. -0.01 min

Lab File: VY002534.D


Acq: 04 May 2020 12:42

Tgt Ion: 65 Resp: 154352

Ion Ratio Lower Upper

65 100

67 53.5 0.0 107.2



Abundance Ion 64.90 (64.60 to 65.60): VY002513.D (-1043) (-)

Ion 66.90 (66.60 to 67.60): VY002513.D (-1043) (-)

8.15

80000

60000


40000


20000

0

8.10 8.20

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.69 min Scan# 1141

Delta R.T. -0.01 min

Lab File: VY002534.D

Acq: 04 May 2020 12:42

Instrument :

MSVOA_Y

ClientSampleId :

RECOVERED-CRUSH-AGGREGAT


Tot Ion:114 Resp: 512456

Ion Ratio Lower Upper

114 100

63 18.2 0.0 36.4




88 14.9 0.0 29.6



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 53.758 ug/l

RT: 7.73 min Scan# 983

Delta R.T. -0.01 min

Lab File: VY002534.D

Acq: 04 May 2020 12:42


Tgt Ion:113 Resp: 157550

Ion Ratio Lower Upper

113 100

111 102.8 81.8 122.6



192 22.6 18.2 27.4




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 52.182 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. -0.01 min

Lab File: VY002534.D

Acq: 04 May 2020 12:42

Instrument :

MSVOA_Y

ClientSampleId :





RECOVERED-CRUSH-AGGREGAT

Tot Ion: 98 Resp: 597218

Ion Ratio Lower Upper

98 100

100 65.1 52.2 78.2



#62

4-Bromofluorobenzene

Concen: 50.689 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. -0.01 min

Lab File: VY002534.D

Acq: 04 May 2020 12:42




Tgt Ion: 95 Resp: 196854


Ion Ratio Lower Upper

95 100

174 93.5 0.0 188.8

176 89.5 0.0 183.2









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. -0.01 min
Lab File: VY002534.D
Acq: 04 May 2020 12:42

Instrument :
MSVOA_Y
ClientSampleId :
RECOVERED-CRUSH-AGGREGAT

Tot Ion:117 Resp: 462311
Ion Ratio Lower Upper
117 100
82 51.8 41.3 61.9
119 32.4 26.0 39.0



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. -0.01 min
Lab File: VY002534.D
Acq: 04 May 2020 12:42

Tgt Ion:152 Resp: 228910
Ion Ratio Lower Upper
152 100
115 54.1 27.5 82.4
150 155.7 0.0 346.4

