

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY050420\
 Data File : VY002562.D
 Acq On : 05 May 2020 00:28
 Operator : SY/MD
 Sample : L2463-08
 Misc : 4.58G/5ML/MSVOA Y/SOIL
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 NORTH-AOC14-CAR-WASH

Quant Time: May 05 09:04:53 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y043020S.M
 Quant Title : SW846 8260
 QLast Update : Mon May 04 12:22:08 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.82	168	130697	50.00	ug/l	0.01
34) 1,4-Difluorobenzene	8.71	114	207829	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.50	117	183592	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.44	152	80040	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.17	65	66490	60.50	ug/l	0.00
Spiked Amount 50.000			Recovery	=	121.00%	
35) Dibromofluoromethane	7.75	113	65961	55.50	ug/l	0.01
Spiked Amount 50.000			Recovery	=	111.00%	
50) Toluene-d8	10.20	98	244451	52.67	ug/l	0.00
Spiked Amount 50.000			Recovery	=	105.34%	
62) 4-Bromofluorobenzene	12.49	95	75894	48.19	ug/l	0.00
Spiked Amount 50.000			Recovery	=	96.38%	
Target Compounds						
16) Acetone	3.99	43	4110	18.122	ug/l	89
95) Naphthalene	15.25	128	3705	1.278	ug/l	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY050420\
Data File : VY002562.D
Acq On : 05 May 2020 00:28
Operator : SY/MD
Sample : L2463-08
Misc : 4.58G/5ML/MSVOA Y/SOIL
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
NORTH-AOC14-CAR-WASH

Quant Time: May 05 09:04:53 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y043020S.M
Quant Title : SW846 8260
QLast Update : Mon May 04 12:22:08 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.82 min Scan# 998

Delta R.T. 0.01 min

Lab File: VY002562.D

Acq: 05 May 2020 00:28

Instrument :

MSVOA_Y

ClientSampleId :


NORTH-AOC14-CAR-WASH

Tot Ion:168 Resp: 130697

Ion Ratio Lower Upper




168 100

99 47.4 39.2 58.8



Abundance Ion 167.90 (167.60 to 168.60): VY002513.D (-985) (-)

Ion 98.90 (98.60 to 99.60): VY002513.D (-985) (-)



#16

Acetone

Concen: 18.122 ug/l

RT: 3.99 min Scan# 369

Delta R.T. 0.02 min

Lab File: VY002562.D


Acq: 05 May 2020 00:28

Tgt Ion: 43 Resp: 4110

Ion Ratio Lower Upper



43 100


58 27.5 26.9 40.3



Abundance Ion 43.00 (42.70 to 43.70): VY002513.D (-348) (-)

Ion 58.00 (57.70 to 58.70): VY002513.D (-348) (-)









#33
 1,2-Dichloroethane-d4
 Concen: 60.505 ug/l
 RT: 8.17 min Scan# 1055
 Delta R.T. 0.01 min
 Lab File: VY002562.D
 Acq: 05 May 2020 00:28




Instrument :
 MSVOA_Y
 ClientSampleId :
 NORTH-AOC14-CAR-WASH


Tot Ion: 65 Resp: 66490
 Ion Ratio Lower Upper
 65 100
 67 54.3 0.0 107.2



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.71 min Scan# 1144
 Delta R.T. 0.01 min
 Lab File: VY002562.D
 Acq: 05 May 2020 00:28

Tgt Ion: 114 Resp: 207829
 Ion Ratio Lower Upper
 114 100
 63 18.4 0.0 36.4
 88 15.0 0.0 29.6









#35
 Dibromofluoromethane
 Concen: 55.496 ug/l
 RT: 7.75 min Scan# 986
 Delta R.T. 0.01 min
 Lab File: VY002562.D
 Acq: 05 May 2020 00:28




Instrument :
 MSVOA_Y
 ClientSampleId :
 NORTH-AOC14-CAR-WASH


Tot Ion:113 Resp: 65961
 Ion Ratio Lower Upper
 113 100
 111 101.4 81.8 122.6
 192 22.2 18.2 27.4



#50
 Toluene-d8
 Concen: 52.665 ug/l
 RT: 10.20 min Scan# 1388
 Delta R.T. 0.01 min
 Lab File: VY002562.D
 Acq: 05 May 2020 00:28

Tgt Ion: 98 Resp: 244451
 Ion Ratio Lower Upper
 98 100
 100 65.1 52.2 78.2





#62

4-Bromofluorobenzene

Concen: 48.187 ug/l

RT: 12.49 min Scan# 1764

Delta R.T. -0.00 min

Lab File: VY002562.D

Acq: 05 May 2020 00:28

Instrument :

MSVOA_Y

ClientSampleId :

NORTH-AOC14-CAR-WASH





Tot Ion: 95 Resp: 75894

Ion Ratio Lower Upper

95 100

174 90.2 0.0 188.8

176 88.2 0.0 183.2



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.50 min Scan# 1602

Delta R.T. 0.01 min

Lab File: VY002562.D

Acq: 05 May 2020 00:28




Tgt Ion: 117 Resp: 183592


Ion Ratio Lower Upper

117 100

82 52.7 41.3 61.9

119 32.9 26.0 39.0





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.44 min Scan# 1919

Delta R.T. -0.00 min

Lab File: VY002562.D

Acq: 05 May 2020 00:28

Instrument :

MSVOA_Y

ClientSampleId :

NORTH-AOC14-CAR-WASH


Tot Ion:152 Resp: 80040

Ion Ratio Lower Upper

152 100

115 54.9 27.5 82.4




150 157.7 0.0 346.4



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V



#95

Naphthalene

Concen: 1.278 ug/l

RT: 15.25 min Scan# 2216

Delta R.T. -0.00 min

Lab File: VY002562.D

Acq: 05 May 2020 00:28


Tgt Ion:128 Resp: 3705

Ion Ratio Lower Upper

128 100

127 14.4 10.5 15.7

129 12.2 8.8 13.2



Abundance Ion 128.00 (127.70 to 128.70): V

Ion 127.00 (126.70 to 127.70): V

Ion 129.00 (128.70 to 129.70): V

