

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY050520\
 Data File : VY002591.D
 Acq On : 05 May 2020 16:58
 Operator : SY/MD
 Sample : L2483-06
 Misc : 5.65G/5ML/MSVOA Y/SOIL
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 6FT-TP-3

Quant Time: May 06 07:37:21 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y043020S.M
 Quant Title : SW846 8260
 QLast Update : Mon May 04 12:22:08 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	348298	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.70	114	550770	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.50	117	481556	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.43	152	217523	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.15	65	159447	54.45	ug/l	-0.01
Spiked Amount	50.000		Recovery	=	108.90%	
35) Dibromofluoromethane	7.73	113	165532	52.55	ug/l	0.00
Spiked Amount	50.000		Recovery	=	105.10%	
50) Toluene-d8	10.19	98	640768	52.09	ug/l	0.00
Spiked Amount	50.000		Recovery	=	104.18%	
62) 4-Bromofluorobenzene	12.49	95	199207	47.73	ug/l	0.00
Spiked Amount	50.000		Recovery	=	95.46%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY050520\
Data File : VY002591.D
Acq On : 05 May 2020 16:58
Operator : SY/MD
Sample : L2483-06
Misc : 5.65G/5ML/MSVOA Y/SOIL
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
6FT-TP-3

Quant Time: May 06 07:37:21 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y043020S.M
Quant Title : SW846 8260
QLast Update : Mon May 04 12:22:08 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 995

Delta R.T. -0.01 min

Lab File: VY002591.D

Acq: 05 May 2020 16:58

Instrument :

MSVOA_Y

ClientSampleId :


6FT-TP-3

Tot Ion:168 Resp: 348298

Ion Ratio Lower Upper

168 100

99 49.1 39.2 58.8



Abundance Ion 167.90 (167.60 to 168.60): VY002591.D (-947) (-)

Ion 98.90 (98.60 to 99.60): VY002591.D (-947) (-)

7.80



150000

100000

50000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 54.446 ug/l

RT: 8.15 min Scan# 1052

Delta R.T. -0.01 min

Lab File: VY002591.D


Acq: 05 May 2020 16:58

Tgt Ion: 65 Resp: 159447

Ion Ratio Lower Upper

65 100

67 54.1 0.0 107.2



Abundance Ion 64.90 (64.60 to 65.60): VY002591.D (-1005) (-)

Ion 66.90 (66.60 to 67.60): VY002591.D (-1005) (-)

8.15

80000


60000


40000

20000

0

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.70 min Scan# 1142

Delta R.T. -0.01 min

Lab File: VY002591.D

Acq: 05 May 2020 16:58

Instrument :

MSVOA_Y

ClientSampleId :

6FT-TP-3


Tot Ion:114 Resp: 550770

Ion Ratio Lower Upper

114 100

63 18.1 0.0 36.4




88 14.4 0.0 29.6



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 52.552 ug/l

RT: 7.73 min Scan# 983

Delta R.T. -0.01 min

Lab File: VY002591.D

Acq: 05 May 2020 16:58


Tgt Ion:113 Resp: 165532

Ion Ratio Lower Upper

113 100

111 102.3 81.8 122.6



192 22.9 18.2 27.4




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 52.092 ug/l

RT: 10.19 min Scan# 1386

Delta R.T. -0.01 min

Lab File: VY002591.D

Acq: 05 May 2020 16:58

Instrument :

MSVOA_Y

ClientSampleId :





6FT-TP-3

Tot Ion: 98 Resp: 640768

Ion Ratio Lower Upper

98 100

100 64.8 52.2 78.2



#62

4-Bromofluorobenzene

Concen: 47.726 ug/l

RT: 12.49 min Scan# 1763

Delta R.T. -0.01 min

Lab File: VY002591.D

Acq: 05 May 2020 16:58




Tgt Ion: 95 Resp: 199207


Ion Ratio Lower Upper

95 100

174 92.4 0.0 188.8

176 90.0 0.0 183.2









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.50 min Scan# 1601
Delta R.T. -0.00 min
Lab File: VY002591.D
Acq: 05 May 2020 16:58

Instrument :
MSVOA_Y
ClientSampleId :
6FT-TP-3

Tot Ion	Ratio	Lower	Upper
117	100		
82	51.1	41.3	61.9
119	32.2	26.0	39.0




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VY0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.43 min Scan# 1918
Delta R.T. -0.01 min
Lab File: VY002591.D
Acq: 05 May 2020 16:58

Tgt Ion	Ratio	Lower	Upper
152	100		
115	54.3	27.5	82.4
150	156.1	0.0	346.4



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

