

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY050520\
 Data File : VY002592.D
 Acq On : 05 May 2020 17:20
 Operator : SY/MD
 Sample : L2483-08
 Misc : 7.96G/5ML/MSVOA Y/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 6FT-TP-4

Quant Time: May 06 07:40:13 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y043020S.M
 Quant Title : SW846 8260
 QLast Update : Mon May 04 12:22:08 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	348239	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.70	114	550354	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.50	117	494083	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.43	152	242495	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.15	65	159919	54.62	ug/l	-0.01
Spiked Amount 50.000			Recovery	=	109.24%	
35) Dibromofluoromethane	7.73	113	164758	52.35	ug/l	0.00
Spiked Amount 50.000			Recovery	=	104.70%	
50) Toluene-d8	10.19	98	638172	51.92	ug/l	0.00
Spiked Amount 50.000			Recovery	=	103.84%	
62) 4-Bromofluorobenzene	12.49	95	210459	50.46	ug/l	0.00
Spiked Amount 50.000			Recovery	=	100.92%	
Target Compounds						
16) Acetone	3.97	43	4766	7.887	ug/l	Qvalue 90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY050520\
Data File : VY002592.D
Acq On : 05 May 2020 17:20
Operator : SY/MD
Sample : L2483-08
Misc : 7.96G/5ML/MSVOA Y/SOIL
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
6FT-TP-4

Quant Time: May 06 07:40:13 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y043020S.M
Quant Title : SW846 8260
QLast Update : Mon May 04 12:22:08 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 995

Delta R.T. -0.01 min

Lab File: VY002592.D

Acq: 05 May 2020 17:20

Instrument :

MSVOA_Y

ClientSampleId :


6FT-TP-4

Tot Ion:168 Resp: 348239

Ion Ratio Lower Upper

168 100

99 48.0 39.2 58.8



Abundance Ion 167.90 (167.60 to 168.60): VY002513.D (-985) (-)

Ion 98.90 (98.60 to 99.60): VY002513.D (-985) (-)

7.80



150000

100000

50000

0

Time-->



#16

Acetone

Concen: 7.887 ug/l

RT: 3.97 min Scan# 366

Delta R.T. 0.01 min

Lab File: VY002592.D


Acq: 05 May 2020 17:20

Tgt Ion: 43 Resp: 4766

Ion Ratio Lower Upper

43 100

58 28.2 26.9 40.3



Abundance Ion 43.00 (42.70 to 43.70): VY002513.D (-348) (-)

Ion 58.00 (57.70 to 58.70): VY002513.D (-348) (-)

3.97

2000


1500


1000

500

0

Time-->









#33
 1,2-Dichloroethane-d4
 Concen: 54.616 ug/l
 RT: 8.15 min Scan# 1052
 Delta R.T. -0.01 min
 Lab File: VY002592.D
 Acq: 05 May 2020 17:20




Instrument :
 MSVOA_Y
 ClientSampleId :
 6FT-TP-4


Tot Ion: 65 Resp: 159919
 Ion Ratio Lower Upper
 65 100
 67 54.2 0.0 107.2



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.70 min Scan# 1142
 Delta R.T. -0.01 min
 Lab File: VY002592.D
 Acq: 05 May 2020 17:20

Tgt Ion: 114 Resp: 550354
 Ion Ratio Lower Upper
 114 100
 63 18.1 0.0 36.4
 88 14.4 0.0 29.6





#35

Dibromofluoromethane

Concen: 52.346 ug/l

RT: 7.73 min Scan# 983

Delta R.T. -0.01 min

Lab File: VY002592.D

Acq: 05 May 2020 17:20

Instrument :

MSVOA_Y

ClientSampleId :

6FT-TP-4


Tot Ion:113 Resp: 164758

Ion Ratio Lower Upper

113 100

111 103.1 81.8 122.6




192 22.7 18.2 27.4



Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V



#50

Toluene-d8

Concen: 51.920 ug/l

RT: 10.19 min Scan# 1386

Delta R.T. -0.01 min

Lab File: VY002592.D


Acq: 05 May 2020 17:20

Tgt Ion: 98 Resp: 638172

Ion Ratio Lower Upper



98 100


100 65.2 52.2 78.2



Abundance Ion 98.00 (97.70 to 98.70): VY0

Ion 100.00 (99.70 to 100.70): VY





#62

4-Bromofluorobenzene

Concen: 50.460 ug/l

RT: 12.49 min Scan# 1763

Delta R.T. -0.01 min

Lab File: VY002592.D

Acq: 05 May 2020 17:20

Instrument :

MSVOA_Y

ClientSampleId :

6FT-TP-4


Tot Ion: 95 Resp: 210459

Ion Ratio Lower Upper

95 100

174 91.8 0.0 188.8




176 89.7 0.0 183.2



Abundance Ion 94.90 (94.60 to 95.60): VY002513.D (-1755) (-)

Ion 173.80 (173.50 to 174.50): VY002513.D (-1755) (-)

Ion 175.80 (175.50 to 176.50): VY002513.D (-1755) (-)



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.50 min Scan# 1601

Delta R.T. -0.00 min

Lab File: VY002592.D

Acq: 05 May 2020 17:20


Tgt Ion: 117 Resp: 494083

Ion Ratio Lower Upper

117 100

82 51.4 41.3 61.9



119 32.6 26.0 39.0




Abundance Ion 116.90 (116.60 to 117.60): VY002513.D (-1592) (-)

Ion 82.00 (81.70 to 82.70): VY002513.D (-1592) (-)

Ion 118.90 (118.60 to 119.60): VY002513.D (-1592) (-)





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.43 min Scan# 1918

Delta R.T. -0.01 min

Lab File: VY002592.D

Acq: 05 May 2020 17:20

Instrument :

MSVOA_Y

ClientSampleId :

6FT-TP-4


Tot Ion:152 Resp: 242495

Ion Ratio Lower Upper

152 100

115 54.5 27.5 82.4

150 157.1 0.0 346.4



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

