

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv050620\
 Data File : VY002616.D
 Acq On : 06 May 2020 16:17
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: May 07 06:33:55 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y043020S.M
 Quant Title : SW846 8260
 QLast Update : Mon May 04 12:22:08 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	103	0.00
2 T	Dichlorodifluoromethane	0.380	0.396	-4.2	90	0.00
3 P	Chloromethane	0.405	0.414	-2.2	93	0.00
4 C	Vinyl Chloride	0.468	0.476	-1.7#	93	0.00
5 T	Bromomethane	0.323	0.326	-0.9	101	0.00
6 T	Chloroethane	0.279	0.286	-2.5	98	0.00
7 T	Trichlorofluoromethane	0.725	0.729	-0.6	99	0.00
8 T	Diethyl Ether	0.244	0.256	-4.9	102	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.443	0.454	-2.5	101	0.00
10 T	Methyl Iodide	0.604	0.642	-6.3	96	0.00
11 T	Tert butyl alcohol	0.043	0.043	0.0	105	0.01
12 CM	1,1-Dichloroethene	0.430	0.443	-3.0#	102	0.00
13 T	Acrolein	0.030	0.024	20.0	76	0.00
14 T	Allyl chloride	0.627	0.661	-5.4	102	0.00
15 T	Acrylonitrile	0.115	0.121	-5.2	103	0.00
16 T	Acetone	0.087	0.091	-4.6	103	0.00
17 T	Carbon Disulfide	1.295	1.348	-4.1	98	0.00
18 T	Methyl Acetate	0.290	0.296	-2.1	103	0.00
19 T	Methyl tert-butyl Ether	1.123	1.165	-3.7	102	0.00
20 T	Methylene Chloride	0.485	0.473	2.5	102	0.00
21 T	trans-1,2-Dichloroethene	0.470	0.488	-3.8	102	0.00
22 T	Diisopropyl ether	1.269	1.318	-3.9	102	0.00
23 T	Vinyl Acetate	0.798	0.841	-5.4	101	0.00
24 P	1,1-Dichloroethane	0.751	0.780	-3.9	101	0.00
25 T	2-Butanone	0.142	0.148	-4.2	102	0.00
26 T	2,2-Dichloropropane	0.714	0.701	1.8	101	0.00
27 T	cis-1,2-Dichloroethene	0.521	0.532	-2.1	102	0.00
28 T	Bromochloromethane	0.308	0.332	-7.8	110	0.00
29 T	Tetrahydrofuran	0.094	0.101	-7.4	104	0.00
30 C	Chloroform	0.781	0.793	-1.5#	101	0.00
31 T	Cyclohexane	0.756	0.746	1.3	101	0.00
32 T	1,1,1-Trichloroethane	0.726	0.735	-1.2	100	0.00
33 S	1,2-Dichloroethane-d4	0.420	0.390	7.1	96	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	103	0.00
35 S	Dibromofluoromethane	0.286	0.275	3.8	99	0.00
36 T	1,1-Dichloropropene	0.419	0.430	-2.6	102	0.00
37 T	Ethyl Acetate	0.215	0.229	-6.5	106	0.00
38 T	Carbon Tetrachloride	0.458	0.460	-0.4	99	0.00
39 T	Methylcyclohexane	0.554	0.571	-3.1	102	0.00
40 TM	Benzene	1.211	1.238	-2.2	102	0.00
41 T	Methacrylonitrile	0.116	0.121	-4.3	92	0.00
42 TM	1,2-Dichloroethane	0.340	0.332	2.4	96	0.00
43 T	Isopropyl Acetate	0.404	0.424	-5.0	103	0.00
44 TM	Trichloroethene	0.378	0.392	-3.7	104	0.00
45 C	1,2-Dichloropropane	0.292	0.300	-2.7#	103	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv050620\
 Data File : VY002616.D
 Acq On : 06 May 2020 16:17
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: May 07 06:33:55 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y043020S.M
 Quant Title : SW846 8260
 QLast Update : Mon May 04 12:22:08 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.168	0.169	-0.6	99	0.00
47 T	Bromodichloromethane	0.409	0.412	-0.7	100	0.00
48 T	Methyl methacrylate	0.183	0.199	-8.7	105	0.00
49 T	1,4-Dioxane	0.002	0.003	-50.0#	108	0.00
50 S	Toluene-d8	1.117	1.076	3.7	100	0.00
51 T	4-Methyl-2-Pentanone	0.208	0.225	-8.2	104	0.00
52 CM	Toluene	0.778	0.800	-2.8#	103	0.00
53 T	t-1,3-Dichloropropene	0.428	0.442	-3.3	101	0.00
54 T	cis-1,3-Dichloropropene	0.495	0.508	-2.6	102	0.00
55 T	1,1,2-Trichloroethane	0.245	0.251	-2.4	101	0.00
56 T	Ethyl methacrylate	0.326	0.346	-6.1	102	0.00
57 T	1,3-Dichloropropane	0.416	0.420	-1.0	99	0.00
58 T	2-Chloroethyl Vinyl ether	0.172	0.176	-2.3	108	0.00
59 T	2-Hexanone	0.143	0.156	-9.1	103	0.00
60 T	Dibromochloromethane	0.312	0.319	-2.2	101	0.00
61 T	1,2-Dibromoethane	0.243	0.249	-2.5	102	0.00
62 S	4-Bromofluorobenzene	0.379	0.363	4.2	101	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	102	0.00
64 T	Tetrachloroethene	0.444	0.476	-7.2	105	0.00
65 PM	Chlorobenzene	0.950	0.983	-3.5	103	0.00
66 T	1,1,1,2-Tetrachloroethane	0.353	0.363	-2.8	101	0.00
67 C	Ethyl Benzene	1.670	1.726	-3.4#	101	0.00
68 T	m/p-Xylenes	0.646	0.665	-2.9	101	0.00
69 T	o-Xylene	0.605	0.626	-3.5	102	0.00
70 T	Styrene	1.034	1.083	-4.7	102	0.00
71 P	Bromoform	0.219	0.230	-5.0	100	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	103	0.00
73 T	Isopropylbenzene	3.240	3.329	-2.7	102	0.00
74 T	N-amyl acetate	0.780	0.836	-7.2	101	0.00
75 P	1,1,2,2-Tetrachloroethane	0.515	0.516	-0.2	97	0.00
76 T	1,2,3-Trichloropropane	0.444	0.403	9.2	85	0.00
77 T	Bromobenzene	0.810	0.820	-1.2	100	0.00
78 T	n-propylbenzene	3.761	3.885	-3.3	102	0.00
79 T	2-Chlorotoluene	2.083	2.118	-1.7	101	0.00
80 T	1,3,5-Trimethylbenzene	2.686	2.780	-3.5	101	0.00
81 T	trans-1,4-Dichloro-2-butene	0.222	0.229	-3.2	100	0.00
82 T	4-Chlorotoluene	2.188	2.204	-0.7	100	0.00
83 T	tert-Butylbenzene	2.355	2.478	-5.2	103	0.00
84 T	1,2,4-Trimethylbenzene	2.677	2.753	-2.8	101	0.00
85 T	sec-Butylbenzene	3.268	3.376	-3.3	102	0.00
86 T	p-Isopropyltoluene	3.062	3.136	-2.4	100	0.00
87 T	1,3-Dichlorobenzene	1.532	1.554	-1.4	101	0.00
88 T	1,4-Dichlorobenzene	1.517	1.547	-2.0	101	0.00
89 T	n-Butylbenzene	2.788	2.887	-3.6	102	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv050620\
Data File : VY002616.D
Acq On : 06 May 2020 16:17
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: May 07 06:33:55 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y043020S.M
Quant Title : SW846 8260
QLast Update : Mon May 04 12:22:08 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.558	0.582	-4.3	103	0.00
91 T	1,2-Dichlorobenzene	1.367	1.390	-1.7	100	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.096	0.099	-3.1	102	0.00
93 T	1,2,4-Trichlorobenzene	0.993	1.009	-1.6	100	0.00
94 T	Hexachlorobutadiene	0.596	0.606	-1.7	102	0.00
95 T	Naphthalene	1.811	1.922	-6.1	102	0.00
96 T	1,2,3-Trichlorobenzene	0.843	0.864	-2.5	101	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6